



# electrical

PRICE & SPECIFICATION GUIDE

---

Version: 10.18.23

Desk**Makers**

revisions

03/28/19	Discontinued units AC-ELSC-01, AC-ELSC-03, AC-ELSC-04 and AC-ELSC-05
03/28/19	Added new units AC-ELSC-02, AC-ELSC-4A and AC-ELSC-06
03/28/19	Updated AC-ELSC-KIT3 to AC-ELSC-KIT4
06/01/19	Updated pricing for price increase
06/26/19	Pricing adjusted
07/02/19	Pricing corrected
09/19/19	AC-ELSC-KIT4 discontinued
11/20/19	Updated layout and added AC-DPGR-78
02/24/20	Changed model number AC-DPGR-78 to AC-DPGR-80
01/01/21	Updated pricing
12/20/21	Updated pricing
03/31/22	Updated select pricing and skus
08/18/22	Added surcharge note
12/01/22	Updated pricing
01/16/23	Updated cable carrier pricing
09/18/23	Updated product offering to include USB-C, improved wire managment selection
09/18/23	Discontinued AC-DPGR-80, AC-ELMA-01, AC-ELAC-01/02/03, AC-ELSC-ALL, AC-ELCV-1RND, AC-ELCV-09/10/11, AC-DPGR-BC51L, AC-DPGR-ABC51L, AC-MGMT-TRGH, AC-MGMT-CSPN, AC-MGMT-02, AC-CBLC-SLIM, AC-MGMT-CCXX
10/18/23	Product detail error corrected

table of contents

Product Details	4-29
Power Units	30-38
V1 System	39
V2 System	40-41
S1 System	42-43
Accessories	44
Interface Plates	45
Grommets	46
Wire Management	47-48
Terms and Conditions	49
Warranty	50

**Recessed Power and Data Unit with USB**

AC-DPGR-72

See Page 28 for pricing




(image shown with interface plate - not included)

**Specifications**

- (2) power outlets
- (2) 2.1A USB charging ports
- (1) convenience outlet on bottom
- (1) cutout for interface plate (not included)
- (2) RJ-45 keystone knock outs (jacks not included)
- (2) Cord Pass Throughs
- 144" long 15amp plug cord
- Available finishes: Black, Silver, White and Brushed Aluminum
- Hardwire version available upon request

**For Use With:**

- Conference Tables including Scale 1:1 Collection
- Training Tables
- Parsons Tables (36" & 42" deep only)
- TeamWorx Worksurfaces
- Hover Worksurfaces



**Also Available with 4 Outlets, No Interface Plate**

- See page 28 for pricing.



**Recessed Power and Data Unit with USB-C**

AC-DPGR-82

See Page 28 for pricing






(images shown with open data port - see pg # for options)

**Specifications**

- (2) power outlets
- (1) 2.1A USB charging port
- (1) 45W USBC charging port
- (1) open data port
- 144" long 15amp plug cord
- Available finishes: Black, and Silver

**For Use With:**

- Conference Tables including Scale 1:1 Collection
- Training Tables
- Parsons Tables (36" & 42" deep only)
- TeamWorx Worksurfaces
- Hover Worksurfaces



Recessed Power and Data Unit With USB

AC-DPGR-74  
See Page 28 for pricing




(image shown with interface plate - not included)

Specifications

- (6) power outlets
- (2) 2.1A USB charging ports
- (1) cutout for interface plate (not included)
- (2) 108" long 15amp plug cords
- Available finishes: Black, Silver and Brushed Aluminum
- Hardwire version available upon request

For Use With:

- Conference Tables



Cut Out Size: 8.25" x 14.12"



Recessed Power and Data Unit

AC-DPGR-77  
See Page 28 for pricing




(image shown with interface plate - not included)

Specifications

- (3) power outlets
- (1) convenience outlet on bottom
- (1) cutout for interface plate (not included)
- (2) 2.1A USB charging ports
- (2) RJ-45 keystone knock outs (jacks not included)
- 108" long 15amp plug cord
- Available finishes: Black, Silver, White and Brushed Aluminum

For Use With:

- Conference Tables
- Parsons Tables (36" & 42" deep only)



Cut Out Size: 5.38" x 15.25"





Recessed Power and Data Unit

AC-DPGR-78  
See Page 29 for pricing




(images shown with open data port - see pg # for options)

Specifications

- (3) power outlets
- (2) 2.1A USB charging ports
- (2) 45W USBC charging ports
- (1) RJ-45 Cat 6 Data port
- (1) HDMI port
- (1) Open data port
- (2) 120" long 15amp plug cords
- Available finishes: White and Silver

For Use With:

- Conference Tables including Scale 1:1 Collection
- Narrative Tables



Recessed Power and Data Unit With USB

AC-DPGR-79  
See Page 29 for pricing




Specifications

- (4) power outlets
- (2) 2.1A USB charging ports
- (2) 45W USBC charging ports
- (1) RJ-45 Data port
- (1) HDMI port
- (2) 120" long 15amp plug cords
- Available finishes: White, and Silver


For Use With:

- Conference Tables including Scale 1:1 Collection
- Narrative Tables



Surface Mounted Power and USB Unit

AC-ELCV-MINI, AC-ELCV-02, AC-ELCV-222C, AC-ELCV-03, AC-ELCV-321C, AC-ELCV-04  
See Page 30 for pricing



Specifications


- Multiple configurations available
- Spill resistant power outlets
- (2) 2.1A USB charging ports
- (1) 108" long 15amp plug cord
- Convenience outlets available on select sizes
- Tension mount
- Available finishes: Black, Silver (shown) and White

For Use With:

- Conference Tables
- Training Tables
- Parsons Tables
- TeamWorx Worksurfaces
- Hover Worksurfaces




AC-ELCV-MINI:




Cut Out Size: 1.9" x 3.27"

AC-ELCV-02:




Cut Out Size: 2" x 5.25"

AC-ELCV-222C:




Cut Out Size: 2" x 7.25"

AC-ELCV-03:  
or  
AC-ELCV-321C:



Cut Out Size: 2" x 7.25"

AC-ELCV-04:



Cut Out Size: 2" x 8.25"

Rectangle Grommet Retrofit






AC-ELCV-MINI is able to fit into the cutout for AC-GROM-35. This allows power to be added a later date.



Surface Mounted Power and USB-C Unit

AC-ELAS-IS12, AC-ELAS-IS22, AC-ELAS-IS32, AC-ELAS-IS42  
See Page 30 for pricing





Specifications

- Multiple configurations available
- Spill resistant power outlets (all sizes)
- (1) 2.1A USB charging port (all sizes)
- (1) USB-C 60W charging port (3 sizes)
- 3 and 4 outlet units also include data jack slot(s)
- Bezel frame mount
- (1) 120" 15 amp plug cord
- Available finishes: Black, Silver and White (shown)

For Use With:

- Conference Tables
- Training Tables
- Parsons Tables
- TeamWorx Worksurfaces
- Hover Worksurfaces



\*4 Outlet Size Not Available w/ USB C at this time.

See Page 42 for additional data jack options. Unit will come with Blank, RJ45, HDMI and VGA tech adaptors.

Available in Other Configurations:

- See page 16 for more information



Clamp-on



Undermount



In-surface


Round Surface Mounted Grommets

AC-PWRG-06, AC-PWRG-02  
See Page 34 for pricing



Specifications

- Round 3" grommet hole
- (2) Spill resistant power outlets
- (3) 2.1A USB charging ports
- (1) USB-C charging port
- (1) 72" long 15amp plug cord
- (1) Convenience outlet underneath unit
- Mounting Ring
- Available finishes: Black, and White




Specifications

- Round 2-2.5" grommet hole
- (1) Spill resistant power outlets
- (2) 2.1A USB charging ports
- (1) 84" long 15amp plug cord
- Mounting Ring
- Available finishes: Black, Silver and White

For Use With:

- Training Tables
- Parsons Tables
- TeamWorx Worksurfaces
- Hover Worksurfaces
- Casegood Worksurfaces



AC-ELCV-2RND  
See Page 32 for pricing




Specifications

- Multiple configurations available with Round Faceplate
- Spill resistant power outlets
- (2) 2.1A USB charging ports
- (1) 108" long 15amp plug cord
- Clamp mount
- Available finishes: Black, Silver and White

For Use With:

- Round Tables
- Parsons Tables



Cut Out Size: 2" x 3.75"



**Cordless Charging Unit**

AC-ELAC-QI  
See Page 34 for pricing




**Specifications**

- Cordless charging capability
- 10W Qi fast charge compatible with Samsung and Apple\*
- Fits into standard 2.5" grommet cutout
- (1) 78" long 15amp cord with DC end/AC Adaptor
- Steel mounting plate
- Black faux leather soft-touch finish

\*For complete list of compatible devices, contact customer service.

**For Use With:**

- Training Tables
- Parsons Tables
- TeamWorx Worksurfaces
- Hover Worksurfaces
- Casegood Worksurfaces



**Rotating Surface Mounted Power with USB**

AC-PWRG-08  
See Page 29 for pricing




**Specifications**

- (2) power outlets
- (1) 2.1A USB charging ports
- (1) USB-C charging port
- (1) 72" long 15amp plug cord
- Twist-in toolless install
- Available finishes: Black, Grey, and White



**For Use With:**

- Training Tables
- Confluence Tables
- TeamWorx Worksurfaces
- Hover Worksurfaces
- Casegood Worksurfaces





Above Surface Power and USB Unit

AC-ELAS-CL12, AC-ELAS-CL22, AC-ELAS-CL32, AC-ELAS-CL42,  
See Page 33 for pricing




Specifications

- Multiple configurations available
- Spill resistant power outlets (all sizes)
- (1) 2.1A USB charging port (all sizes)
- (1) USB-C 60W charging port (3 sizes)
- 3 and 4 outlet units also include data jack slot(s)
- (1) 72" 15 amp plug cord
- Clamp mount
- Available finishes: Black, Silver and White (shown)

For Use With:


- Training Tables
- TeamWorx Worksurfaces
- Synapse Worksurfaces
- Hover Worksurfaces



See Page 42 for additional data jack options. Unit will come with Blank, RJ45, HDMI and VGA tech adaptors.

Also Available As Undermount Unit:

- Same size and configurations. Undermount unit also features a 72" plug-in cord. See page 34 for pricing.



All-In-One Electrical Unit

AC-ELEC-KIT  
See Page 34 for pricing




Specifications

- (3) power outlets above, (5) below
- (1) USB-A 5V 2.4A 12W charging port
- (1) USB-C 30W charging port
- 15 Amp circuit breaker on undermount unit
- Top unit attaches with tension mount clamp
- Undermount unit includes brackets and screws
- 36" white cord to connect to undermount unit
- 108" black cord with flat 90° angle plug
- Single finish: white clamp unit, black undermount unit

For Use With:

- Private Offices
- Mobile Workstations
- Height Adjustable Desks



Non-Daisy-Chaining Power Base with Data

AC-ELV1-01  
See Page 35 for pricing




Specifications

- (2) power outlets
- (1) convenience outlet below worksurface
- (2) RJ-45 keystone knock outs (jacks not included)
- (1) 108" long 15amp plug cord
- Available finish: Black (Image above for reference only)

For Use With:

- Training Tables
- Parsons Tables



Non-Daisy-Chaining Power Base with Data and USB

AC-ELV1-01-USB  
See Page 37 for pricing




Specifications

- (2) power outlets
- (1) convenience outlet below worksurface
- (2) 2.1A USB charging ports
- (2) RJ-45 keystone knock outs (jacks not included)
- (1) 108" long 15amp plug cord
- Available finish: Black (Image above for reference only)

For Use With:

- Training Tables
- Confluence Tables



Non-Daisy-Chaining Power Base with Data

AC-ELV1-07  
See Page 35 for pricing




(image shown with data jacks - not included)

Specifications

- (2) power outlets
- (3) convenience outlets below worksurface
- (2) RJ-45 keystone knock outs (jacks not included)
- Notch for routing wires to access outlets below
- (1) 108" long 15amp plug cord
- Available finish: Black (Image above for reference only)

For Use With:

- Training Tables
- Parsons Tables
- TeamWorx Worksurfaces
- Hover Worksurfaces



Non-Daisy-Chaining Power Base with Data and USB

AC-ELV1-07-USB  
See Page 37 for pricing




(image shown with data jack - not included)

Specifications

- (2) power outlets
- (3) convenience outlets below worksurface
- (2) 2.1A USB charging ports
- (1) RJ-45 keystone knock out (jack not included)
- Notch for routing wires to access outlets below
- (1) 108" long 15amp plug cord
- Available finish: Black (Image above for reference only)

For Use With:

- Training Tables
- Confluence Tables
- TeamWorx Worksurfaces
- Hover Worksurfaces



V2 System Daisy-Chain 4 Wire, 2 Circuit



- Specifications**
- Multiple power bases available with outlet access above and below the worksurface
  - Power bases have data knockouts for customer supplied data jacks
  - Some units offer USB charging ports
  - Interconnecting cables for daisy-chaining power bases together
  - Non-sequential system eliminates numerical sequence of units
  - Hardwire or plug starter cables

- For Use With:**
- TeamWorx Worksurfaces
  - Hover Worksurfaces
  - Casegood desks
  - Parsons Tables

V2 System Components


Hardwire or plug starter cables connect the V2 units to the building electrical and are rated for 20 amp

Interconnecting cables connect V2 units to each other



Multiple V2 units available to provide options like USB charging and outlets underneath the worksurface




V2 System 4 Wire, 2 Circuit Wiring Schematic




Number of Units per Starter Cable

Starter Cable Type	Four Outlet Power Base
 Single Circuit Plug	4 Units
 Two Circuit Hardwire	8 Units

Calculating Interconnecting Cable Length



Using V2 System T-Junction Connector





V2 System Daisy-Chain Power Base with Data

2 Power Outlets Above Surface and 2 Power Outlets Below  
AC-ELV2-04-1CE, AC-ELV2-04-2CE  
See Page 36 for pricing




Specifications

- (2) power outlets
- (2) convenience outlets below worksurface
- (2) RJ-45 keystone knock outs (jacks not included)
- Notch for routing wires to access outlets below
- Available finish: Black (Image above for reference only)

For Use With:

- Training Tables
- Parsons Tables
- TeamWorx Worksurfaces
- Hover Worksurfaces



V2 System Daisy-Chain Power Base with Data and USB

2 Power Outlets and USB Above Surface and 2 Power Outlets Below  
AC-ELV2-04-1CU, AC-ELV2-04-2CU  
See Page 36 for pricing




(image shown with data jack - not included)

Specifications

- (2) power outlets
- (2) convenience outlets below worksurface
- (2) 2.1A USB charging ports
- (1) RJ-45 keystone knock out (jack not included)
- Notch for routing wires to access outlets below
- Available finish: Black (Image above for reference only)

For Use With:

- Training Tables
- Parsons Tables
- TeamWorx Worksurfaces
- Hover Worksurfaces




V1 and V2 System Surface Grommet

AC-ELV2-08  
See Page 42 for pricing




Specifications

- Hinged lid
- Available finishes: Black, Silver, White and Brushed Stainless Steel



S1 System Daisy-Chain 8 Wire, 4 Circuit




Specifications

- Single sided or double sided power blocks
- Simplex outlets are interchangeable permitting required circuit combination
- Interconnecting cables for daisy-chaining power blocks together
- Non-sequential system eliminates numerical sequence of units
- Hardwire or plug starter cables, can use both double sided and single sided power blocks in one system


For Use With:

- Synapse Worksurfaces
- TeamWorx Worksurfaces
- Hover Worksurfaces



S1 System Components




S1 System 8 Wire, 4 Circuit Wiring Schematic




Number of Units per Starter Cable

Starter Cable Type	Single Sided Power Block	Double Sided Power Block
 Single Circuit Plug	4 Units	2 Units
 Four Circuit Hardwire	16 Units	8 Units

Calculating Interconnecting Cable Length




Using S1 System 3 Way Connectors



S1 System Single Sided Power Block

AC-ELS1-04  
See Page 37-39 for pricing



Specifications

- (4) power outlets total
- Outlets are removable and interchangeable
- Screw holes for easy installation
- Available as:
  - Outlets with Circuits 1, 2, 3 & 4
  - Outlets all Circuit 1
  - Title 24 with Circuits 2 & 4 controlled

For Use With:

- Hover
- TeamWorx

S1 System Data+Power Pak

AC-ELS1-05  
See Page 42 for pricing



(image shown with interface plates - not included)

Specifications


- (4) power outlets total
- Metal mounting bracket includes (2) cutouts for interface plates (not included)
- Screw holes for easy installation
- Black finish
- Available as:
  - Outlets with Circuits 1,2,3 & 4
  - Outlets all Circuit 1
  - Title 24 with Circuits 2 & 4 controlled

For Use With:

- TeamWorx
- \*\*\*CANNOT be used in Hover Troughs\*\*\*

S1 System Double Sided Power Block

AC-ELS1-08  
See Page 42 for pricing




Specifications


- (8) power outlets total, (4) on each side
- Outlets are removable and interchangeable
- Mounting bracket included
- Available as:
  - Outlets with Circuits 1,2,3 & 4
  - Outlets all Circuit 1
  - Title 24 with Circuits 2 & 4 controlled

For Use With:

- Synapse



ASHRAE 90.1/Title 24 Energy Efficiency Standards

- 50% of hardwired receptacles are required to be controlled to automatically shut off, conserving energy when not in use.
- Controlled receptacles must be marked with the designated NEC standby mark. 

ASHRAE 90.1/Title 24 V2 System Daisy-Chain Power Base with Data and USB

AC-ELV2-04-T24  
See Page 40 for pricing



(image shown with data jack - not included)

Specifications

- (2) power outlets accessible above worksurface are controlled on Circuit 1
- (2) 2.1A USB charging ports are controlled on Circuit 1
- (2) power outlets below the worksurface are not controlled on Circuit 2
- (1) knock out for data jack (not included)
- Available finish: Black (Image above for reference only)

ASHRAE 90.1/Title 24 S1 System Power Blocks

AC-ELS1-04-T24C, AC-ELS1-05-T24C, AC-ELS1-08DS-T24C  
See Page 37-39 for pricing



(image shown with interface plates - not included)

Specifications

- Outlets on Circuits 2 & 4 are controlled
- Outlets on Circuit 1 & 3 are not controlled
- "IG" circuit 3 utility is an isolated circuit and shares neutral and ground



Recessed Power and Data Units with USB Charging



Model Number	Color	Price
AC-DPGR-72-BK	black	\$1,040
AC-DPGR-72-SM	silver	\$1,040
AC-DPGR-72-WT	white	\$1,040
AC-DPGR-72-ST	brushed aluminum	\$1,487

- Unique features include two power outlets and one decora size cut-out for a interface plate.



Model Number	Color	Price
AC-DPGR-84-BK	black	\$1,130
AC-DPGR-84-SM	silver	\$1,130
AC-DPGR-84-WT	white	\$1,130
AC-DPGR-84-ST	brushed aluminum	\$1,624

- This unit Includes four power outlets but no interface plate.
- Both units feature: Two USB charging ports above and one convenience outlet below.
  - Two cut-outs for RJ45 CAT6 data keystone jacks. Keystone jacks not included.
  - An overall size of 8.98" x 5.34". Fits in hole size of 8.38" x 4.75".
  - 144" long 15amp cord with plug.

Recessed Power and Data Unit with USB-C Charging



Model Number	Color	Price
AC-DPGR-82-SM	silver	\$975
AC-DPGR-82-BK	black	\$1,182

- Includes 2 power outlets, (1) 2.1A USB charging port and (1) 45W USBC charging port.
- Unit features one open data port. See page 40 for options.
- Overall size is 8.38" x 5.38". Fits in hole size of 8" x 5".
- (1) 144" long 15amp cord with plug.

Double Door Recessed Power and Data Unit with USB Charging



Model Number	Color	Price
AC-DPGR-74-BK	black	\$2,772
AC-DPGR-74-SM	silver	\$2,772
AC-DPGR-74-ST	brushed aluminum	\$3,817

- Includes six power outlets and two USB charging ports.
- One decora size cut-out for a interface plate. Unit does not include interface plate.
- Overall size is 15" x 9". Fits in hole size of 14.25" x 8.25".
- (2) 108" long 15amp cords with plug.

Recessed Power and Data Unit with USB Charging



Model Number	Color	Price
AC-DPGR-77-BK	black	\$1,672
AC-DPGR-77-SM	silver	\$1,672
AC-DPGR-77-WT	white	\$1,672
AC-DPGR-77-ST	brushed Aluminum	\$2,335

- Includes three power outlets, two USB charging ports and one convenience outlet below.
- One decora size cut-out for a interface plate. Unit does not include interface plate.
- Includes two cut-outs for RJ45 CAT6 data keystone jacks. Keystone jacks not included.
- Overall size is 16.1" x 6.25". Fits in hole size of 15.25" x 5.38".
- 108" long 15amp cord with plug.

Recessed Power and Data Unit with USB-C Charging



Model Number	Color	Price
AC-DPGR-78-WT	white	\$1,780
AC-DPGR-78-SM	silver	\$1,780

- Includes three power outlets, (2) 2.1A USB, and (2) 45W USBC charging ports
- One RJ-45 Cat 6 data port, and one HDMI port.
- Unit features one open data port. See page 40 for options.
- (2x) 120" long 15amp plug cords

Pop-up Power and Data Unit with USB-C Charging



Model Number	Color	Price
AC-DPGR-79-WT	white	\$1,911
AC-DPGR-79-SM	silver	\$1,911

- Includes four power outlets, (2) 2.1A USB, and (2) 45W USBC charging ports
- One RJ-45 Cat 6 data port, and one HDMI port.
- (2x) 120" long 15amp plug cords

Flipping Power and Data Unit with USB-C Charging



Model Number	Color	Price
AC-PWRG-08-BK	black	\$485
AC-PWRG-08-GY	grey	\$485
AC-PWRG-08-WT	white	\$485

- Includes 2 power outlets, (1) 2.1A USB, and (1) 45W USBC charging ports
- Fits in hole size of 4.5".
- 72" long 15amp cords with plug.

Surface Mounted Power and USB Unit



Model Number	Color	Price
AC-ELCV-MINI-WT	white	\$534
AC-ELCV-MINI-BK	black	\$534
AC-ELCV-MINI-SM	silver	\$534

- Includes one power outlet and two USB charging ports.
- Bendable bracket installation. Fits in cutout for AC-GROM-35 rectangle grommet.
- 108" long 15amp cord with plug.



Model Number	Color	Price
Regular		
AC-ELCV-02-WT	white	\$643
AC-ELCV-02-BK	black	\$643
AC-ELCV-02-SM	silver	\$643
w/ Convenience Outlets (2)		
AC-ELCV-222C-WT	white	\$832
AC-ELCV-222C-BK	black	\$832
AC-ELCV-222C-SM	silver	\$832

- Includes two power outlets and two USB charging ports.
- Clamp mount installation.
- 108" long 15amp cord with plug.



Model Number	Color	Price
Regular		
AC-ELCV-03-WT	white	\$821
AC-ELCV-03-BK	black	\$821
AC-ELCV-03-SM	silver	\$821
w/ Convenience Outlet (1)		
AC-ELCV-321C-WT	white	\$821
AC-ELCV-321C-BK	black	\$821
AC-ELCV-321C-SM	silver	\$821

- All units Include three surface power outlets and two USB charging ports.
- Clamp mount installation.
- 108" long 15amp cord with plug.



Model Number	Color	Price
AC-ELCV-04-WT	white	\$816
AC-ELCV-04-BK	black	\$816
AC-ELCV-04-SM	silver	\$816

- Includes four power outlets and two USB charging ports.
- Clamp mount installation.
- 108" long 15amp cord with plug.

Surface Mounted Power Unit with USB-C



Model Number	Color	Power	USB	Data	Cord	Price
AC-ELAS-IS12-BK	black	1	1A+1C	x	120"	\$491
AC-ELAS-IS12-WT	white	1	1A+1C	x	120"	\$491
AC-ELAS-IS12-SM	silver	1	1A+1C	x	120"	\$491

- Includes (1) power outlets, (2) USB charging ports - (1)10.5WUSB A, (1) 60WUSB C.
- Tension screw mount installation.
- 120" long 15amp cord with plug.



Model Number	Color	Power	USB	Data	Cord	Price
AC-ELAS-IS22-BK	black	2	1A+1C	x	120"	\$527
AC-ELAS-IS22-WT	white	2	1A+1C	x	120"	\$527
AC-ELAS-IS22-SM	silver	2	1A+1C	x	120"	\$527

- Includes (2) power outlets, (2) USB charging ports - (1)10.5WUSB A, (1) 60WUSB C.
- Tension screw mount installation.
- 120" long 15amp cord with plug.

Surface Mounted Power Unit with USB-C and Data



Model Number	Color	Power	USB	Data	Cord	Price
AC-ELAS-IS32-BK	black	3	1A+1C	1	120"	\$605
AC-ELAS-IS32-WT	white	3	1A+1C	1	120"	\$605
AC-ELAS-IS32-SM	silver	3	1A+1C	1	120"	\$605

- Includes (3) power outlets, (2) USB charging ports - (1)10.5WUSB A, (1) 60WUSB C, and (1) data port.
- Data port adaptor kit included with HDMI, RJ45, RJ11, VGA or blank insert. Connecting cables are separate. For more data options see page 40.
- Tension screw mount installation.
- 120" long 15amp cord with plug.

Surface Mounted Power Unit with USB and Data



Model Number	Color	Power	USB	Data	Cord	Price
AC-ELAS-IS42-BK	black	4	2A	1	120"	\$777
AC-ELAS-IS42-WT	white	4	2A	1	120"	\$777
AC-ELAS-IS42-SM	silver	4	2A	1	120"	\$777

- Includes (4) power outlets, (2) USB charging ports, and (2) data ports.
- Data port adaptor kits included with HDMI, RJ45, RJ11, VGA or blank inserts. Connecting cables are separate. For more data options see page 40.
- Tension screw mount installation.
- 120" long 15amp cord with plug.

Round Surface Mounted Power and USB Units



Model Number	Color	Price
AC-ELCV-2RND-WT	white	\$643
AC-ELCV-2RND-BK	black	\$643
AC-ELCV-2RND-SM	silver	\$643

- Includes two power outlets and two USB charging ports.
- Tension screw mount installation.
- 108" long 15amp cord with plug.

Power Grommet with USB

Fits in 2" and 2.5" Grommet Hole



Model Number	Color	Price
AC-PWRG-02-WT	white	\$101
AC-PWRG-02-BK	black	\$101
AC-PWRG-02-SM	Silver	\$101

- Includes one power outlet and two USB charging ports.
- Tension screw mount installation.
- 72" long 15amp cord with plug.

Power Grommet with USB-C

Fits in 3" Grommet Hole



Model Number	Color	Price
AC-PWRG-06-WT	white	\$132
AC-PWRG-06-BK	black	\$132

- Includes (2) power outlets, (3) USB-A and (1) USB-C charging ports.
- (1) Convenience outlet located under unit.
- Tension screw mount installation.
- 72" long 15amp cord with plug.

Cordless Charging Unit



Model Number	Color	Price
AC-ELAC-QI	black	\$198

- Fits into 2.5" diameter cutout.
- Steel mounting bracket.
- Charging modes: Samsung 10W, Fast Charge iPhone 7.5W, Fast Charge Qi 5W
- 78" long 1.5amp, 5V cord with DC port. Two pronged plug AC adaptor to fit into a standard wall outlet is included.

Clamp-on Power Unit with USB-C



Model Number	Color	Power	USB	Data	Cord	Price
AC-ELAS-CL12-BK	black	1	1A+1C	x	72"	\$468
AC-ELAS-CL12-WT	white	1	1A+1C	x	72"	\$468
AC-ELAS-CL12-SM	silver	1	1A+1C	x	72"	\$468

- Includes (1) power outlets, (2) USB charging ports - (1)10.5WUSB A, (1) 60WUSB C.
- Clamp mount installation.
- 72" long 15amp cord with plug.



Model Number	Color	Power	USB	Data	Cord	Price
AC-ELAS-CL22-BK	black	2	1A+1C	x	72"	\$534
AC-ELAS-CL22-WT	white	2	1A+1C	x	72"	\$534
AC-ELAS-CL22-SM	silver	2	1A+1C	x	72"	\$534

- Includes (2) power outlets, (2) USB charging ports - (1)10.5WUSB A, (1) 60WUSB C.
- Clamp mount installation.
- 72" long 15amp cord with plug.

Clamp-on Power Unit with USB-C and Data



Model Number	Color	Power	USB	Data	Cord	Price
AC-ELAS-CL32-BK	black	3	1A+1C	1	72"	\$577
AC-ELAS-CL32-WT	white	3	1A+1C	1	72"	\$577
AC-ELAS-CL32-SM	silver	3	1A+1C	1	72"	\$577

- Includes (3) power outlets, (2) USB charging ports - (1)10.5WUSB A, (1) 60WUSB C, and (1) data port.
- Data port adaptor kit included with HDMI, RJ45, RJ11, VGA or blank insert. Connecting cables are separate. For more data options see page 40.
- Clamp mount installation.
- 72" long 15amp cord with plug.

Clamp-on Power Unit with USB and Data



Model Number	Color	Power	USB	Data	Cord	Price
AC-ELAS-CL42-BK	black	4	2A	1	72"	\$677
AC-ELAS-CL42-WT	white	4	2A	1	72"	\$677
AC-ELAS-CL42-SM	silver	4	2A	1	72"	\$677

- Includes (4) power outlets, (2) USB charging ports, and (2) data ports.
- Data port adaptor kits included with HDMI, RJ45, RJ11, VGA or blank inserts. Connecting cables are separate. For more data options see page 40.
- Clamp mount installation.
- 72" long 15amp cord with plug.



Undermount Power Unit with USB-C



Model Number	Color	Power	USB	Data	Cord	Price
AC-ELAS-UN12-BK	black	1	1A+1C	x	72"	\$498
AC-ELAS-UN12-WT	white	1	1A+1C	x	72"	\$498
AC-ELAS-UN12-SM	silver	1	1A+1C	x	72"	\$498

- Includes (1) power outlets, (2) USB charging ports - (1)10.5WUSB A, (1) 60WUSB C.
- Bracket and installation hardware included.
- 72" long 15amp cord with plug.



Model Number	Color	Power	USB	Data	Cord	Price
AC-ELAS-UN22-BK	black	2	1A+1C	x	72"	\$534
AC-ELAS-UN22-WT	white	2	1A+1C	x	72"	\$534
AC-ELAS-UN22-SM	silver	2	1A+1C	x	72"	\$534

- Includes (2) power outlets, (2) USB charging ports - (1)10.5WUSB A, (1) 60WUSB C.
- Bracket and installation hardware included.
- 72" long 15amp cord with plug.

Undermount Power Unit with USB-C and Data



Model Number	Color	Power	USB	Data	Cord	Price
AC-ELAS-UN32-BK	black	3	1A+1C	1	72"	\$577
AC-ELAS-UN32-WT	white	3	1A+1C	1	72"	\$577
AC-ELAS-UN32-SM	silver	3	1A+1C	1	72"	\$577

- Includes (3) power outlets, (2) USB charging ports - (1)10.5WUSB A, (1) 60WUSB C, and (1) data port.
- Data port adaptor kit included with HDMI, RJ45, RJ11, VGA or blank insert. Connecting cables are separate. For more data options see page 40.
- Bracket and installation hardware included.
- 72" long 15amp cord with plug.

Undermount Power Unit with USB and Data



Model Number	Color	Power	USB	Data	Cord	Price
AC-ELAS-UN42-BK	black	4	2A	1	72"	\$677
AC-ELAS-UN42-WT	white	4	2A	1	72"	\$677
AC-ELAS-UN42-SM	silver	4	2A	1	72"	\$677

- Includes (4) power outlets, (2) USB charging ports, and (2) data ports.
- Data port adaptor kits included with HDMI, RJ45, RJ11, VGA or blank inserts. Connecting cables are separate. For more data options see page 40.
- Bracket and installation hardware included.
- 72" long 15amp cord with plug.

All-in-One Clamp-On & Undermount Kit



Model Number	Color	Power	USB	Data	Cord	Price
AC-ELEC-KIT	white/black	3/5	1A+1C	x	36"/108"	\$560

- Includes (3) power on top unit (5) below, & (2) USB charging ports - (1)10.5WUSB A, (1) 60WUSB C.
- Bracket and installation hardware included.
- 36" connecting cable between units, 108" long 15amp cord with plug.

Non-Daisy-Chain Upward Facing Power Base with Data



Model Number	Cord Length	Price
AC-ELV1-01	108" length	\$347

- Includes three power outlets -- two for above worksurface access and one below worksurface.
- Includes two cut-outs for RJ45 CAT6 data keystone jacks. Keystone jacks not included.
- Needs a hinged grommet, AC-ELV2-08 .
- 108" long 15amp cord with plug.
- Black finish only. (Image for reference only)

Non-Daisy-Chain Upward Facing Power Base with Data and USB



(image shown with data jacks - not included)

Model Number	Cord Length	Price
AC-ELV1-01-USB	108" length	\$535

- Includes three power outlets -- two for above worksurface access and one below worksurface.
- Includes two 2.1A USB charging ports.
- Includes two cut-outs for RJ45 CAT6 data keystone jacks. Keystone jacks not included.
- Needs a hinged grommet, AC-ELV2-08 .
- 108" long 15amp cord with plug.
- Black finish only. (Image for reference only)

Price

Non-Daisy-Chain Upward Facing Power Base with Data



(image shown with data jacks - not included)

Model Number	Cord Length	Price
AC-ELV1-07-108	108" length	\$379

- Includes five power outlets -- two for above worksurface access and three below worksurface.
- Includes two cut-outs for RJ45 CAT6 data keystone jacks. Keystone jacks not included.
- Includes notch for routing wires to access outlets below.
- Needs a hinged grommet, AC-ELV2-08 .
- 108" long 15amp cord with plug.
- Black finish only. (Image for reference only)

Non-Daisy-Chain Upward Facing Power Base with Data and USB



(image shown with data jack - not included)

Model Number	Cord Length	Price
AC-ELV1-07-USB	108" length	\$629

- Includes five power outlets -- two for above worksurface access and three below worksurface.
- Includes two 2.1A USB charging ports.
- Includes one cut-out for RJ45 CAT6 data keystone jack. Keystone jack not included.
- Includes notch for routing wires to access outlets below.
- Needs a hinged grommet, AC-ELV2-08 .
- 108" long 15amp cord with plug.
- Black finish only. (Image for reference only)

V2 System Daisy-Chain Power Base with Data



Model Number	Circuit	Price
AC-ELV2-04-1CE	Circuit 1	\$408
AC-ELV2-04-2CE	Circuit 2	\$408

- Includes four power outlets -- two for above worksurface access and two below worksurface.
- Includes two cut-outs for RJ45 CAT6 data keystone jacks. Keystone jacks not included.
- Includes notch for routing wires to access outlets below.
- Needs a hinged grommet, AC-ELV2-08 .
- Black finish only. (Image for reference only)

V2 System Daisy-Chain Power Base with Data and USB



(image shown with data jack - not included)

Model Number	Circuit	Price
AC-ELV2-04-1CU	Circuit 1 with USB	\$599
AC-ELV2-04-2CU	Circuit 2 with USB	\$599

- Includes four power outlets -- two for above worksurface access and two below worksurface.
- Includes two 2.1A USB charging ports.
- Includes one cut-out for RJ45 CAT6 data keystone jack. Keystone jack not included.
- Includes notch for routing wires to access outlets below.
- Needs a hinged grommet, AC-ELV2-08 .
- Black finish only. (Image for reference only)

Title 24 V2 System Daisy-Chain Power Base with Data and USB



(image shown with data jack - not included)

Model Number	Circuit	Price
AC-ELV2-04-T24	TITLE 24	\$629

- Includes two outlets and two 2.1A USB charging ports for above worksurface access controlled on Circuit 1.
- Includes two outlets below the worksurface not controlled on Circuit 2.
- Includes one cut-outs for RJ45 CAT6 data keystone jack. Keystone jack not included.
- Includes notch for routing wires to access outlets below.
- Needs a hinged grommet, AC-ELV2-08 .
- Black finish only. (Image for reference only)

V2 System Daisy-Chain 'T' Junction



Model Number	Price
AC-ELV2-05-DT	\$212

- Includes one female and two male ends.

electrical

V2 System Daisy-Chain Hardwire Electrical Starter Cable



Model Number	Length	Price
AC-ELV2-11-72	72" length	\$234
AC-ELV2-11-96	96" length	\$293
AC-ELV2-11-108	108" length	\$320
AC-ELV2-11-144	144" length	\$400

- Must specify both circuit 1 and circuit 2 V2 daisy-chaining power bases.

V2 System Daisy-Chain Plug Electrical Starter Cables



Model Number	Amps	Length	Price
AC-ELV2-01-20A	20amp	72" length	\$397

- Can only be used with circuit 1 connection box.

V2 System Daisy-Chain Interconnect Cable



Model Number	Length	Price
AC-ELV2-02-12	12" length	\$122
AC-ELV2-02-18	18" length	\$125
AC-ELV2-02-24	24" length	\$148
AC-ELV2-02-36	36" length	\$189
AC-ELV2-02-48	48" length	\$212
AC-ELV2-02-60	60" length	\$230
AC-ELV2-02-72	72" length	\$251
AC-ELV2-02-84	84" length	\$266
AC-ELV2-02-96	96" length	\$287

- Interconnect cables continue the power supply between multiple connection boxes.
- Includes two female ends.

V2 System Daisy-Chain Pass Through Extension Cable



Model Number	Length	Price
AC-ELV2-06-36	36" length	\$189
AC-ELV2-06-48	48" length	\$212
AC-ELV2-06-60	60" length	\$230
AC-ELV2-06-72	72" length	\$250
AC-ELV2-06-84	84" length	\$266
AC-ELV2-06-96	96" length	\$316

- Pass thru cables extend interconnecting cables or starter cables..
- Includes one female and one male end.

S1 System Single Sided Power Block



Model Number		Price
AC-ELS1-04	Circuits 1,2,3 & 4 outlets	\$190
AC-ELS1-04-1CE	All Circuit 1 outlets	\$201
AC-ELS1-04-T24C	Title 24: Circuits 2 & 4 Controlled	\$214
- 8-wire 4-circuit system. Max 4 connection boxes per circuit, with a total of 16 connection boxes on one hardwire starter when all 4 circuits are used.		
- Includes S1 Power Connection Box.		

S1 System Double Sided Power Block



Model Number		Price
AC-ELS1-08	Circuits 1,2,3 & 4 outlets	\$272
AC-ELS1-08-1CE	All Circuit 1 outlets	\$263
AC-ELS1-08-T24C	Title 24: Circuits 2 & 4 Controlled	\$301
- 8-wire 4-circuit system. Max 2 connection boxes per circuit, with a total of 8 connection boxes on one hardwire starter when all 4 circuits are used.		
- Includes S1 Power Connection Box and mounting bracket.		

S1 System Data+Power Pak



Model Number		Price
AC-ELS1-05	Circuits 1,2,3 & 4 outlets	\$449
AC-ELS1-05-1CE	All Circuit 1 outlets	\$449
AC-ELS1-05-T24C	Title 24: Circuits 2 & 4 Controlled	\$491
- 8-wire 4-circuit system. Max 4 connection boxes per circuit, with a total of 16 connection boxes on one hardwire starter when all 4 circuits are used.		
- Includes S1 Power Connection Box and chassis with two decora size cut-outs for interface plates.		
- Includes 2 interface plates with data jack knockouts.		

S1 System Daisy-Chain Hardwire Electrical Starter Cable



Model Number	Length	Price
AC-ELS1-11-72	72" length	\$259
AC-ELS1-11-108	108" length	\$324
AC-ELS1-11-144	144" length	\$388

S1 System Daisy-Chain 20amp Plug Electrical Starter Cable



Model Number	Length	Price
AC-ELS1-10-72	72" length	\$401
- Can only be used with S1 System power blocks with all circuit 1 outlets.		
- Includes 15amp converter.		

S1 System Daisy-Chain Interconnect Cable




Model Number	Length	Price
AC-ELS1-02-12	12" length	\$136
AC-ELS1-02-18	18" length	\$172
AC-ELS1-02-24	24" length	\$210
AC-ELS1-02-36	36" length	\$220
AC-ELS1-02-42	42" length	\$223
AC-ELS1-02-48	48" length	\$243
AC-ELS1-02-54	54" length	\$251
AC-ELS1-02-60	60" length	\$259
AC-ELS1-02-66	66" length	\$264
AC-ELS1-02-72	72" length	\$283
AC-ELS1-02-78	78" length	\$286
AC-ELS1-02-84	84" length	\$301
AC-ELS1-02-90	90" length	\$316
AC-ELS1-02-96	96" length	\$325
- Interconnect cables continue the power supply between multiple power blocks.		
- Includes two female ends.		

S1 System Daisy-Chain Pass Through Extension Cable



Model Number	Length	Price
AC-ELS1-06-24	24" length	\$210
AC-ELS1-06-36	36" length	\$220
AC-ELS1-06-48	48" length	\$243
AC-ELS1-06-60	60" length	\$259
AC-ELS1-06-72	72" length	\$283
AC-ELS1-06-84	84" length	\$301
AC-ELS1-06-96	96" length	\$325
- Pass thru cables extend interconnecting cables or starter cables..		
- Includes one female and one male end.		

S1 System 3 Way Connectors



Model Number	Length	Price
AC-ELS1-13-4	Rigid 4" length	\$156
AC-ELS1-12-12	Flex Cable 12" length	\$192
- Includes two male and one female ends.		




LED Task Light



Model Number	Description	Price
AC-TSKL-LD24	24" X 2.94" X 1"	\$350
AC-TSKL-JMPR	8" jumper extension cable	\$16
- 120V AC with built-in power supply. 600Lm white light. - Join more than one light together with jumper cable. - 120" long 15amp cord with plug.		

Interface Plate Bracket



Model Number	Description	Price
AC-ELBR-DAT1	5.5" x 2" bracket for 1 plate	\$131
AC-ELBR-DAT2	10.75" x 2" bracket for 2 plates	\$190
- Metal material, black finish. - Brackets are 2.4" high. - Includes interface plates each with two keystone jack cut-outs. Jacks not included. - Can be mounted to the underside of Synapse center beam or inside Hover trough.		

RJ-45 Cat6 Data Keystone Jack



Model Number	Description	Price
AC-ELV2-RJ45	(1) RJ-45 Cat 6 Data punchdown jack	\$79

RJ-11 Cat3 Voice Keystone Jack



Model Number	Description	Price
AC-ELV2-RJ11	(1) RJ-11 Cat 3 Voice punchdown jack	\$45

HDMI Keystone Jack



Model Number	Description	Price
AC-ELV2-HDMI-B	(1) HDMI punchdown jack	\$95

USB-C Keystone Jack



Model Number	Description	Price
AC-ELV2-USBC	(1) USB-C Data transfer jack. 20" Male connecting cable	\$52
- Data jack only, no power transformer included.		

Keystone Cutout Cap



Model Number	Description	Price
AC-ELV2-CAP	(1) Black cap to cover punchdown cutout	\$4

Data Connectors W/ Cords  
For use with AC-DPGR-78 and 82



Model Number	Description	Price
AC-ELEC-CAT6-10FT	Cat 6 Jack with 10ft cable, M/F	\$92
AC-ELEC-HDMI-6FT	HDMI Jack with 6ft cable, M/F	\$56

Interface Plates



Model Number	Description	Price
AC-DPGR-BB	(2) RJ-45 Cat 6 Data Connectors	\$169



AC-DPGR-AB	(1) RJ-11 Cat 3 Phone & (1) RJ-45 Cat 6 Data Connectors	\$130
------------	---	-------



AC-DPGR-BBB	(3) RJ-45 Cat 6 Data Connectors	\$249
-------------	---------------------------------	-------



AC-DPGR-ABB	(1) RJ-11 Cat 3 Phone & (2) RJ-45 Cat 6 Data Connectors	\$241
-------------	---	-------



AC-DPGR-BBBB	(4) RJ-45 Cat 6 Data Connectors	\$367
--------------	---------------------------------	-------



AC-DPGR-ABC45	(1) RJ-11 Cat 3 Phone, (1) RJ-45 Cat 6 Data Connectors & (1) HDMI F/F with 36" patch cord	\$374
---------------	---	-------



AC-DPGR-BBC45	(2) RJ-45 Cat 6 Data Connectors & (1) HDMI F/F with 36" patch cord	\$410
---------------	--	-------



AC-DPGR-C45-NEW	(1) HDMI F/F with 36" patch cord Connector	\$233
-----------------	--	-------



AC-DPGR-C45LC51	(1) HDMI F/F with 36" patch cord, (1) Mini-Stereo Inline & (1) 15 Pin HD VGA F/F with 60" patch cord	\$458
-----------------	--	-------



AC-DPGR-C45102	(1) HDMI F/F with 36" patch cord Connector & (1) USB Type A/A w/ 72 patch cord	\$327
----------------	--	-------



AC-DPGR-102BB	(2) RJ-45 Cat 6 Data Connectors & (1) USB Type A/A w/ 72 patch cord	\$251
---------------	---	-------



AC-DPGR-102AB	(1) RJ-11 Cat 3 Phone, (1) RJ-45 Cat 6 Data Connectors & (1) USB Type A/A w/ 72 patch cord	\$235
---------------	--	-------



AC-DPGR-102	(1) USB Type A/A w/ 72 patch cord	\$95
-------------	-----------------------------------	------



AC-DPGR-102102	(2) USB Type A/A w/ 72 patch cord	\$190
----------------	-----------------------------------	-------



AC-DPGR-USBC61	(1) USB Type C w/ 20" patch cord and 61W power block	\$642
AC-DPGR-USBC61X	(1) USB Type C w/ 20" patch cord (Unpowered)	\$95



AC-DPGR-BC4561	(1) RJ-45 Cat 6 Data Connector, (1) HDMI w/ 36" patch cord, (1) USB C w/ 20" patch cord & 61W power block	\$941
----------------	---	-------



AC-DPGR-BC4561X	(1) RJ-45 Cat 6 Data Connector, (1) HDMI w/ 36" patch cord, (1) USB C w/ 20" patch cord (Unpowered)	\$352
-----------------	---	-------

AC-DPGR-BLNK	(1) Blank Telecom Plate	\$11
--------------	-------------------------	------

Round Grommet



Model Number	Description	Price
AC-GROM-1	2.5" black plastic grommet	\$52
AC-GROM-2	2.5" white plastic grommet	\$52
AC-GROM-6	2.5" stainless steel grommet	\$71

- Reference grommet guides for grommet placement.

Rectangle Grommet



Model Number	Description	Price
AC-GROM-35	3 3/4" x 2 1/4" stainless steel grommet	\$77

- Reference grommet guides for grommet placement.

V2 System Hinged Grommet



Model Number	Description	Price
AC-ELV2-08-BL	5.7" x 3.4" black hinged grommet	\$200
AC-ELV2-08-PL	5.7" x 3.4" silver hinged grommet	\$155
AC-ELV2-08-WT	5.7" x 3.4" white hinged grommet	\$200
AC-ELV2-08-ST	5.7" x 3.4" brushed stainless hinged grommet	\$268

- Reference grommet guides for grommet placement.

Large Hinged Grommet



Model Number	Description	Price
AC-ELV2-LG-BK	8" x 4" black hinged grommet	\$213
AC-ELV2-LG-PL	8" x 4" silver hinged grommet	\$213
AC-ELV2-LG-WT	8" x 4" white hinged grommet	\$213

- Reference grommet guides for grommet placement.

electrical

Cable Spine Carrier

For Fixed & Height Adjustable Worksurfaces



Model Number	Color	Length	Price
AC-MGMT-CS50-BK	black	50"	\$135
AC-MGMT-CS50-SV	silver	50"	\$135
AC-MGMT-CS50-WT	white	50"	\$135

- Plastic material. Includes mounting bracket, and metal base plate. Links disconnect to adjust length.
- Links are 1 1/4" x 2-1/2".
- Appropriate for use with height adjustable or fixed height tables.

Cable Carrier

For Height Adjustable Worksurfaces



Model Number	Price
AC-MGMT-CBLC-BK	\$220

- Plastic material. Black or white finish.
- For use to run cords between a height adjustable desk and a trough or fixed return.
- Channel size is 1-1/2" x 1-1/2". 36" long.
- Includes brackets and installation screws.

G-Shaped Plastic Wire Management Channel



Model Number	Price
AC-MGMT-GCHN per 8 linear feet	\$83

- Channel size is 1-1/2" x 1-1/2".
- Secures with screws, staples or double-sided tape.
- Flexible corner opening for easy insertion of wires.
- Supplied in 8-foot increments only. Must be field installed.


Cable Tray



Model Number	Width	Length	Height	Price
AC-MGMT-TRAY-20	2 1/2	20	3 1/2	\$85
AC-MGMT-TRAY-32	2 1/2	32	3 1/2	\$104
AC-MGMT-TRAY-44	2 1/2	44	3 1/2	\$125
AC-MGMT-TRAY-56	2 1/2	56	3 1/2	\$191
AC-MGMT-TRAY-68	2 1/2	68	3 1/2	\$226

- Silver (Aluminum).
- Mounts under desktop with woodscrews (included).
- Low-profile wire tray ideal for use under height adjustable desks.

Wire Management Baskets



Model Number	Width	Length	Height	Price
SY-WMBT-0836	8	36	2	\$141
SY-WMBT-0842	8	42	2	\$148
SY-WMBT-0848	8	48	2	\$187
SY-WMBT-0860	8	60	2	\$207
SY-WMBT-0872	8	72	2	\$217

- Mounting brackets are integrated into basket for ease of installation.
- Silver finish.
- Overall height with mounting brackets is 5".

Wave Grip Wire Manager



Model Number	Length	Width	Price
AC-MGMT-WGRP	5 3/4	1 3/4	\$10
<ul style="list-style-type: none"><li>- Wave grip wire manager.</li><li>- Secures with screws.</li><li>- Silver/grey plastic.</li></ul>			

Flex Wire Manager



Model Number	Width	Length	Price
AC-MGMT-FLEX	1 1/2	5 3/8	\$17
<ul style="list-style-type: none"><li>-Price is for one unit.</li><li>- Secures with single screw.</li><li>- Grey plastic.</li></ul>			

Velcro Wire Manager



Model Number	Width	Length	Price
AC-MGMT-VELCRO	1 3/4	3 1/2	\$23
<ul style="list-style-type: none"><li>- Price is for one unit.</li><li>- Secures with double-sided tape.</li><li>- Black plastic and black velcro.</li></ul>			

Leg Wire Manager



Model Number		Price
AC-MGMT-LEG1	Per Piece	\$52
<ul style="list-style-type: none"><li>- Unit is 22" long.</li><li>- Made of black PVC and attaches with double sided tape.</li><li>- Wire manager snaps open and closed for wire placement.</li><li>- Must be field installed.</li></ul>		

Please see website for current Terms and Conditions:  
[www.deskmakers.com](http://www.deskmakers.com)



**Limited Lifetime Warranty**

(Effective for Furniture Sold as of January 1, 2015)

DeskMakers, Inc. furniture is warranted against defects in material and workmanship given normal usage and care for as long the original purchaser owns it.

DeskMakers will repair or replace at its option, and at its own cost, any product that develops a defect during the warranty period. In some cases, DeskMakers may elect to refund the customer's original purchase price (less reasonable depreciation) in lieu of repair or replacement. Repair, replacement, or refund is the purchaser's sole remedy, the choice of which rests solely with DeskMakers. DeskMakers shall not be liable for any incidental or consequential damages including lost profits and loss of use of product.

**Limitations:**

- The warranty for wood guest chair frames shall be limited to 10 years.
- The warranty for PVC edges, wood veneer edges, HPL edges, mechanical parts such as ball bearing slides, door hinges, floor glides, fabric (except for COM fabrics), seating foam, and wood veneer surfaces shall be limited to five (5) years.
- The warranty for training tables shall be limited to three (3) years.
- The warranty for engineered-to-order "custom" products shall be limited to three (3) years.
- The warranty for height adjustable bases shall be limited to two (2) years on electrical components, five (5) years on mechanical components and ten (10) years on structural components.
- This warranty does not cover:
  - o Normal wear and tear.
  - o The color fastness of any laminate, wood, or fabric, as such colors can fade or darken with normal use and as a result of exposure to light.
  - o Customer's Own Materials (COM).
  - o Damage caused by placing anything other than hanging files in file drawers.
  - o Rental furniture.
  - o Labor and service.

**Normal Usage:**

This warranty does not apply to damages or failures resulting from misuse, abuse, negligence, or improper care. For casegoods, tables, and desking, normal usage is limited to 40 hours per week. For seating, normal usage is limited to 40 hours per week by individuals of 250 lbs. or less.

## Showroom Locations

### Los Angeles

Deskmakers Headquarters  
6525 Flotilla Street  
Commerce, CA 90040

---

# DeskMakers

Phone: 323.264.2260 | Fax: 323.725.6960  
[www.deskmakers.com](http://www.deskmakers.com)