

PRICE & SPECIFICATION GUIDE

Version: 10.18.23



revisions


10/24/19 Updated layout and finishes 12/08/20 Updated base finish options 01/01/21 Updated pricing and finishes 04/09/21 Updated pricing on 2 leg G bases 09/01/21 Updated finishes 11/19/21 Added Hover Boost and Reach Bases 12/20/21 Updated pricing and finishes 03/31/22 Updated select pricing and skus 04/11/22 Corrected ML-2LEG-EXKT pricing 08/18/22 Added surcharge note 12/01/22 Updated pricing 02/16/23 Corrected Skus for 90 Degree Symmetrical Worksurfaces 04/27/23 Updated Lift Base pricing 10/18/23 Updated finishes

table of contents

Laminates	4-5					
Height Adjustable Base Finishes						
Pulls	7					
Product Details	8-33					
Height Adjustable Bases Worksurfaces Troughs Platform Troughs Raised Panel Troughs Partition Troughs Privacy Options Storage Options	8-11 12 13-15 16-17 18-19 20-21 22-25 26-27					
Personal Storage Towers Electrical	28-29 30-33					
Worksurfaces	34-37					
Laminate Combination Panels	34-37					
Height Adjustable Bases	38-42					
Platform Troughs	43-44					
Raised Panel Troughs	45-46					
Partition Troughs	47-54					
120 Troughs	55-60					
Single Sided Troughs	61-70					
End Panels	71-78					
Divider Panels	79-82					
Extension Panels	83-84					
Personal Storage Towers	85					
Accessories	86					
Terms and Conditions	87					
Warranty	88					
vvariancy	00					

laminate finishes

standard thermofuse laminate (TFL)







Matching 2MM PVC edgebanding is available for all Standard TFL finishes shown here. For HPL match information please visit deskmakers.com/resources/materials

premium thermofuse laminate (TFL)











Premium TFLs require a 10% upcharge. Add item code OP-TTFL-1.

Matching 2MM PVC edgebanding is available for all Premium TFL finishes shown here.

For HPL match information please visit deskmakers.com/resources/materials

laminate finishes

high pressure laminate (HPL)

Pricing shown in this price list applies only to non-premium HPLs as follows:

- Wilsonart: Solids, Woodgrains, and Abstracts in Matte (-60) finish,
- Formica: Color Portfolio, Woodgrains, and Patterns in Matte (-58) finish
- Pionite: Solids, Woodgrains, and Abstracts in Suede (N) finish
- Arborite: Solids, Woodgrains, Textures and Abstracts in Matte (CA) finish
- Nevamar: Solids, Woodgrains, Stones and Abstracts in ARP (-T) finish

A minimum charge of \$500 net per HPL color will be applied to each order.

Call customer service for pricing for all other HPLs.

Additional lead times required for HPL orders depending on material availability and order complexity.

high pressure laminate (HPL) pricing chart

Most DeskMakers product is made of Thermofuse laminate (TFL). As such, there is an upcharge for ordering product in high pressure laminate (HPL). This upcharge varies based on the product and the size of the HPL order.

Please note that only the portion of the order in HPL will be calculated to determine the level of HPL upcharges.

HPL is always available with DeskMakers standard 2MM edgebanding. Special order matching PVC 2MM edgebanding may be available for orders \$25,000 List or larger, call customer service for pricing.

Product Category	Option Code	HPL UPCHARGE
WORKSURFACES All Shapes Top surface HPL	OP-HPL1-25-??	60%
CASEGOODS Top HPL only, balance TFL	OP-HPL1-1-??	25%
CASEGOODS Entire Unit HPL	OP-HPL1-4-??	120%
CASEGOODS HPL Drawer Fronts only	OP-HPL1-2-??	20%
CASEGOODS Top HPL and HPL Drawer Fronts	OP-HPL1-3-??	30%

pulls

hover

standard pulls


Pulls are included on all drawers and cabinet doors for no upcharge.




^{*}The 125SN/BL pull is 7.5" long. On lateral file drawers and larger cabinet doors a longer 12.5" pull in the same style will be used. This may be identified as a "127SN/BL" pull on your acknowledgment.

base finishes


Hover Lift Bases



Hover Reach Bases



Hover Boost Bases




Hover Lift Height Adjustable Bases



Features


Number of Legs	2 or 3
Height Range w/ Worksurface	27" - 46"
Number of Stages	2
Worksurface Lengths	48" - 84" in 6" increments
Worksurface Depths	24", 30" & 36"
Lifting Capacity	250 lbs (includes worksurface)
Adjustment Speed	1.5"/second
Cord Length	118" long
Finishes	4 standard, 8 at upcharge
Frame	Size Specific
Column Shape	Square
Safety	Anti-Collision Option




Foot Length


A 60" long worksurface is shown in examples below. The base will 9" shorter that the top, with a 4 ½" inset on each side when centered.

24" Deep Worksurface



30" Deep Worksurface





* 29" foot may also be specified for 30" worksurfaces.

Standard Up/Down Control



- Standard on Hover Lift bases
- Simple Up/Down function
- After 2 minutes defaults control box to standby mode

Programmable Digital Control



- Add-on option for Hover Lift bases : AC-CNTL-DIGI for \$239
- Save 4 different positions
- LCD display
- Set in centimeters or inches
- After 2 minutes defaults control box to standby mode


Locking Casters

The Hover Lift height adjustable bases are available with optional locking casters. Casters increase the overall table height by 2".



External Safety Sensor

An External Safety Sensor is able to detect even the smallest deformation. When a collision or restriction of movement is detected, the External Safety Sensor triggers the motors to move in the opposite direction to release the pinched obstacle. The External Safety Sensor can be added to the Hover Lift bases after installation. AC-DRBK-OMT for \$319.



View of Underside of Table

All Hover electric height adjustable bases are equipped with Intelligent System Protection (ISP). ISP is used to protect base motors, control boxes and internal components from damage resulting from collision or restriction of movement. The ISP is not intended for protection of the end user, and is less sensitive than the External Safety Sensor.

hover


Hover Reach Height Adjustable Bases



Features

Number of Legs	2 or 3
Height Range w/ Worksurface	22.75" - 49"
Number of Stages	3
Worksurface Lengths	42" - 72" (Up to 84" w/ ext. kit
Worksurface Depths	24", 30" & 36"
Lifting Capacity	220 lbs (includes worksurface)
Adjustment Speed	1.4"/second
Cord Length	72" long
Finishes	Silver
Frame	Adjustable
Column Shape	Square
Safety	Anti-Collision Built-in

Foot Length






Hover Boost Height Adjustable Bases




Features

Number of Legs	2
Height Range w/ Worksurface	27.75" - 47.4"
Number of Stages	2
Worksurface Lengths	42" - 72" (Up to 84" w/ ext. kit
Worksurface Depths	24", 30" & 36"
Lifting Capacity	200 lbs (includes worksurface)
Adjustment Speed	1.42"/second
Cord Length	72" long
Finishes	Black, White, Silver
Frame	Adjustable
Column Shape	Square
Safety	Anti-Collision Built-in
	1

Foot Length








Worksurfaces


Hover worksurfaces are 1-1/8" thick with 45 pound industrial grade particle board core and are available in rectangular, round, 120 degree and 90 degree shapes. Worksurfaces are available in either TFL with 2MM PVC edge, HPL with 2MM PVC edge or HPL with self edge.

Rectangular




- Depths include 24", 30" and 36".
- Lengths include 48" to 84" in 6" increments.
- All dimensions are actual.

Round




- Depths include 30", 36" and 42".
- All dimensions are actual.

120 Degree



- Depths include 24" and 30".
- Lengths include 42", 48" and 54".
- All dimensions are actual.

90 Degree




- Depths include 24"/24" and 30"/24".
- Lengths include 66", 72" and 78".
- Widths include 42", 48", 54" and 60".
- All dimensions are actual.


Worksurface Orientation

Hover worksurfaces can be placed either parallel or perpendicular to the trough unit in benching set-ups. Note: Access to the interior of the troughs may be impeded by the placement of the height adjustable bases.

Parallel




Perpendicular



Hover Troughs

Hover offers three different trough types to provide varying levels of privacy and space division. Hover Troughs provide structure to route and conceal power, data and voice from floor core or wall locations to multiple workstations.




Platform Troughs

- Low profile, 23" high
- Area under trough is open.
- Can be used with or without privacy panels.
- Privacy panels can be mounted directly to trough tops or worksurfaces.
- Available with trough height or desk height end panels.

Available as:

- Benching configurations
- 120 degree configurations



Raised Panel Troughs

- Center panel extends above the trough top 6", increasing height to 29" high.
- Area under trough is open.
- Can be used with or without privacy panels.
- Privacy panels can be mounted directly to raised center panel.
- Available only with desk height end panels.
- Divider panels and Extension wall panels can be added.

Available as:

- Benching configurations
- 120 degree configurations
- Single Sided configurations



Partition Troughs


- Center panel extends through the trough top. Center panel heights: 29", 36", 42" & 48" high.
- Center panel extends below the trough to the floor.
- Can be used with or without privacy panels.
- Privacy panels can be mounted directly to raised center panel.
- Panel mounted tackboards and whiteboard surfaces can be applied to the center panel for increased function.
- Available with trough height, desk height or center panel height end panels.
- Divider panels and Extension wall panels can be added.

Available as:

- Benching configurations
- 120 degree configurations
- Single Sided configurations

Trough Cutout Locations


Wire access cutouts in the top of the trough are located in the center for ease of specification.




Worksurface Clearance with Privacy

Hover worksurfaces must maintain minimum clearances between worksurface edges and privacy panels or wall panels to minimize possible pinch point hazards.


Platform Trough Clearances



No Privacy Panels




Glass/Acrylic Privacy Panels




hover

Double Sided Tackboard Privacy Panels

Raised Panel Trough Clearances





Glass/Acrylic Privacy Panels



Double Sided Tackboard Privacy Panels

Privacy Trough Clearances






hover


Worksurfaces and Troughs

Hover trough sections are 2" longer than the worksurface length. This allows for a 1" gap on either side of the worksurface for adjustable height safety precautions. This results in a 2" gap between side by side worksurfaces.



Worksurfaces and Troughs with Walls

Hover trough sections are 2" longer than the worksurface length. Worksurfaces should be placed a minimum of 1" away from vertical surfaces for adjustable height safety precautions.




Understanding Hover Platform Troughs

Hover Platform Troughs provide structure to route and conceal power, data and voice from floor core or wall locations to multiple workstations. Platform troughs allow privacy panels to be mounted directly to trough tops or worksurfaces.

General Specifications:


- Trough Width: 16-1/2".
- Trough Height: 23", plus levelers. - Available in lengths 50"-86" in 6" increments. Full length hinged doors provide easy access to electrical while keeping wiring End panels are available in trough height concealed. to provide minimum visual intrusion. Area underneath trough is open. Trough lengths are 2" longer than worksurface lengths to provide 1" of clearance on each side of the worksurface to minimize possible pinch point hazards between worksurfaces. Cutouts in the top of the trough allow power and data to be routed to each individual worksurface.

Platform Trough Sections




End Section

- Used at beginning and end of bench run.
- Must specify end panel.
- Includes intermediate leg support and supporting brackets.
- Trough sections 80" and 86" long include additional intermediate leg in center.



Middle Section

- Used only in the middle of a bench run.
- Middle sections must connect to an end section or another middle section.
- Includes two intermediate support legs and supporting brackets.
- Trough sections 80" and 86" long include additional intermediate leg in center.




Spanning Section

- Used to span between two end panels or divider panels.
- Includes trough section.
- End panels or divider panels must be specified for each spanning section.
- Trough sections 80" and 86" long include additional intermediate leg in center.




Platform Trough End Panel Option



Trough Height End Panels


- End Panels are 1-1/8" thick material.
- End Panels increase the overall length of the setup by 1-1/8" per end panel.

Platform Trough Intermediate Leg



- 80" and 86" Troughs include an additional intermediate leg support mounted in the center of trough for additional structural support.

Platform Trough and End Panel Grain Direction




Understanding Hover Raised Panel Troughs


Hover Raised Panel Troughs provide structure to route and conceal power, data and voice from floor core or wall locations to multiple workstations. Raised Panel troughs allow privacy panels to be mounted directly to the raised center panel to increase overall height of

General Specifications:

- Trough Width: 16-1/2".




Raised Panel Trough Sections



End Section

- Used at beginning and end of bench run.
- Must specify end panel.
- Includes intermediate leg support and supporting brackets.
- Trough sections 80" and 86" long include additional intermediate leg in center.



Middle Section

- Used only in the middle of a bench run.
- Middle sections must connect to an end section or another middle section.
- Includes two intermediate support legs and supporting brackets.
- Trough sections 80" and 86" long include additional intermediate leg in center.




Spanning Section

- Used to span between two end panels or divider panels.
- Includes trough section.
- End panels or divider panels must be specified for each spanning section.
- Trough sections 80" and 86" long include additional intermediate leg




Raised Panel Trough End Panel Options



Desk Height End Panels


- End Panels are 1-1/8" thick material.
- End Panels increase the overall length of the setup increases by 1-1/8" per end panel.

Raised Panel Trough Center Panel Height




- Center panels are 1-1/8" thick material.
- Glass privacy panels or double sided tackboards can be added to the top edge of center panels for increased privacy.

Raised Panel Trough Intermediate Leg



- 80" and 86" Troughs include an additional intermediate leg support mounted in the center of trough for additional structural support.

Raised Panel Trough and End Panel Grain Direction




Understanding Hover Partition Troughs

Hover Partition Troughs provide structure to route and conceal power, data and voice from floor core or wall locations to multiple workstations. Partition troughs allow privacy panels to be mounted directly to the raised center panel to increase overall height of privacy. Panel mounted tackboards and whiteboard surfaces can be applied to the center panel for increased functionality.

General Specifications:

- Trough Width: 16-1/2".
- Trough Height: 23", plus levelers.
- Available in lengths 50"-86" in 6" increments.
- Center panel height: 29", 36", 42" or 48".




Partition Trough Sections




End Section

- Used at beginning and end of bench run.
- Must specify end panel.
- Includes intermediate leg support and supporting brackets.



Middle Section

- Used only in the middle of a bench run.
- Middle sections must connect to an end section or another middle section.
- Includes two intermediate support legs and supporting brackets.




hover


Spanning Section


- Used to span between two end panels or divider panels.
- Includes trough section.
- End panels or divider panels must be specified for each spanning section.

Partition Trough End Panel Options




- End Panels are 1-1/8" thick material.






- End Panels increase the overall length of the setup increases by 1-1/8" per end panel.
- 36", 42" & 48" high end panels can only be used with Partition Troughs with the same height center panel or taller center panel.


Partition Trough Center Panel Heights



- Center panels are 1-1/8" thick material.
- Panel mounted tackboards can be affixed to center panels. Glass privacy panels or double sided tackboards can be added to the top edge of center panels for increased privacy.
- Whiteboard finish can be added to both sides of the center panels.

Partition Trough and End Panel Grain Direction





Product Details hover

Hover Troughs with Privacy Options

A wide variety of privacy panels can be specified with Hover Troughs and height adjustable tables.

Please see the Privacy Panel and Tackboard Pricebook for all sizes and pricing.



Glass

- 1/4" or 3/8" thick.
- 1/4" max height: 12".
- 3/8" max height: 18".
- Lengths: 18" 86" in 2" increments.
- Mounted with metal


panel clips.

24



- 3/16" thick frosted.

- 1/4" thick colored.
- Max height: 12". - Lengths: 18" - 86" in 2"
- increments.
- Mounted with metal panel clips.




Laminate/Whiteboard

- 3/4" thick.
- Max height: 18".
- Lengths: 18" 86" in 2" increments.
- Mounted with metal panel clips.



Double Sided Tackboard


- 1" thick.
- Max height: 24".
- Lengths: 18" 86" in 2" increments.
- Mounted with concealed metal supports.




Panel Mounted Tackboard

- 1/2" thick.
- Max height: 22".
- Lengths: 18" 86" in 2" increments.
- Mounted with metal Z-Clips.
- Cannot be used
- independently must be mounted to a surface.

Add-On Privacy Options for Platform Troughs





Privacy panels mount directly to the top surface of the Platform Trough.



Maximum Height Possible

Add-On Privacy Options for Raised Panel Troughs






Privacy panels mount to the top edge of the center panel of the Raised Panel Trough.

hover

Product Details


Add-On Privacy Options for Partition Troughs




Panel Mounted Tackboards


Wall Panel Mounted Privacy Panels


- Privacy panels mount to the top edge of the center panel of the Partition Trough to create height and a greater sense of enclosure.
- Panel mounted tackboards, acoustic tackboards and whiteboards can be mounted to the face of the center wall panels.





42" High Center Panel





Worksurface Mounted Privacy Options

Worksurface mounted privacy panels provide the user with privacy that moves with them.




Laminate, Acrylic or Glass Privacy Panels




hover

Double Sided Tackboard Privacy Panels




Laminate combination privacy/modesty Panels* (Acrylic version not available)




Modesty Panels*

Clearances with Hover Tables and Modesty Panels




- When a laminate combination panel or modesty panel is specified, it is recommended that the panel be inset 6" from the edge of the worksurface to avoid collision with the trough unit.

Space Division Options for Raised Panel and Partition Troughs



Divider Wall Panels


- Separate spanning trough sections to provide space division between individual users.
- Divider Panels increase the overall length of the setup increases by 1-1/8" for each divider panel specified.
- Divider Panels come standard with 2-1/2" grommet cutouts to allow electrical to route from one trough section to the next.
- Adjustable levelers on divider panels allow for 1-1/2"adjustment.



- Extension Panels come standard with Panel T-Foot for stability.
- Must specify Connecting End Panels and Divider Panels with Extension Wall Panels.
- Panels are not handed. The Panel T-Foot ships loose to be permanently secured at time of install.
- Panels are available in lengths 24"-60" in 6" increments. Panels 24"-36" include one T-foot; panels over 36" include two T-feet.
- The Panel T-Foot is 5" high so it will not interfere with Teamworx storage with 5" high legs
- Panels must attach to an end panel or divider panel. Cannot be used as a stand-alone wall.
- Adjustable levelers on extension panels allow for 1-1/2"adjustment.


^{*} Only worksurfaces positioned perpendicular to the trough unit can be specified with combination privacy/modesty panels or modesty panels.

Hover Storage Options



Mobile Pedestals


Mobile Box/File pedestals can be used with height adjustable tables to provide individual space to lock up, file and store personal items.



Low Storage

Teamworx and Synapse low storage credenzas can be used perpendicular to the trough units and placed below the height adjustable worksurface to provide space division, storage and casual seating if specified with cushion.






Desk Height Pedestals

Desk height pedestals and credenzas can be placed beside Hover height adjustable tables for addition worksurface space and personal storage. A minimum clearance of 1" should be maintained between worksurface edges and storage units to minimize possible pinch point hazards. Only pedestals with a finished back and top should be specified if the units are not going be placed in front of an Extenson Wall Panel.

Clearances with Hover Tables and Storage





When storage is to be place under height adjustable tables, storage heights should not be taller than the base minimum height to make sure the storage will not interfere with the height adjustable base operation.

Hover Personal Storage Tower


Personal Storage Tower units can be used to create space division between each user while providing personal storage. Personal storage tower is available in left and right models. Right models are shown








hover




26" Shelf Storage Model

- 26" deep x 18" wide x 42" high.
- Available with and without power.
- Includes one fixed shelf and two adjustable shelves.
- Must specify grommet(s).



32" Shelf Storage Model

- 32" deep x 18" wide x 42" high.
- Available with and without power.
- Includes wardrobe with coat hook, one fixed shelf and two adjustable shelves.
- Must specify grommet(s).




32" File Storage Model

- 32" deep x 18" wide x 42" high.
- Available with and without power.
- Includes wardrobe with coat hook, one file drawer, one fixed shelf and one adjustable shelf.
- Must specify grommet(s).


Grommet for Personal Storage Tower

If tower units are placed between trough units, grommets are required to route wiring through the back of the tower cabinet. Grommet placement aligns with trough openings.




HV-GROM-LEFT

One grommet located on left side of tower.



HV-GROM-BOTH


One grommet located on both left and right side of tower.



HV-GROM-RGHT

One grommet located on right side of tower.






Center Extension Wall Panels

- Center extension panels attach to trough center panels to connect trough sections together with a storage tower between troughs.
- Panels are 1-1/8" thick material and include mechanical biscuit fasteners on both ends.
- Panels are available in lengths 18"-48" in 6" increments to allow one or two storage units to be placed in front of center extension panel.
- Panels must attach to a trough center panel and storage unit. Cannot be used as a stand-alone wall.
- Grain runs horizontal.
- Grommets for routing wiring through the back section of storage towers must be specified.

Hover Electrical

Hover Troughs allow for the horizontal routing of power, voice, data and IT/AV wiring from infeed source to each individual work station.

hover



Hover Worksurface Grommet Location

where it needs to be.

Rectangle worksurface grommet location is limited to the center (C1) location due to the worksurface supports attached to each lifting column on the height adjustable bases.



Hover Wire Management to Worksurfaces

Vertical cable managers flex to allow wiring to be concealed and organized while moving with the worksurface as it raises and lowers to prevent binding.

Cable Spine for Freestanding Tables


Used for height adjustable tables when not used with Hover Troughs. Conceals and carries wires to weighted base at floor.



Hover Electrical Infeed Options

U-Shaped Wire Management Channel

Used to conceal power and data cables routing from infeed locations into trough. Attaches to end panel with magnetic catches and does not provide support. U-Shaped Wire Management Channel is 7"w x 5"d x 18"h.



Cable Carrier for Trough Tables


Used for height adjustable tables when used with Hover Troughs. Conceals and carries wires from trough to the underside of the worksurface. Cables simply push into carrier for quick and easy set up.

Product Details



End Panel Infeed Grommet


Used when infeed location is not located underneath the trough. Allows cables to route from outside the trough structure through the end panel. Grommet is 2-1/2" diameter. If special placement is required, please provide drawing of location.




Wire Management Support Base

Used on Platfrom and Raised Panel trough units. The Wire Management Support Base replaces the intermediate leg supports on the trough units. Intended to be placed on top of floor core infeeds. Hinged door allows easy access for installation and future modifications. Includes 6" diameter cutout in bottom and dual cutouts in top to route wires into trough.


: - Wire management support base is 9"w x 12"d x 18"h. Please check height adjustable base sizes to make sure they do not interfere with base placement.





S1 System Daisy-Chain 8 Wire, 4 Circuit


See Page 36 of the Electrical Pricebook for pricing and additional options.



Specifications

- Single sided power blocks
- Simplex outlets are interchangable permitting required cicuit combination
- Interconnecting cables for daisy-chaining power blocks together
- Non-sequential system eliminates numerical sequence of units
- Hardwire or plug-in starter cables
- AC-ELS1-05 units cannot be used inside trough units

S1 System Single Sided Power Block AC-ELS1-04



Specifications

- (4) power outlets total
- Outlets are removable and interchangable
- Screw holes for easy installation
- Available as:
 - Outlets with Circuits 1,2,3 & 4
 - Outlets all Circuit 1

ASHRAE 90.1/Title 24 Energy Efficiency Standards

- 50% of hardwired receptacles are required to be controlled to automatically shut off, conserving energy when not in use.
- Controlled receptacles must be marked with the designated NEC standby mark.

ASHRAE 90.1/Title 24 S1 System Power Block AC-ELS1-04-T24C

Specifications


- Outlets on Circuits 2 & 4 are controlled
- Outlets on Circuit 1 & 3 are not controlled
- "IG" circuit 3 utility is an isolated circuit and shares neutral and ground



Due to the height and depth restrictions of the trough interior, the S1 system Data Power Pak (AC-ELS1-05) unit cannot be used with Hover trough units.

S1 System 8 Wire, 4 Circuit Wiring Schematic

hover




Number of Units per Starter Cable




Starter Cable Type


Single Sided Power Block



Calculating Interconnecting Cable Length



Using S1 System 3 Way Connectors



hover

HPL

Rectangular Worksurface

TFL and HPL



	•						
			1-1/8" Thick Standard TFL	1-1/8" Thick Premium TFL	1-1/8" Thick Standard HPL	1-1/8" Thick MDF Core	1" Thick Plywood Core
			2mm PVC	2mm PVC	2mm PVC		Exposed Plywood
Model Number	Depth L	ength	T1-A1	T2-A1	H1-A1	H1-K1	H1-P1
24" Deep							
HV-WS01-2448-??-??	24	48	\$350	\$385	\$590	\$685	\$1,073
HV-WS01-2454-??-??	24	54	\$351	\$386	\$593	\$691	\$1,085
HV-WS01-2460-??-??	24	60	\$354	\$389	\$595	\$698	\$1,097
HV-WS01-2466-??-??	24	66	\$356	\$392	\$598	\$703	\$1,109
HV-WS01-2472-??-??	24	72	\$359	\$395	\$599	\$708	\$1,121
HV-WS01-2478-??-??	24	78	\$440	\$485	\$758	\$890	\$1,413
HV-WS01-2484-??-??	24	84	\$443	\$487	\$761	\$895	\$1,425
30" Deep							
HV-WS01-3048-??-??	30	48	\$474	\$521	\$827	\$954	\$1,504
HV-WS01-3054-??-??	30	54	\$476	\$524	\$828	\$961	\$1,516
HV-WS01-3060-??-??	30	60	\$478	\$525	\$831	\$966	\$1,528
HV-WS01-3066-??-??	30	66	\$479	\$527	\$833	\$972	\$1,540
HV-WS01-3072-??-??	30	72	\$481	\$529	\$836	\$977	\$1,552
HV-WS01-3078-??-??	30	78	\$606	\$667	\$1,073	\$1,246	\$1,982
HV-WS01-3084-??-??	30	84	\$608	\$669	\$1,075	\$1,253	\$1,994
36" Deep							
HV-WS01-3648-??-??	36	48	\$476	\$524	\$828	\$961	\$1,516
HV-WS01-3654-??-??	36	54	\$478	\$525	\$831	\$966	\$1,528
HV-WS01-3660-??-??	36	60	\$479	\$527	\$833	\$972	\$1,540
HV-WS01-3666-??-??	36	66	\$481	\$529	\$836	\$977	\$1,552
HV-WS01-3672-??-??	36	72	\$484	\$532	\$839	\$982	\$1,564
HV-WS01-3678-??-??	36	78	\$608	\$669	\$1,075	\$1,253	\$1,994
HV-WS01-3684-??-??	36	84	\$610	\$671	\$1,078	\$1,258	\$2,007

TFL

- TFL worksurfaces are only available with DeskMakers standard 2MM PVC edgebanding.
- HPL worksurfaces with 2mm PVC edges are only available with DeskMakers standard 2MM PVC edgebanding.
- For rounded corners use OP-EDGE-RND for an additional \$171 per top.
- Please see the Cleaning and Care Guide for maintanence information.

120	Degree	Works	urface
-----	--------	-------	--------

TFL and HPL

Model Number

HV-WS45-4242-??-??

HV-WS45-4848-??-??

HV-WS45-5454-??-??

HV-WS46-4242-??-??

HV-WS46-4848-??-??

HV-WS46-5454-??-??

24" Deep

30" Deep



\		TI	FL	HPL				
		1-1/8" Thick Standard TFL	1-1/8" Thick Premium TFL	1-1/8" Thick Standard HPL	1-1/8" Thick MDF Core	1" Thick Plywood Core		
		2mm PVC	2mm PVC	2mm PVC	2mm PVC Knife	Exposed Plywood		
Depth	Length	T1-A1	T2-A1	H1-A1	H1-K1	H1-P1		
42	42	\$809	\$890	\$1,276	\$1,736	\$2,124		
48	48	\$1,039	\$1,143	\$1,643	\$1,765	\$2,171		
54	54	\$1,247	\$1,372	\$1,970	\$1,791	\$2,218		
42	42	\$880	\$968	\$1.389	\$1.746	\$2.141		

\$1,220

\$1,447

\$1,751

\$2,078

\$1,775

\$1,802

\$3,078

\$3,124

\$1,109

\$1,316

- TFL worksurfaces are only available with DeskMakers standard 2MM PVC edgebanding.

48

54

- HPL worksurfaces with 2mm PVC edges are only available with DeskMakers standard 2MM PVC edgebanding.
- Please see the Cleaning and Care Guide for maintanence information.

deskmakers.com | 37 36 deskmakers.com

90 Degree Worksurface

TFL and HPL



			TFL		HPL				
/					1-1/8" Thick Standard TFL	1-1/8" Thick Premium TFL	1-1/8" Thick Standard HPL	1-1/8" Thick MDF Core	1" Thick Plywood Core
					2mm PVC	2mm PVC	2mm PVC	2mm PVC Knife	Exposed Plywood
Model Number		Depth	Length		T1-A1	T2-A1	H1-A1	H1-K1	H1-P1
24" Deep Return a	nd 24" Deep Workspac	e							
Left Model	Right Model								
HV-WS07-4266-L-??-??	HV-WS07-4266-R-??-??	42	66		\$872	\$959	\$1,378	\$1,722	\$2,099
HV-WS07-4272-L-??-??	HV-WS07-4272-R-??-??	42	72		\$913	\$1,004	\$1,442	\$1,733	\$2,120
HV-WS07-4278-L-??-??	HV-WS07-4278-R-??-??	42	78		\$1,052	\$1,158	\$1,661	\$1,746	\$2,141
HV-WS07-4866-L-??-??	HV-WS07-4866-R-??-??	48	66		\$996	\$1,095	\$1,574	\$1,733	\$2,120
HV-WS07-4872-L-??-??	HV-WS07-4872-R-??-??	48	72		\$1,039	\$1,143	\$1,643	\$1,746	\$2,141
HV-WS07-4878-L-??-??	HV-WS07-4878-R-??-??	48	78		\$1,179	\$1,297	\$1,863	\$1,758	\$2,162
HV-WS07-5466-L-??-??	HV-WS07-5466-R-??-??	54	66		\$1,164	\$1,281	\$1,838	\$1,746	\$3,029
HV-WS07-5472-L-??-??	HV-WS07-5472-R-??-??	54	72		\$1,207	\$1,327	\$1,906	\$1,758	\$3,052
HV-WS07-5478-L-??-??	HV-WS07-5478-R-??-??	54	78		\$1,345	\$1,479	\$2,124	\$1,771	\$3,071
HV-WS07-6066-L-??-??	HV-WS07-6066-R-??-??	60	66		\$1,268	\$1,395	\$2,002	\$1,758	\$3,052
HV-WS07-6072-L-??-??	HV-WS07-6072-R-??-??	60	72		\$1,311	\$1,442	\$2,070	\$1,771	\$3,071
HV-WS07-6078-L-??-??	HV-WS07-6078-R-??-??	60	78		\$1,449	\$1,594	\$2,288	\$1,783	\$3,093
24!! Doon Batum a	nd 30" Deep Workspac	_							
Left Model	Right Model	e							
HV-WS08-4266-L-??-??	HV-WS08-4266-R-??-??	42	66		\$955	\$1,050	\$1,507	\$1,807	\$2,186
HV-WS08-4272-L-??-??	HV-WS08-4272-R-??-??	42			\$996	\$1,095	\$1,574	\$1,822	\$2,207
HV-WS08-4278-L-??-??	HV-WS08-4278-R-??-??	42			\$1,135	\$1,033	\$1,793	\$1,833	\$2,229
HV-WS08-4866-L-??-??	HV-WS08-4866-R-??-??	48			\$1,081	\$1,190	\$1,705	\$1,823	\$2,229
HV-WS08-4872-L-??-??	HV-WS08-4872-R-??-??	48			\$1,124	\$1,236	\$1,773	\$1,834	\$2,229
HV-WS08-4878-L-??-??	HV-WS08-4878-R-??-??	48			\$1,262	\$1,388	\$1,991	\$1,844	\$2,247
HV-WS08-5466-L-??-??	HV-WS08-5466-R-??-??	54			\$1,249	\$1,374	\$1,973	\$1,836	\$3,120
HV-WS08-5472-L-??-??	HV-WS08-5472-R-??-??	54			\$1,289	\$1,418	\$2,035	\$1,845	\$3,138
HV-WS08-5478-L-??-??	HV-WS08-5478-R-??-??	54			\$1,429	\$1,572	\$2,257	\$1,859	\$3,160
HV-WS08-6066-L-??-??	HV-WS08-6066-R-??-??	60			\$1,354	\$1,489	\$2,137	\$1,848	\$3,140
HV-WS08-6072-L-??-??	HV-WS08-6072-R-??-??	60	72		\$1,395	\$1,534	\$2,200	\$1,859	\$3,160
HV-WS08-6078-L-??-??	HV-WS08-6078-R-??-??	60			\$1,534	\$1,688	\$2,422	\$1,873	\$3,182
					,				

⁻ TFL worksurfaces are only available with DeskMakers standard 2MM PVC edgebanding.

90 Degree Worksurface - Symmetrical

TFL and HPL

Model Number

HV-WS40-4848-??-?? HV-WS40-5454-??-?? HV-WS40-6060-??-??

HV-WS41-4848-??-?? HV-WS41-5454-??-?? HV-WS41-6060-??-??



24" Deep Return and 24" Deep Workspace

30" Deep Return and 30" Deep Workspace

Ti	:L	HPL			
1-1/8" Thick Standard TFL	1-1/8" Thick Premium TFL	1-1/8" Thick Standard HPL	1-1/8" Thick MDF Core	1" Thick Plywood Core	
2mm PVC	2mm PVC	2mm PVC	2mm PVC Knife	Exposed Plywood	
T1-A1	T2-A1	H1-A1	H1-K1	H1-P1	
\$724	\$797	\$1,145	\$1,029	\$1,267	
\$769	\$846	\$1,215	\$1,722	\$1,754	
\$798	\$878	\$1,262	\$1,746	\$1,795	
\$748	\$823	\$1,181	\$1,052	\$1,292	
\$793	\$872	\$1,252	\$1,746	\$1,777	
\$822	\$904	\$1,298	\$1,771	\$1,819	

⁻ TFL worksurfaces are only available with DeskMakers standard 2MM PVC edgebanding.

60

60

60

Depth Length

Combination Laminate Privacy/Modesty Panel



Model Number	Depth	Height	TFL (T)	HPL w/PVC (H)
AC-CMOD-2424-?	24	24	\$387	\$651
AC-CMOD-2430-?	30	24	\$406	\$685
AC-CMOD-2436-?	36	24	\$430	\$725
AC-CMOD-2442-?	42	24	\$448	\$754
AC-CMOD-2448-?	48	24	\$470	\$791
AC-CMOD-2454-?	54	24	\$496	\$837
AC-CMOD-2460-?	60	24	\$527	\$889
AC-CMOD-2466-?	66	24	\$566	\$955
AC-CMOD-2472-?	72	24	\$605	\$1,020
AC-CMOD-2478-?	78	24	\$664	\$1,117

⁻ DeskMakers recommends ordering a modesty panel at least 12" less wide than the worksurface on which it will be mounted.

⁻ HPL worksurfaces with 2mm PVC edges are only available with DeskMakers standard 2MM PVC edgebanding.

⁻ Please see the Cleaning and Care Guide for maintanence information.

⁻ HPL worksurfaces with 2mm PVC edges are only available with DeskMakers standard 2MM PVC edgebanding.

⁻ Please see the Cleaning and Care Guide for maintanence information.

⁻ Ships unattached. Includes cantilever brackets for mounting.

⁻ Grain runs horizontally for all sizes.

Hover Lift Height Adjustable Bases

Electric - 2 Leg



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
For 24" and 30" Deep Worksurfaces				
HV-AE23-2448-??	23	24/30	48	\$2,552
HV-AE23-2454-??	23	24/30	54	\$2,567
HV-AE23-2460-??	23	24/30	60	\$2,571
HV-AE23-2466-??	23	24/30	66	\$2,588
HV-AE23-2472-??	23	24/30	72	\$2,599
HV-AE23-2478-??	23	24/30	78	\$2,613
HV-AE23-2484-??	23	24/30	84	\$2,699
For 30" and 36" Deep Worksurfaces				
HV-AE29-3648-??	29	30/36	48	\$2,591
HV-AE29-3654-??	29	30/36	54	\$2,606
HV-AE29-3660-??	29	30/36	60	\$2,610
HV-AE29-3666-??	29	30/36	66	\$2,627
HV-AE29-3672-??	29	30/36	72	\$2,638
HV-AE29-3678-??	29	30/36	78	\$2,652
HV-AE29-3684-??	29	30/36	84	\$2,738

⁻ Please specify base finish when ordering. Premium colors available with 10% increase, OP-COLOR. See page 6 for finish options.

NOTE: Height adjustable bases have special discounting, please contact your local representative.



Hover Lift Height Adjustable Bases

Electric - 3 Leg - 120 Degree



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
For 24" Deep Worksurfaces				
HV-AE12-4242-23-??	23	42	42	\$3,617
HV-AE12-4848-23-??	23	48	48	\$3,675
HV-AE12-5454-23-??	23	54	54	\$3,803
For 30" Deep Worksurfaces				
HV-AE12-4242-29-??	29	42	42	\$3,656
HV-AE12-4848-29-??	29	48	48	\$3,714
HV-AE12-5454-29-??	29	54	54	\$3,842

- Please specify base finish when ordering. Premium colors available with 10% increase, OP-COLOR. See page 6 for finish options.
- Tops specified separately.
- Bases ship unassembled.
- Programmable digital control available, add AC-CNTL-DIGI for \$239.
- External safety sensor available, add AC-DRBK-OMT for \$319.

NOTE: Height adjustable bases have special discounting, please contact your local representative.

Hover Lift Height Adjustable Bases

Electric - 3 Leg - 90 Degree Symmetrical



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
For 24" Deep Worksurfaces				
HV-AE90-4848-23-??	23	48	48	\$3,800
HV-AE90-5454-23-??	23	54	54	\$3,858
HV-AE90-6060-23-??	23	60	60	\$3,986
For 30" Deep Worksurfaces				
HV-AE90-4848-29-??	29	48	48	\$3,797
HV-AE90-5454-29-??	29	54	54	\$3,839
HV-AE90-6060-29-??	29	60	60	\$3,897

- Please specify base finish when ordering. Premium colors available with 10% increase, OP-COLOR. See page 6 for finish options.
- Tops specified separately.
- Bases ship unassembled.
- Programmable digital control available, add AC-CNTL-DIGI for \$239.
- External safety sensor available, add AC-DRBK-OMT for \$319.

NOTE: Height adjustable bases have special discounting, please contact your local representative.

⁻ Tops specified separately.

⁻ Bases ship unassembled.

⁻ Includes adjustable glides. 2" high Casters available, add OP-CAST-OMT-A for \$136 (set of 4).

⁻ Programmable digital control available, add AC-CNTL-DIGI for \$239.

⁻ External safety sensor available, add AC-DRBK-OMT for \$319.

Hover Lift Adjustable Bases

Electric - 3 Leg - 90 Degree

Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
For 24" Deep Return Connection and 2				
HV-AE90-4266-23-??	23	42	66	\$3,840
HV-AE90-4272-23-??	23	42	72	\$3,844
HV-AE90-4278-23-??	23	42	78	\$3,861
HV-AE90-4866-23-??	23	48	66	\$3,861
HV-AE90-4872-23-??	23	48	72	\$3,865
HV-AE90-4878-23-??	23	48	78	\$3,882
HV-AE90-5466-23-??	23	54	66	\$3,890
HV-AE90-5472-23-??	23	54	72	\$3,894
HV-AE90-5478-23-??	23	54	78	\$3,911
HV-AE90-6066-23-??	23	60	66	\$3,954
HV-AE90-6072-23-??	23	60	72	\$3,958
HV-AE90-6078-23-??	23	60	78	\$3,975
For 24!! Door Patrum Connection and 2	Oll Doors Morel			
For 24" Deep Return Connection and 3 HV-AE90-4266-29-??	23/29	42	66	\$3,864
			72	·
HV-AE90-4272-29-??	23/29	42		\$3,879
HV-AE90-4278-29-??	23/29	42	78	\$3,883
HV-AE90-4866-29-??	23/29	48	66	\$3,864
HV-AE90-4872-29-??	23/29	48	72	\$3,879
HV-AE90-4878-29-??	23/29	48	78	\$3,883
HV-AE90-5466-29-??	23/29	54	66	\$3,885
HV-AE90-5472-29-??	23/29	54	72	\$3,900
HV-AE90-5478-29-??	23/29	54	78	\$3,904
HV-AE90-6066-29-??	23/29	60	66	\$3,914
HV-AE90-6072-29-??	23/29	60	72	\$3,929
HV-AE90-6078-29-??	23/29	60	78	\$3,933

- Please specify base finish when ordering. Premium colors available with 10% increase, OP-COLOR. See page 6 for finish options.
- Tops specified separately.
- Bases ship unassembled.
- Programmable digital control available, add AC-CNTL-DIGI for \$239.
- External safety sensor available, add AC-DRBK-OMT for \$319.

NOTE: Height adjustable bases have special discounting, please contact your local representative.

Hover Reach Height Adjustable Bases - 2 Leg for Rectangular Worksurfaces

Electric - 3 Stage



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
For 24" and 30" Deep Worksurfaces				
ML-3STG-2472-SLV	23	24/30	48/72	\$1,064
For 30" and 36" Deep Worksurfaces				
ML-3STG-3072-SLV	29	30/36	48/72	\$1,096

- Silver finish standard.
- Tops specified separately. Bases ship unassembled with tool-free quick-install components.
- Includes adjustable steel frame, adjustable glides and programmable digital control.
- Base can accomodate tops up to 84" with the addition of ML-2LEG-EXKT for \$348

NOTE: Height adjustable bases have special discounting, please contact your local representative.

Hover Reach Height Adjustable Bases - 3 Leg for 120 or 90 Degree Worksurfaces

Electric - 3 Stage



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
For 24" and 30" Deep Worksurfaces				
ML-3LEG-24-Q-SLV	23	24/30	84x84	\$1,863
For 30" and 36" Deep Worksurfaces				
ML-3LEG-30-Q-SLV	29	30/36	84x84	\$1,894

- Silver finish standard.
- Tops specified separately. Bases ship unassembled with tool-free quick-install components.
- Includes adjustable steel frame, adjustable glides and programmable digital control.
- Universal bracket for both 120 degree and 90 degree applications.

NOTE: Height adjustable bases have special discounting, please contact your local representative.

Hover Boost Height Adjustable Bases - 2 Leg for Rectangular Worksurfaces


Electric - 2 Stage



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
For 24" and 30" Deep Worksurfaces				
ML-2STG-2472-???	23	24/30	42/72	\$886
For 30" and 36" Deep Worksurfaces				
ML-2STG-3072-???	29	30/36	42/72	\$913

⁻ Silver finish standard. Black and White may require additional lead time.


Platform Trough End Section



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PLFE-2350-?	16 1/2	50	23	\$915	\$1,445
HV-PLFE-2356-?	16 1/2	56	23	\$934	\$1,475
HV-PLFE-2362-?	16 1/2	62	23	\$971	\$1,533
HV-PLFE-2368-?	16 1/2	68	23	\$1,063	\$1,678
HV-PLFE-2374-?	16 1/2	74	23	\$1,099	\$1,734
HV-PLFE-2380-?	16 1/2	80	23	\$1,430	\$2,260
HV-PLFE-2386-?	16 1/2	86	23	\$1,467	\$2,317

^{- 80&}quot; and 86" Troughs include an additional leg support mounted in the middle of trough for additional structural support.

Platform Trough Middle Section



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PLFM-2350-?	16 1/2	50	23	\$1,133	\$1,789
HV-PLFM-2356-?	16 1/2	56	23	\$1,151	\$1,818
HV-PLFM-2362-?	16 1/2	62	23	\$1,188	\$1,876
HV-PLFM-2368-?	16 1/2	68	23	\$1,280	\$2,021
HV-PLFM-2374-?	16 1/2	74	23	\$1,316	\$2,080
HV-PLFM-2380-?	16 1/2	80	23	\$1,649	\$2,604
HV-PLFM-2386-?	16 1/2	86	23	\$1,686	\$2,662

^{- 80&}quot; and 86" Troughs include an additional leg support mounted in the middle of trough for additional structural support.

⁻ Tops specified separately. Bases ship unassembled with tool-free quick-install components.

⁻ Includes adjustable steel frame, adjustable glides and programmable digital control.

⁻ Base can accomodate tops up to 84" with the addition of ML-2LEG-EXKT for \$348

NOTE: Height adjustable bases have special discounting, please contact your local representative.

⁻ Includes all required metal brackets and adjustable glides.


⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Includes all required metal brackets and adjustable glides.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

hover hover

Platform Trough Spanning Section



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PLFS-2350-?	16 1/2	50	23	\$697	\$1,101
HV-PLFS-2356-?	16 1/2	56	23	\$717	\$1,130
HV-PLFS-2362-?	16 1/2	62	23	\$752	\$1,188
HV-PLFS-2368-?	16 1/2	68	23	\$846	\$1,334
HV-PLFS-2374-?	16 1/2	74	23	\$881	\$1,391
HV-PLFS-2380-?	16 1/2	80	23	\$1,213	\$1,916
HV-PLFS-2386-?	16 1/2	86	23	\$1,251	\$1,973

^{- 80&}quot; and 86" Troughs include an additional leg support mounted in the middle of trough for additional structural support.

Raised Panel Trough End Section

11" High Center Panel (6" high above trough top)



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-RPLE-1150-?	16 1/2	50	29	\$1,030	\$1,626
HV-RPLE-1156-?	16 1/2	56	29	\$1,052	\$1,662
HV-RPLE-1162-?	16 1/2	62	29	\$1,093	\$1,726
HV-RPLE-1168-?	16 1/2	68	29	\$1,189	\$1,877
HV-RPLE-1174-?	16 1/2	74	29	\$1,229	\$1,940
HV-RPLE-1180-?	16 1/2	80	29	\$1,596	\$2,521
HV-RPLE-1186-?	16 1/2	86	29	\$1,637	\$2,583

^{- 80&}quot; and 86" Troughs include an additional leg support mounted in the middle of trough for additional structural support.

Raised Panel Trough Middle Section

11" High Center Panel (6" high above trough top)



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-RPLM-1150-?	16 1/2	50	29	\$1,249	\$1,972
HV-RPLM-1156-?	16 1/2	56	29	\$1,271	\$2,008
HV-RPLM-1162-?	16 1/2	62	29	\$1,311	\$2,070
HV-RPLM-1168-?	16 1/2	68	29	\$1,407	\$2,221
HV-RPLM-1174-?	16 1/2	74	29	\$1,446	\$2,284
HV-RPLM-1180-?	16 1/2	80	29	\$1,815	\$2,864
HV-RPLM-1186-?	16 1/2	86	29	\$1,853	\$2,927

^{- 80&}quot; and 86" Troughs include an additional leg support mounted in the middle of trough for additional structural support.

⁻ Includes all required metal brackets and adjustable glides.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Includes all required metal brackets and adjustable glides.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.


⁻ Includes all required metal brackets and adjustable glides.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

hover

Raised Panel Trough Spanning Section

11" High Center Panel (6" high above trough top)



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-RPLS-1150-?	16 1/2	50	29	\$813	\$1,282
HV-RPLS-1156-?	16 1/2	56	29	\$835	\$1,320
HV-RPLS-1162-?	16 1/2	62	29	\$876	\$1,381
HV-RPLS-1168-?	16 1/2	68	29	\$971	\$1,533
HV-RPLS-1174-?	16 1/2	74	29	\$1,009	\$1,594
HV-RPLS-1180-?	16 1/2	80	29	\$1,378	\$2,175
HV-RPLS-1186-?	16 1/2	86	29	\$1,417	\$2,239

^{- 80&}quot; and 86" Troughs include an additional leg support mounted in the middle of trough for additional structural support.

Partition Trough End Section




Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PRTE-2950-?	16 1/2	50	29	\$1,160	\$1,832
HV-PRTE-2956-?	16 1/2	56	29	\$1,189	\$1,879
HV-PRTE-2962-?	16 1/2	62	29	\$1,237	\$1,952
HV-PRTE-2968-?	16 1/2	68	29	\$1,341	\$2,117
HV-PRTE-2974-?	16 1/2	74	29	\$1,390	\$2,191
HV-PRTE-2980-?	16 1/2	80	29	\$1,544	\$2,437
HV-PRTE-2986-?	16 1/2	86	29	\$1,591	\$2,514

⁻ Includes all required metal brackets and adjustable glides.

Partition Trough Middle Section

29" High Center Panel



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PRTM-2950-?	16 1/2	50	29	\$1,376	\$2,174
HV-PRTM-2956-?	16 1/2	56	29	\$1,408	\$2,223
HV-PRTM-2962-?	16 1/2	62	29	\$1,454	\$2,297
HV-PRTM-2968-?	16 1/2	68	29	\$1,557	\$2,460
HV-PRTM-2974-?	16 1/2	74	29	\$1,606	\$2,534
HV-PRTM-2980-?	16 1/2	80	29	\$1,761	\$2,783
HV-PRTM-2986-?	16 1/2	86	29	\$1,808	\$2,856

⁻ Includes all required metal brackets and adjustable glides.

⁻ Includes all required metal brackets and adjustable glides.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.


⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

hover _____


Partition Trough Spanning Section


29" High Center Panel



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PRTS-2950-?	16 1/2	50	29	\$943	\$1,486
HV-PRTS-2956-?	16 1/2	56	29	\$972	\$1,535
HV-PRTS-2962-?	16 1/2	62	29	\$1,019	\$1,608
HV-PRTS-2968-?	16 1/2	68	29	\$1,122	\$1,772
HV-PRTS-2974-?	16 1/2	74	29	\$1,170	\$1,845
HV-PRTS-2980-?	16 1/2	80	29	\$1,326	\$2,094
HV-PRTS-2986-?	16 1/2	86	29	\$1,374	\$2,170

⁻ Includes all required metal brackets and adjustable glides.





Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PRTE-3650-?	16 1/2	50	36	\$1,218	\$1,922
HV-PRTE-3656-?	16 1/2	56	36	\$1,251	\$1,974
HV-PRTE-3662-?	16 1/2	62	36	\$1,301	\$2,052
HV-PRTE-3668-?	16 1/2	68	36	\$1,407	\$2,221
HV-PRTE-3674-?	16 1/2	74	36	\$1,457	\$2,299
HV-PRTE-3680-?	16 1/2	80	36	\$1,615	\$2,553
HV-PRTE-3686-?	16 1/2	86	36	\$1,666	\$2,632

⁻ Includes all required metal brackets and adjustable glides.

Partition Trough Middle Section

36" High Center Panel



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PRTM-3650-?	16 1/2	50	36	\$1,436	\$2,266
HV-PRTM-3656-?	16 1/2	56	36	\$1,467	\$2,317
HV-PRTM-3662-?	16 1/2	62	36	\$1,517	\$2,396
HV-PRTM-3668-?	16 1/2	68	36	\$1,624	\$2,564
HV-PRTM-3674-?	16 1/2	74	36	\$1,675	\$2,643
HV-PRTM-3680-?	16 1/2	80	36	\$1,835	\$2,896
HV-PRTM-3686-?	16 1/2	86	36	\$1,884	\$2,975

⁻ Includes all required metal brackets and adjustable glides.

50 deskmakers.com deskmakers.com

hover


⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.



Partition Trough Spanning Section



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PRTS-3650-?	16 1/2	50	36	\$998	\$1,578
HV-PRTS-3656-?	16 1/2	56	36	\$1,031	\$1,629
HV-PRTS-3662-?	16 1/2	62	36	\$1,083	\$1,708
HV-PRTS-3668-?	16 1/2	68	36	\$1,188	\$1,876
HV-PRTS-3674-?	16 1/2	74	36	\$1,238	\$1,956
HV-PRTS-3680-?	16 1/2	80	36	\$1,399	\$2,209
HV-PRTS-3686-?	16 1/2	86	36	\$1,448	\$2,285

⁻ Includes all required metal brackets and adjustable glides.

Partition Trough End Section



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PRTE-4250-?	16 1/2	50	42	\$1,271	\$2,008
HV-PRTE-4256-?	16 1/2	56	42	\$1,307	\$2,062
HV-PRTE-4262-?	16 1/2	62	42	\$1,359	\$2,146
HV-PRTE-4268-?	16 1/2	68	42	\$1,467	\$2,317
HV-PRTE-4274-?	16 1/2	74	42	\$1,519	\$2,400
HV-PRTE-4280-?	16 1/2	80	42	\$1,682	\$2,656
HV-PRTE-4286-?	16 1/2	86	42	\$1,735	\$2,738

⁻ Includes all required metal brackets and adjustable glides.

Partition Trough Middle Section

42" High Center Panel



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PRTM-4250-?	16 1/2	50	42	\$1,488	\$2,350
HV-PRTM-4256-?	16 1/2	56	42	\$1,523	\$2,407
HV-PRTM-4262-?	16 1/2	62	42	\$1,578	\$2,489
HV-PRTM-4268-?	16 1/2	68	42	\$1,685	\$2,661
HV-PRTM-4274-?	16 1/2	74	42	\$1,739	\$2,744
HV-PRTM-4280-?	16 1/2	80	42	\$1,898	\$2,999
HV-PRTM-4286-?	16 1/2	86	42	\$1,953	\$3,084

⁻ Includes all required metal brackets and adjustable glides.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.


⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

Troughs - Double Sided

hover

Partition Trough Spanning Section

42" High Center Panel




Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PRTS-4250-?	16 1/2	50	42	\$1,052	\$1,662
HV-PRTS-4256-?	16 1/2	56	42	\$1,088	\$1,719
HV-PRTS-4262-?	16 1/2	62	42	\$1,141	\$1,801
HV-PRTS-4268-?	16 1/2	68	42	\$1,249	\$1,973
HV-PRTS-4274-?	16 1/2	74	42	\$1,303	\$2,056
HV-PRTS-4280-?	16 1/2	80	42	\$1,463	\$2,311
HV-PRTS-4286-?	16 1/2	86	42	\$1,516	\$2,394

⁻ Includes all required metal brackets and adjustable glides.




Partition Trough End Section



¥*					
Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PRTE-4850-?	16 1/2	50	48	\$1,325	\$2,091
HV-PRTE-4856-?	16 1/2	56	48	\$1,363	\$2,150
HV-PRTE-4862-?	16 1/2	62	48	\$1,417	\$2,238
HV-PRTE-4868-?	16 1/2	68	48	\$1,528	\$2,414
HV-PRTE-4874-?	16 1/2	74	48	\$1,583	\$2,498
HV-PRTE-4880-?	16 1/2	80	48	\$1,748	\$2,762
HV-PRTE-4886-?	16 1/2	86	48	\$1,803	\$2,848

Partition Trough Middle Section

48" High Center Panel



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PRTM-4850-?	16 1/2	50	48	\$1,542	\$2,436
HV-PRTM-4856-?	16 1/2	56	48	\$1,581	\$2,494
HV-PRTM-4862-?	16 1/2	62	48	\$1,636	\$2,583
HV-PRTM-4868-?	16 1/2	68	48	\$1,747	\$2,756
HV-PRTM-4874-?	16 1/2	74	48	\$1,802	\$2,844
HV-PRTM-4880-?	16 1/2	80	48	\$1,965	\$3,104
HV-PRTM-4886-?	16 1/2	86	48	\$2,021	\$3,189


⁻ Includes all required metal brackets and adjustable glides.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Includes all required metal brackets and adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

Partition Trough Spanning Section




Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PRTS-4850-?	16 1/2	50	48	\$1,106	\$1,746
HV-PRTS-4856-?	16 1/2	56	48	\$1,143	\$1,805
HV-PRTS-4862-?	16 1/2	62	48	\$1,200	\$1,894
HV-PRTS-4868-?	16 1/2	68	48	\$1,311	\$2,069
HV-PRTS-4874-?	16 1/2	74	48	\$1,366	\$2,157
HV-PRTS-4880-?	16 1/2	80	48	\$1,531	\$2,415
HV-PRTS-4886-?	16 1/2	86	48	\$1,585	\$2,503

⁻ Includes all required metal brackets and adjustable glides.




Platform 120 Trough End Section



Model Number	Width	Length	Height	TFL (T)	HPL (H)
For 42" 120 Degree Worksurfaces HV-L12E-2339-?	16 1/2	39 1/4	23	\$884	\$1,395
For 48" 120 Degree Worksurfaces HV-L12E-2345-?	16 1/2	45 1/4	23	\$901	\$1,425
For 54" 120 Degree Worksurfaces HV-L12E-2351-?	16 1/2	51 1/4	23	\$938	\$1,482

⁻ Includes all required metal brackets and adjustable glides.

Platform 120 Trough Middle Section



Model Number	Width	Length	Height	TFL (T)	HPL (H)
For 42" 120 Degree Worksurfaces HV-L12M-2339-?	16 1/2	39 1/4	23	\$1,101	\$1,739
For 48" 120 Degree Worksurfaces HV-L12M-2345-?	16 1/2	45 1/4	23	\$1,121	\$1,769
For 54" 120 Degree Worksurfaces HV-L12M-2351-?	16 1/2	51 1/4	23	\$1,158	\$1,827

⁻ Includes all required metal brackets and adjustable glides.

Platform 120 Trough Triangle Connecting Top



Model Number	Width	Length	TFL (T)	HPL (H)
HV-TRCT-1616-?	16 1/2	16 1/2	\$204	\$323

⁻ Triangle Connecting Top is 3/4" thick material. Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.


⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Includes L-Brackets to secure top to Platform Trough sections.

Raised Panel 120 Trough End Section

11" High Center Panel (6" high above trough top)



Model Number	Width	Trough Length	Center Panel Length	Height	TFL (T)	HPL (H)
For 42" 120 Degree Worksurfac	ces					
HV-R12E-1139-?	16 1/2	39 1/4	43 5/8	29	\$996	\$1,574
For 48" 120 Degree Worksurfac HV-R12E-1145-?	ces 16 1/2	45 1/4	49 5/8	29	\$1,019	\$1,608
For 54" 120 Degree Worksurfac HV-R12E-1151-?	ces 16 1/2	51 1/4	55 5/8	29	\$1,060	\$1,672

⁻ Includes all required metal brackets and adjustable glides.

Raised Panel 120 Trough Middle Section

11" High Center Panel (6" high above trough top)




Model Number	Width	Trough Length	Center Panel Length	Height	TFL (T)	HPL (H)		
For 42" 120 Degree Works	surfaces							
HV-R12M-1139-?	16 1/2	39 1/4	43 5/8	29	\$1,214	\$1,918		
For 48" 120 Degree Works	surfaces							
HV-R12M-1145-?	16 1/2	45 1/4	49 5/8	29	\$1,237	\$1,952		
For 54" 120 Degree Worksurfaces								
HV-R12M-1151-?	16 1/2	51 1/4	55 5/8	29	\$1,276	\$2,017		

⁻ Includes all required metal brackets and adjustable glides.



Partition Trough End Section



Model Number	Width	Trough Length	Center Panel Length	Height	TFL (T)	HPL (H)	
For 42" 120 Degree Worksurfaces							
HV-P12E-2939-?	16 1/2	39 1/4	43 5/8	29	\$1,120	\$1,766	
For 48" 120 Degree Works	surfaces						
HV-P12E-2945-?	16 1/2	45 1/4	49 5/8	29	\$1,149	\$1,814	
For 54" 120 Degree Worksurfaces							
HV-P12E-2951-?	16 1/2	51 1/4	55 5/8	29	\$1,196	\$1,887	

⁻ Includes all required metal brackets and adjustable glides.

Partition Trough Middle Section



-							
Model Number	Width	Trough Length	Center Panel Length	Height	TFL (T)	HPL (H)	
For 42" 120 Degree Works	surfaces						
HV-P12M-2939-?	16 1/2	39 1/4	43 5/8	29	\$1,336	\$2,112	
For 48" 120 Degree Works	surfaces						
HV-P12M-2945-?	16 1/2	45 1/4	49 5/8	29	\$1,367	\$2,159	
For 54" 120 Degree Worksurfaces							
HV-P12M-2951-?	16 1/2	51 1/4	55 5/8	29	\$1,413	\$2,232	

⁻ Includes all required metal brackets and adjustable glides.


⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.


Partition Trough End Section



Model Number	Width	Trough Length	Center Panel Length	Height	TFL (T)	HPL (H)			
For 42" 120 Degree Worksurfaces									
HV-P12E-3639-?	16 1/2	39 1/4	43 5/8	36	\$1,174	\$1,851			
For 48" 120 Degree Worksurfaces									
HV-P12E-3645-?	16 1/2	45 1/4	49 5/8	36	\$1,207	\$1,904			
For 54" 120 Degree Worksurfa	res								
HV-P12E-3651-?	16 1/2	51 1/4	55 5/8	36	\$1,257	\$1,983			

- Includes all required metal brackets and adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

Partition Trough Middle Section



Model Number	Width	Trough Length	Center Panel Length	Height	TFL (T)	HPL (H)
For 42" 120 Degree Work	csurfaces	-	-			
HV-P12M-3639-?	16 1/2	39 1/4	43 5/8	36	\$1,392	\$2,196
For 48" 120 Degree Work	csurfaces					
HV-P12M-3645-?	16 1/2	45 1/4	49 5/8	36	\$1,424	\$2,247
For 54" 120 Degree Work	csurfaces					
HV-P12M-3651-?	16 1/2	51 1/4	55 5/8	36	\$1,474	\$2,328

- Includes all required metal brackets and adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.



Partition Trough End Section



Model Number	Width	Trough Length	Center Panel Length	Height	TFL (T)	HPL (H)	
For 42" 120 Degree Works	surfaces		_				
HV-P12E-4239-?	16 1/2	39 1/4	43 5/8	42	\$1,225	\$1,934	
For 48" 120 Degree Work	surfaces						
HV-P12E-4245-?	16 1/2	45 1/4	49 5/8	42	\$1,261	\$1,988	
For 54" 120 Degree Worksurfaces							
HV-P12E-4251-?	16 1/2	51 1/4	55 5/8	42	\$1,312	\$2,071	

- Includes all required metal brackets and adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

Partition Trough Middle Section


42" High Center Panel



Model Number	Width	Trough Length	Center Panel Length	Height	TFL (T)	HPL (H)			
For 42" 120 Degree Worksurfaces									
HV-P12M-4239-?	16 1/2	39 1/4	43 5/8	42	\$1,442	\$2,277			
For 48" 120 Degree Works HV-P12M-4245-?	urfaces 16 1/2	45 1/4	49 5/8	42	\$1,477	\$2,333			
For 54" 120 Degree Works HV-P12M-4251-?	urfaces 16 1/2	51 1/4	55 5/8	42	\$1,532	\$2,417			

- Includes all required metal brackets and adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

Partition Trough End Section



Model Number	Width	Trough Length	Center Panel Length	Height	TFL (T)	HPL (H)			
For 42" 120 Degree Worksurfaces									
HV-P12E-4839-?	16 1/2	39 1/4	43 5/8	48	\$1,275	\$2,015			
For 48" 120 Degree Worksurfaces									
HV-P12E-4845-?	16 1/2	45 1/4	49 5/8	48	\$1,313	\$2,074			
For 54" 120 Degree Worksurfaces									
HV-P12E-4851-?	16 1/2	51 1/4	55 5/8	48	\$1,369	\$2,162			

⁻ Includes all required metal brackets and adjustable glides.

Partition Trough Middle Section




Model Number	Width	Trough Length	Center Panel Length	Height	TFL (T)	HPL (H)
For 42" 120 Degree Worksu	rfaces	206	206			
HV-P12M-4839-?	16 1/2	39 1/4	43 5/8	48	\$1,495	\$2,358
For 48" 120 Degree Worksu	rfaces					
HV-P12M-4845-?	16 1/2	45 1/4	49 5/8	48	\$1,532	\$2,418
For 54" 120 Degree Worksu	rfaces					
HV-P12M-4851-?	16 1/2	51 1/4	55 5/8	48	\$1,587	\$2,507

⁻ Includes all required metal brackets and adjustable glides.

Raised Panel Trough End Section

hover

11" High Panel (6" high above trough top)




Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-RSSE-1150-?	8 7/8	50	29	\$710	\$1,122
HV-RSSE-1156-?	8 7/8	56	29	\$723	\$1,144
HV-RSSE-1162-?	8 7/8	62	29	\$756	\$1,194
HV-RSSE-1168-?	8 7/8	68	29	\$807	\$1,274
HV-RSSE-1174-?	8 7/8	74	29	\$838	\$1,324
HV-RSSE-1180-?	8 7/8	80	29	\$1,089	\$1,719
HV-RSSE-1186-?	8 7/8	86	29	\$1,121	\$1,769

^{- 80&}quot; and 86" Troughs include an additional leg support mounted in the middle of trough for additional structural support.

Raised Panel Trough Middle Section

11" High Panel (6" high above trough top)



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-RSSM-1150-?	8 7/8	50	29	\$818	\$1,292
HV-RSSM-1156-?	8 7/8	56	29	\$834	\$1,317
HV-RSSM-1162-?	8 7/8	62	29	\$864	\$1,366
HV-RSSM-1168-?	8 7/8	68	29	\$915	\$1,445
HV-RSSM-1174-?	8 7/8	74	29	\$948	\$1,495
HV-RSSM-1180-?	8 7/8	80	29	\$1,307	\$2,063
HV-RSSM-1186-?	8 7/8	86	29	\$1,338	\$2,114

^{- 80&}quot; and 86" Troughs include an additional leg support mounted in the middle of trough for additional structural support.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Includes all required metal brackets and adjustable glides.


⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Includes all required metal brackets and adjustable glides.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.


Raised Panel Trough Spanning Section


11" High Panel (6" high above trough top)



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-RSSS-1150-?	8 7/8	50	29	\$602	\$948
HV-RSSS-1156-?	8 7/8	56	29	\$615	\$972
HV-RSSS-1162-?	8 7/8	62	29	\$648	\$1,022
HV-RSSS-1168-?	8 7/8	68	29	\$698	\$1,102
HV-RSSS-1174-?	8 7/8	74	29	\$730	\$1,151
HV-RSSS-1180-?	8 7/8	80	29	\$981	\$1,547
HV-RSSS-1186-?	8 7/8	86	29	\$1,013	\$1,596

^{- 80&}quot; and 86" Troughs include an additional leg support mounted in the middle of trough for additional structural support.






Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PSSE-2950-?	8 7/8	50	29	\$840	\$1,325
HV-PSSE-2956-?	8 7/8	56	29	\$860	\$1,359
HV-PSSE-2962-?	8 7/8	62	29	\$900	\$1,421
HV-PSSE-2968-?	8 7/8	68	29	\$958	\$1,514
HV-PSSE-2974-?	8 7/8	74	29	\$997	\$1,575
HV-PSSE-2980-?	8 7/8	80	29	\$1,145	\$1,809
HV-PSSE-2986-?	8 7/8	86	29	\$1,185	\$1,872

⁻ Includes all required metal brackets and adjustable glides.

Partition Trough Middle Section

29" High Wall Panel



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PSSM-2950-?	8 7/8	50	29	\$948	\$1,497
HV-PSSM-2956-?	8 7/8	56	29	\$971	\$1,531
HV-PSSM-2962-?	8 7/8	62	29	\$1,008	\$1,593
HV-PSSM-2968-?	8 7/8	68	29	\$1,068	\$1,686
HV-PSSM-2974-?	8 7/8	74	29	\$1,106	\$1,746
HV-PSSM-2980-?	8 7/8	80	29	\$1,255	\$1,981
HV-PSSM-2986-?	8 7/8	86	29	\$1,295	\$2,044

⁻ Includes all required metal brackets and adjustable glides.

⁻ Includes all required metal brackets and adjustable glides.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.


⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

hover


Partition Trough Spanning Section


29" High Wall Panel



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PSSS-2950-?	8 7/8	50	29	\$731	\$1,152
HV-PSSS-2956-?	8 7/8	56	29	\$752	\$1,187
HV-PSSS-2962-?	8 7/8	62	29	\$792	\$1,249
HV-PSSS-2968-?	8 7/8	68	29	\$850	\$1,341
HV-PSSS-2974-?	8 7/8	74	29	\$889	\$1,402
HV-PSSS-2980-?	8 7/8	80	29	\$1,037	\$1,637
HV-PSSS-2986-?	8 7/8	86	29	\$1,075	\$1,697

⁻ Includes all required metal brackets and adjustable glides.






Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PSSE-3650-?	8 7/8	50	36	\$897	\$1,416
HV-PSSE-3656-?	8 7/8	56	36	\$922	\$1,453
HV-PSSE-3662-?	8 7/8	62	36	\$963	\$1,521
HV-PSSE-3668-?	8 7/8	68	36	\$1,025	\$1,618
HV-PSSE-3674-?	8 7/8	74	36	\$1,067	\$1,683
HV-PSSE-3680-?	8 7/8	80	36	\$1,218	\$1,923
HV-PSSE-3686-?	8 7/8	86	36	\$1,259	\$1,987

⁻ Includes all required metal brackets and adjustable glides.

Partition Trough Middle Section

36" High Wall Panel



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PSSM-3650-?	8 7/8	50	36	\$1,005	\$1,588
HV-PSSM-3656-?	8 7/8	56	36	\$1,030	\$1,626
HV-PSSM-3662-?	8 7/8	62	36	\$1,072	\$1,693
HV-PSSM-3668-?	8 7/8	68	36	\$1,133	\$1,790
HV-PSSM-3674-?	8 7/8	74	36	\$1,175	\$1,854
HV-PSSM-3680-?	8 7/8	80	36	\$1,326	\$2,094
HV-PSSM-3686-?	8 7/8	86	36	\$1,369	\$2,162


⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Includes all required metal brackets and adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.


hover


Partition Trough Spanning Section



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PSSS-3650-?	8 7/8	50	36	\$788	\$1,242
HV-PSSS-3656-?	8 7/8	56	36	\$813	\$1,282
HV-PSSS-3662-?	8 7/8	62	36	\$855	\$1,348
HV-PSSS-3668-?	8 7/8	68	36	\$915	\$1,445
HV-PSSS-3674-?	8 7/8	74	36	\$958	\$1,513
HV-PSSS-3680-?	8 7/8	80	36	\$1,108	\$1,750
HV-PSSS-3686-?	8 7/8	86	36	\$1,150	\$1,816

⁻ Includes all required metal brackets and adjustable glides.






Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PSSE-4250-?	8 7/8	50	42	\$951	\$1,500
HV-PSSE-4256-?	8 7/8	56	42	\$979	\$1,543
HV-PSSE-4262-?	8 7/8	62	42	\$1,022	\$1,614
HV-PSSE-4268-?	8 7/8	68	42	\$1,085	\$1,715
HV-PSSE-4274-?	8 7/8	74	42	\$1,130	\$1,783
HV-PSSE-4280-?	8 7/8	80	42	\$1,283	\$2,027
HV-PSSE-4286-?	8 7/8	86	42	\$1,328	\$2,096

⁻ Includes all required metal brackets and adjustable glides.

Partition Trough Middle Section

42" High Wall Panel



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PSSM-4250-?	8 7/8	50	42	\$1,060	\$1,672
HV-PSSM-4256-?	8 7/8	56	42	\$1,087	\$1,716
HV-PSSM-4262-?	8 7/8	62	42	\$1,131	\$1,786
HV-PSSM-4268-?	8 7/8	68	42	\$1,195	\$1,886
HV-PSSM-4274-?	8 7/8	74	42	\$1,238	\$1,956
HV-PSSM-4280-?	8 7/8	80	42	\$1,394	\$2,199
HV-PSSM-4286-?	8 7/8	86	42	\$1,437	\$2,268

⁻ Includes all required metal brackets and adjustable glides.


⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

hover


Partition Trough Spanning Section



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PSSS-4250-?	8 7/8	50	42	\$842	\$1,328
HV-PSSS-4256-?	8 7/8	56	42	\$868	\$1,371
HV-PSSS-4262-?	8 7/8	62	42	\$913	\$1,441
HV-PSSS-4268-?	8 7/8	68	42	\$977	\$1,542
HV-PSSS-4274-?	8 7/8	74	42	\$1,022	\$1,612
HV-PSSS-4280-?	8 7/8	80	42	\$1,174	\$1,852
HV-PSSS-4286-?	8 7/8	86	42	\$1,220	\$1,924

⁻ Includes all required metal brackets and adjustable glides.

Partition Trough End Section



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PSSE-4850-?	8 7/8	50	48	\$1,004	\$1,585
HV-PSSE-4856-?	8 7/8	56	48	\$1,034	\$1,632
HV-PSSE-4862-?	8 7/8	62	48	\$1,081	\$1,705
HV-PSSE-4868-?	8 7/8	68	48	\$1,146	\$1,811
HV-PSSE-4874-?	8 7/8	74	48	\$1,193	\$1,884
HV-PSSE-4880-?	8 7/8	80	48	\$1,349	\$2,130
HV-PSSE-4886-?	8 7/8	86	48	\$1,398	\$2,206

⁻ Includes all required metal brackets and adjustable glides.

Partition Trough Middle Section

48" High Wall Panel




Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PSSM-4850-?	8 7/8	50	48	\$1,114	\$1,757
HV-PSSM-4856-?	8 7/8	56	48	\$1,142	\$1,804
HV-PSSM-4862-?	8 7/8	62	48	\$1,189	\$1,877
HV-PSSM-4868-?	8 7/8	68	48	\$1,257	\$1,983
HV-PSSM-4874-?	8 7/8	74	48	\$1,303	\$2,056
HV-PSSM-4880-?	8 7/8	80	48	\$1,459	\$2,304
HV-PSSM-4886-?	8 7/8	86	48	\$1,506	\$2,378

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Includes all required metal brackets and adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

Partition Trough Spanning Section



Model Number	Width	Length	Height	TFL (T)	HPL (H)
HV-PSSS-4850-?	8 7/8	50	48	\$894	\$1,413
HV-PSSS-4856-?	8 7/8	56	48	\$925	\$1,459
HV-PSSS-4862-?	8 7/8	62	48	\$972	\$1,535
HV-PSSS-4868-?	8 7/8	68	48	\$1,037	\$1,637
HV-PSSS-4874-?	8 7/8	74	48	\$1,085	\$1,714
HV-PSSS-4880-?	8 7/8	80	48	\$1,239	\$1,959
HV-PSSS-4886-?	8 7/8	86	48	\$1,287	\$2,031

⁻ Includes all required metal brackets and adjustable glides.



Double Sided End Panel - 23" High

For use with Platform and Partition Troughs - Cannot be used on Raised Panel Troughs



Model Number	Width	Height	TFL (T)	HPL (H)
HV-EPL1-2316-?	16.5	23	\$176	\$280

- End Panel is 1-1/8" thick material.
- Includes two adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Grain runs horizontal.

Double Sided End Panel - 29" High

For use with Raised Panel or Partition Troughs - Cannot be used on Platform Troughs



Model Number	Width	Height	TFL (T)	HPL (H)
HV-EPL1-2952-?	52	29	\$444	\$702
HV-EPL1-2964-?	64	29	\$508	\$801
HV-EPL1-2976-?	76	29	\$593	\$936

- End Panel is 1-1/8" thick material.
- Includes two adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Grain runs horizontal.

Double Sided End Panel - 36" High

For use with Partition Troughs: 36", 42" or 48" high



Model Number	Width	Height	TFL (T)	HPL (H)
HV-EPL1-3652-?	52	36	\$528	\$836
HV-EPL1-3664-?	64	36	\$601	\$947
HV-EPL1-3676-?	76	36	\$670	\$1,058

- End Panel is 1-1/8" thick material.
- Includes two adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Grain runs horizontal.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

End Panels - Double Sided



Double Sided End Panel - 42" High

For use with Partition Troughs: 42" & 48" high



Model Number	Width	Height	TFL (T)	HPL (H)
HV-EPL1-4252-?	52	42	\$593	\$936
HV-EPL1-4264-?	64	42	\$663	\$1,047
HV-EPL1-4276-?	76	42	\$734	\$1,158

- End Panel is 1-1/8" thick material.
- Includes two adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Grain runs horizontal.

Double Sided End Panel - 48" High

For use with Partition Troughs: 48" high



Model Number	Width	Height	TFL (T)	HPL (H)
HV-EPL1-4852-?	52	48	\$656	\$1,037
HV-EPL1-4864-?	64	48	\$726	\$1,148
HV-EPL1-4876-?	76	48	\$797	\$1,259

- End Panel is 1-1/8" thick material.
- Includes two adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Grain runs horizontal.



Double Sided Connecting End Panel - 29" High

Used when connecting to Extension Panels For use with Raised Panel or Partition Troughs



Model Number	Width	Height	TFL (T)	HPL (H)
HV-EPL3-2952-?	52	29	\$444	\$702
HV-EPL3-2964-?	64	29	\$508	\$801
HV-EPL3-2976-?	76	29	\$593	\$936

- End Panel is 1-1/8" thick material.
- Includes two adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Grain runs horizontal.

Double Sided Connecting End Panel - 36" High

Used when connecting to an Extension Panel For use with Partition Troughs: 36", 42" or 48" high



Model Number	Width	Height	TFL (T)	HPL (H)
HV-EPL3-3652-?	52	36	\$528	\$836
HV-EPL3-3664-?	64	36	\$601	\$947
HV-EPL3-3676-?	76	36	\$670	\$1,058

- End Panel is 1-1/8" thick material.
- Includes two adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Grain runs horizontal.

Double Sided Connecting End Panel - 42" High

Used when connecting to an Extension Panel

For use with Partition Troughs: 42" & 48" high



Model Number	Width	Height	TFL (T)	HPL (H)
HV-EPL3-4252-?	52	42	\$593	\$936
HV-EPL3-4264-?	64	42	\$663	\$1,047
HV-EPL3-4276-?	76	42	\$734	\$1,158

- End Panel is 1-1/8" thick material.
- Includes two adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Grain runs horizontal.

Double Sided Connecting End Panel - 48" High

Used when connecting to an Extension Panel For use with Partition Troughs: 48" high



-				
Model Number	Width	Height	TFL (T)	HPL (H)
HV-EPL3-4852-?	52	48	\$656	\$1,037
HV-EPL3-4864-?	64	48	\$726	\$1,148
HV-EPL3-4876-?	76	48	\$797	\$1,259

- End Panel is 1-1/8" thick material.
- Includes two adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Grain runs horizontal.



Single Sided End Panel - 29" High

For use with Single Sided Raised Panel or Partition Troughs



Model Number		Width	Height	TFL (T)	HPL (H)
Left Model Right	t Model				
HV-EPL2-2927-L-? HV-EF	PL2-2927-R-?	26 1/2	29	\$312	\$494
HV-EPL2-2934-L-? HV-EF	PL2-2934-R-?	33 1/2	29	\$356	\$562
HV-EPL2-2939-L-? HV-EF	PL2-2939-R-?	38 1/2	29	\$415	\$654

- End Panel is 1-1/8" thick material.
- Includes two adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Grain runs horizontal.

Single Sided End Panel - 36" High

For use with Single Sided Partition Troughs: 36", 42" or 48" high



Model Number	Width	Height	TFL (T)	HPL (H)
Left Model Right Model				
HV-EPL2-3627-L-? HV-EPL2-3627-R-?	26 1/2	36	\$371	\$586
HV-EPL2-3634-L-? HV-EPL2-3634-R-?	33 1/2	36	\$420	\$663
HV-EPL2-3639-L-? HV-EPL2-3639-R-?	38 1/2	36	\$470	\$743

- End Panel is 1-1/8" thick material.
- Includes two adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Grain runs horizontal.

Single Sided End Panel -42" High

For use with Single Sided Partition Troughs: 42" & 48" high



Model Number		Width	Height	TFL (T)	HPL (H)
Left Model	Right Model				
HV-EPL2-4227-L-?	HV-EPL2-4227-R-?	26 1/2	42	\$415	\$654
HV-EPL2-4234-L-?	HV-EPL2-4234-R-?	33 1/2	42	\$465	\$733
HV-EPL2-4239-L-?	HV-EPL2-4239-R-?	38 1/2	42	\$514	\$810

- End Panel is 1-1/8" thick material.
- Includes two adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Grain runs horizontal.

Single Sided End Panel -48" High

For use with Single Sided Partition Troughs: 48" high



Model Number		Width	Height	TFL (T)	HPL (H)
Left Model	Right Model				
HV-EPL2-4827-L-?	HV-EPL2-4827-R-?	26 1/2	48	\$460	\$727
HV-EPL2-4834-L-?	HV-EPL2-4834-R-?	33 1/2	48	\$510	\$804
HV-EPL2-4839-L-?	HV-EPL2-4839-R-?	38 1/2	48	\$558	\$882

- End Panel is 1-1/8" thick material.
- Includes two adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Grain runs horizontal.



Single Sided Connecting End Panel - 29" High

Used when connecting to an Extension Panel For use with Single Sided Raised Panel or Partition Troughs



Model Number	Width	Height	TFL (T)	HPL (H)
Left Model Right Model				
HV-EPL4-2927-L-? HV-EPL4-2927-R-?	26 1/2	29	\$312	\$494
HV-EPL4-2934-L-? HV-EPL4-2934-R-?	33 1/2	29	\$356	\$562
HV-EPL4-2939-L-? HV-EPL4-2939-R-?	38 1/2	29	\$415	\$654

- End Panel is 1-1/8" thick material.
- Includes two adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Grain runs horizontal.

Single Sided Connecting End Panel - 36" High

Used when connecting to an Extension Panel For use with Single Sided Partition Troughs: 36", 42" or 48" high



Model Number	Width	Height	TFL (T)	HPL (H)
Left Model Right Model				
HV-EPL4-3627-L-? HV-EPL4-3627-R-?	26 1/2	36	\$371	\$586
HV-EPL4-3634-L-? HV-EPL4-3634-R-?	33 1/2	36	\$420	\$663
HV-EPL4-3639-L-? HV-EPL4-3639-R-?	38 1/2	36	\$470	\$743

- End Panel is 1-1/8" thick material.
- Includes two adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Grain runs horizontal.

Single Sided Connecting End Panel -42" High

Used when connecting to an Extension Panel For use with Single Sided Partition Troughs: 42" & 48" high



Model Number		Width	Height	TFL (T)	HPL (H)
Left Model	Right Model				
HV-EPL4-4227-L-?	HV-EPL4-4227-R-?	26 1/2	42	\$415	\$654
HV-EPL4-4234-L-?	HV-EPL4-4234-R-?	33 1/2	42	\$465	\$733
HV-EPL4-4239-L-?	HV-EPL4-4239-R-?	38 1/2	42	\$514	\$810

⁻ End Panel is 1-1/8" thick material.

Single Sided Connecting End Panel -48" High

Used when connecting to an Extension Panel For use with Single Sided Partition Troughs: 48" high




Model Number	Width	Height	TFL (T)	HPL (H)
Left Model Right Model				
HV-EPL4-4827-L-? HV-EPL4-4827-F	26 1/2	48	\$460	\$727
HV-EPL4-4834-L-? HV-EPL4-4834-F	33 1/2	48	\$510	\$804
HV-EPL4-4839-L-? HV-EPL4-4839-F	8-? 38 1/2	48	\$558	\$882

⁻ End Panel is 1-1/8" thick material.



Double Sided Divider Panels



Model Number	Width	Height	TFL (T)	HPL (H)
29" High				
HV-DPL1-2952-?	52	29	\$551	\$869
HV-DPL1-2964-?	64	29	\$614	\$971
HV-DPL1-2976-?	76	29	\$698	\$1,104
36" High				
HV-DPL1-3652-?	52	36	\$636	\$1,002
HV-DPL1-3664-?	64	36	\$706	\$1,115
HV-DPL1-3676-?	76	36	\$777	\$1,226
42" High				
HV-DPL1-4252-?	52	42	\$698	\$1,104
HV-DPL1-4264-?	64	42	\$768	\$1,216
HV-DPL1-4276-?	76	42	\$840	\$1,327
48" High				
HV-DPL1-4852-?	52	48	\$761	\$1,202
HV-DPL1-4864-?	64	48	\$832	\$1,314
HV-DPL1-4876-?	76	48	\$902	\$1,427

⁻ Divider Panel is 1-1/8" thick material.

⁻ Includes two adjustable glides.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Grain runs horizontal.

⁻ Includes two adjustable glides.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Grain runs horizontal.

⁻ Includes grommet cutouts and adjustable glides.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Grain runs horizontal.

Single Sided Divider Panels




Model Number	Width	Height	TFL (T)	HPL (H)
29" High				
HV-DPL2-2927-?	26 1/2	29	\$418	\$494
HV-DPL2-2934-?	33 1/2	29	\$461	\$562
HV-DPL2-2939-?	38 1/2	29	\$520	\$654
36" High				
HV-DPL2-3627-?	26 1/2	36	\$477	\$586
HV-DPL2-3634-?	33 1/2	36	\$526	\$663
HV-DPL2-3639-?	38 1/2	36	\$576	\$743
42" High				
HV-DPL2-4227-?	26 1/2	42	\$520	\$654
HV-DPL2-4234-?	33 1/2	42	\$570	\$733
HV-DPL2-4239-?	38 1/2	42	\$619	\$810
48" High				
HV-DPL2-4827-?	26 1/2	48	\$566	\$727
HV-DPL2-4834-?	33 1/2	48	\$615	\$804
HV-DPL2-4839-?	38 1/2	48	\$664	\$882

⁻ Divider Panel is 1-1/8" thick material.



Double Sided Connecting Divider Panels

Used when connecting to Extension Panels



Model Number	Width	Height	TFL (T)	HPL (H)
29" High				
HV-DPL3-2952-?	52	29	\$551	\$869
HV-DPL3-2964-?	64	29	\$614	\$971
HV-DPL3-2976-?	76	29	\$698	\$1,104
36" High				
HV-DPL3-3652-?	52	36	\$636	\$1,002
HV-DPL3-3664-?	64	36	\$706	\$1,115
HV-DPL3-3676-?	76	36	\$777	\$1,226
42" High				
HV-DPL3-4252-?	52	42	\$698	\$1,104
HV-DPL3-4264-?	64	42	\$768	\$1,216
HV-DPL3-4276-?	76	42	\$840	\$1,327
48" High				
HV-DPL3-4852-?	52	48	\$761	\$1,202
HV-DPL3-4864-?	64	48	\$832	\$1,314
HV-DPL3-4876-?	76	48	\$902	\$1,427

⁻ Divider Panel is 1-1/8" thick material.

⁻ Includes grommet cutout and adjustable glides.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Grain runs horizontal.

⁻ Includes grommet cutouts and adjustable glides.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Grain runs horizontal.

Single Sided Connecting Divider Panels

Used when connecting to an Extension Panel




Model Number	Width	Height	TFL (T)	HPL (H)
29" High				
HV-DPL4-2927-?	26 1/2	29	\$418	\$494
HV-DPL4-2934-?	33 1/2	29	\$461	\$562
HV-DPL4-2939-?	38 1/2	29	\$520	\$654
36" High				
HV-DPL4-3627-?	26 1/2	36	\$477	\$586
HV-DPL4-3634-?	33 1/2	36	\$526	\$663
HV-DPL4-3639-?	38 1/2	36	\$576	\$743
42" High				
HV-DPL4-4227-?	26 1/2	42	\$520	\$654
HV-DPL4-4234-?	33 1/2	42	\$570	\$733
HV-DPL4-4239-?	38 1/2	42	\$619	\$810
48" High				
HV-DPL4-4827-?	26 1/2	48	\$566	\$727
HV-DPL4-4834-?	33 1/2	48	\$615	\$804
HV-DPL4-4839-?	38 1/2	48	\$664	\$882

⁻ Divider Panel is 1-1/8" thick material.



Extension Panels





	W				
Model Number	•	Width	Height	TFL (T)	HPL (H)
29" High					
Left Model HV-EXP1-2924-L-?	Right Model HV-EXP1-2924-R-?	24	29	\$473	\$747
HV-EXP1-2930-L-?	HV-EXP1-2930-R-?	30	29	\$486	\$769
HV-EXP1-2936-L-?	HV-EXP1-2936-R-?	36	29	\$501	\$789
HV-EXP1-2942-L-?	HV-EXP1-2942-R-?	42	29	\$672	\$1,059
HV-EXP1-2948-L-?	HV-EXP1-2948-R-?	48	29	\$685	\$1,081
HV-EXP1-2954-L-?	HV-EXP1-2954-R-?	54	29	\$698	\$1,104
HV-EXP1-2960-L-?	HV-EXP1-2960-R-?	60	29	\$713	\$1,126
Left Model HV-EXP1-3624-L-?	Right Model HV-EXP1-3624-R-?	24	36	\$486	\$769
HV-EXP1-3630-L-?	HV-EXP1-3630-R-?	30	36	\$503	\$793
HV-EXP1-3636-L-?	HV-EXP1-3636-R-?	36	36	\$519	\$821
HV-EXP1-3642-L-?	HV-EXP1-3642-R-?	42	36	\$694	\$1,095
HV-EXP1-3648-L-?	HV-EXP1-3648-R-?	48	36	\$710	\$1,122
HV-EXP1-3654-L-?	HV-EXP1-3654-R-?	54	36	\$726	\$1,148
HV-EXP1-3660-L-?	HV-EXP1-3660-R-?	60	36	\$743	\$1,173
Left Model	Right Model				
HV-EXP1-4224-L-?	HV-EXP1-4224-R-?	24	42	\$499	\$788
HV-EXP1-4230-L-?	HV-EXP1-4230-R-?	30	42	\$516	\$815
HV-EXP1-4236-L-?	HV-EXP1-4236-R-?	36	42	\$535	\$844
HV-EXP1-4242-L-?	HV-EXP1-4242-R-?	42	42	\$713	\$1,126
HV-EXP1-4248-L-?	HV-EXP1-4248-R-?	48	42	\$731	\$1,154
HV-EXP1-4254-L-?	HV-EXP1-4254-R-?	54	42	\$749	\$1,184
HV-EXP1-4260-L-?	HV-EXP1-4260-R-?	60	42	\$768	\$1,216
48" High					
Left Model HV-EXP1-4824-L-?	Right Model HV-EXP1-4824-R-?	24	48	\$510	\$804
HV-EXP1-4830-L-?	HV-EXP1-4830-R-?	30	48	\$529	\$837
HV-EXP1-4836-L-?	HV-EXP1-4836-R-?	36	48	\$552	\$872
HV-EXP1-4842-L-?	HV-EXP1-4842-R-?	42	48	\$731	\$1,154
HV-EXP1-4848-L-?	HV-EXP1-4848-R-?	48	48	\$752	\$1,188
HV-EXP1-4854-L-?	HV-EXP1-4854-R-?	54	48	\$773	\$1,221

⁻ Extension panel is 1-1/8" thick material.

84 deskmakers.com 85

⁻ Includes grommet cutout and adjustable glides.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Grain runs horizontal.

⁻ Includes metal T-Foot and adjustable glides.

⁻ Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

⁻ Panels must attach to an end panel or divider panel. Cannot be used as a stand-alone wall.

⁻ Grain runs horizontal.

Center Extension Panels




Model Number	Width	Height	TFL (T)	HPL (H)
11" High				
HV-EXP2-1118-?	18 1/4	11	\$140	\$219
HV-EXP2-1124-?	24 1/4	11	\$151	\$240
HV-EXP2-1130-?	30 1/4	11	\$159	\$251
HV-EXP2-1136-?	36 1/2	11	\$165	\$259
HV-EXP2-1142-?	42 1/2	11	\$182	\$288
HV-EXP2-1148-?	48 1/2	11	\$190	\$298
29" High				
HV-EXP2-2918-?	18 1/4	29	\$278	\$440
HV-EXP2-2924-?	24 1/4	29	\$303	\$478
HV-EXP2-2930-?	30 1/4	29	\$316	\$501
HV-EXP2-2936-?	36 1/2	29	\$331	\$520
HV-EXP2-2942-?	42 1/2	29	\$365	\$575
HV-EXP2-2948-?	48 1/2	29	\$378	\$596
36" High				
HV-EXP2-3618-?	18 1/4	36	\$306	\$482
HV-EXP2-3624-?	24 1/4	36	\$316	\$501
HV-EXP2-3630-?	30 1/4	36	\$333	\$525
HV-EXP2-3636-?	36 1/2	36	\$349	\$552
HV-EXP2-3642-?	42 1/2	36	\$387	\$611
HV-EXP2-3648-?	48 1/2	36	\$403	\$636
42" High				
HV-EXP2-4218-?	18 1/4	42	\$320	\$506
HV-EXP2-4224-?	24 1/4	42	\$329	\$517
HV-EXP2-4230-?	30 1/4	42	\$346	\$546
HV-EXP2-4236-?	36 1/2	42	\$365	\$577
HV-EXP2-4242-?	42 1/2	42	\$406	\$641
HV-EXP2-4248-?	48 1/2	42	\$424	\$670
18" High				
HV-EXP2-4818-?	18 1/4	48	\$332	\$524
HV-EXP2-4824-?	24 1/4	48	\$340	\$537
HV-EXP2-4830-?	30 1/4	48	\$361	\$570
HV-EXP2-4836-?	36 1/2	48	\$382	\$603
HV-EXP2-4842-?	42 1/2	48	\$424	\$670
HV-EXP2-4848-?	48 1/2	48	\$445	\$702


- Center extension panel is 1-1/8" thick material.
- Includes mechanical biscuit fasteners on both ends.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Panels must attach to a trough center panel and storage unit. Cannot be used as a stand-alone wall.
- Grain runs horizontal.

hover

Personal Storage Tower - Shelf Storage Model

Single Pull-Out Door








Model Number		Width	Depth	Height	Price
Left Model	Right Model				
HV-PST1-1826-L	HV-PST1-1826-R	18	26	42	\$2,952
HV-PST1-1826-LPWR	HV-PST1-1826-RPWR	18	26	42	\$3,484
HV-PST1-1832-L	HV-PST1-1832-R	18	32	42	\$3,143
HV-PST1-1832-LPWR	HV-PST1-1832-RPWR	18	32	42	\$3,674

- 24" Deep model includes fixed shelf and two adjustable shelves.
- 30" Deep model includes wardrobe with coat hook, fixed shelf and two adjustable shelves.
- Powered model includes power unit with two outlets and two USB charging ports. Power unit has 108" long cord with plug. Power unit is field installed into factory cut hole. Grommet not included.
- Includes adjustable glides.
- Lock NOT standard. For lock on doors per bay, add OP-LOCK-ADD for \$122.
- Must specify grommet for electrical pass-thru. For grommet located on left side, use HV-GROM-LEFT for \$50; for grommet located on right side, use HV-GROM-RGHT for \$50; for grommet on both sides, use HV-GROM-BOTH for \$99.

Personal Storage Tower - File Storage Model

Single Pull-Out Door



Model Number		Width	Depth	Height	Price
Left Model	Right Model				
HV-PST2-1832-L	HV-PST2-1832-R	18	32	42	\$3,745
HV-PST2-1832-LPWR	HV-PST2-1832-RPWR	18	32	42	\$4,277

- Includes wardrobe with coat hook, fixed shelf, adjustable shelf and one file drawer.
- Powered model includes power unit with two outlets and two USB charging ports. Power unit has 108" long cord with plug. Power unit is field installed into factory cut hole. Grommet not included.
- Includes adjustable glides.
- Lock NOT standard. For lock on doors per bay, add OP-LOCK-ADD for \$122.
- Must specify grommet for electrical pass-thru. For grommet located on left side, use HV-GROM-LEFT for \$50; for grommet located on right side, use HV-GROM-RGHT for \$50; for grommet on both sides, use HV-GROM-BOTH for \$99.

Accessories hove

hove

U-Shaped Wire Management Channel



Model Number	Width	Depth	Height	Price
HV-UCHN-18	5	7	18	\$203

- 3/4" thermofuse laminate material only.
- Ships with mounting hardware for securing to table base.
- Cannot be used to support troughs.

Wire Management Support Base

Used with Platform and Raised Panel Troughs



Model Number	Width	Depth	Height	Price
HV-WML1-18	9	12	18	\$670

- 3/4" thermofuse laminate material only.
- Includes one hinged access door.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding.

Wire Management Support Base

Used with Partition and Single Sided Troughs



Model Number	Width	Depth	Height	Price
HV-WML2-18	9	5 1/2	18	\$387

- 3/4" thermofuse laminate material only.
- Includes one hinged access door.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding.

End Panel Infeed Grommet Option



Model Number	Price
HV-GROM-ENDP	\$51

- 2-1/2" diameter grommet is plastic.
- Grommet is centered on the depth of the end panel and is located 6" on center above the bottom edge.

Metal Wall Panel T-Foot



Model Number	Price
HV-PNLS-TF	\$160

- Powder coat silver finish.

Please see website for current Terms and Conditions: www.deskmakers.com



Limited Lifetime Warranty

(Effective for Furniture Sold as of January 1, 2015)

DeskMakers, Inc. furniture is warranted against defects in material and workmanship given normal usage and care for as long the original purchaser owns it.

DeskMakers will repair or replace at its option, and at its own cost, any product that develops a defect during the warranty period. In some cases, DeskMakers may elect to refund the customer's original purchase price (less reasonable depreciation) in lieu of repair or replacement. Repair, replacement, or refund is the purchaser's sole remedy, the choice of which rests solely with DeskMakers. DeskMakers shall not be liable for any incidental or consequential damages including lost profits and loss of use of product.

Limitations:

- The warranty for wood guest chair frames shall be limited to 10 years.
- The warranty for PVC edges, wood veneer edges, HPL edges, mechanical parts such as ball bearing slides, door hinges, floor glides, fabric (except for COM fabrics), seating foam, and wood veneer surfaces shall be limited to five (5) years.
- The warranty for training tables shall be limited to three (3) years.
- The warranty for engineered-to-order "custom" products shall be limited to three (3) years.
- The warranty for height adjustable bases shall be limited to two (2) years on electrical components, five (5) years on mechanical components and ten (10) years on structural components.
- This warranty does not cover:
 - o Normal wear and tear.
 - o The color fastness of any laminate, wood, or fabric, as such colors can fade or darken with normal use and as a result of exposure to light.
 - o Customer's Own Materials (COM).
 - o Damage caused by placing anything other than hanging files in file drawers.
 - o Rental furniture.
 - o Labor and service.

Normal Usage:

This warranty does not apply to damages or failures resulting from misuse, abuse, negligence, or improper care. For casegoods, tables, and desking, normal usage is limited to 40 hours per week. For seating, normal usage is limited to 40 hours per week by individuals of 250 lbs. or less.

Showroom Locations

Los Angeles Deskmakers Headquarters 6525 Flotilla Street Commerce, CA 90040

