

PRICE & SPECIFICATION GUIDE

Version: 10.18.23



revisions

10/24/19	Updated layout and finishes
01/01/21	Updated pricing and finishes
09/01/21	Updated finishes
12/20/21	Updated pricing and finishes
03/31/22	Updated option codes
08/18/22	Added surcharge note
12/01/22	Updated pricing
10/18/23	Undated finishes and product detail for laminate bases




table of contents

Laminates	4-5
Product Details	6-17
Table Tops	18-23
Bases	24-27
Monitor Walls	28-34
Whiteboards	35
Terms and Conditions	36
Warranty	37

laminate finishes

standard thermofuse laminate (TFL)



Matching 2MM PVC edgebanding is available for all Standard TFL finishes shown here. For HPL match information please visit deskmakers.com/resources/materials

premium thermofuse laminate (TFL)













Premium TFLs require a 10% upcharge. Add item code OP-TTFL-1. Matching 2MM PVC edgebanding is available for all Premium TFL finishes shown here.

For HPL match information please visit deskmakers.com/resources/materials

high pressure laminate (HPL)

Pricing shown in this price list applies only to non-premium HPLs as follows:

- Wilsonart: Solids, Woodgrains, and Abstracts in Matte (-60) finish,
- Formica: Color Portfolio, Woodgrains, and Patterns in Matte (-58) finish
- Pionite: Solids, Woodgrains, and Abstracts in Suede (N) finish
- Arborite: Solids, Woodgrains, Textures and Abstracts in Matte (CA) finish
- Nevamar: Solids, Woodgrains, Stones and Abstracts in ARP (-T) finish

A minimum charge of \$500 net per HPL color will be applied to each order.

Call customer service for pricing for all other HPLs.


Additional lead times required for HPL orders depending on material availability and order complexity. HPL is always available with DeskMakers standard 2MM edgebanding. Special order matching PVC 2MM edgebanding may be available for orders \$25,000 List or larger, call customer service for pricing.



Understanding Narrative

Monitor walls


- Available in two depths 6-7/8" and 1-7/8"
- Sitting height: 72" high full height wall, 28-3/8" high half height wall (without levelers, levelers will add 3/4")
- Standing height: 84" high full height wall, 40-3/8" high half height wall (without levelers, levelers will add 3/4")




- Available in metal, laminate and height adjustable
- Metal standing height bases available with and without foot rail
- Sitting height: 29-1/2" high table top, levelers will add 3/4"
- Standing height: 41-1/2" high table top, levelers will add 3/4"




Monitor Wall



- Monitor walls are constructed of plywood and particle board. Center of wall is hollow to allow routing of wires.
- Finished on both sides. Only available in HPL.
- Can be mounted to structural wall or used in open floor plan. Must have a table unit secured to wall, can not be used as a freestanding wall.
- Monitors can be mounted on both sides of wall. A whiteboard can be mounted to back side.
- Wall ships in two pieces.
- Removable access panels and grommets.
- Levelers.






*Height dimensions above do not include levelers. Levelers will add 3/4" in height.

TV mount is not included. Designed for use with low-profile, fixed TV wall mount brackets, non-articulating. TV mount is to be field installed.


Recommended TV size (measured diagonally):

- 48" wide walls: 48" screens and smaller
- 54" wide walls: 56" screens and smaller
- 60" wide walls: 62" screens and smaller

Monitor Wall with Whiteboard Slide-Outs



- Monitor walls are constructed of plywood and particle board. Center of wall is hollow to allow routing of wires.
- Finished on both sides. Only available in HPL.
- Can be mounted to structural wall or used in open floor plan. Must have a table unit secured to wall, can not be used as a freestanding wall.
- Monitors can be mounted on both sides of wall. A whiteboard can be mounted to back side.
- Wall ships in two pieces.
- Slide-out whiteboards are double sided, so when wall is freestanding, both sides can be utilized.
- Removable access panels and grommets.
- Levelers.




*Height dimensions above do not include levelers. Levelers will add 3/4" in height.

TV mount is not included. Designed for use with low-profile, fixed TV wall mount brackets, non-articulating. TV mount is to be field installed.


Recommended TV size (measured diagonally):

- 48" wide walls: 48" screens and smaller
- 54" wide walls: 56" screens and smaller
- 60" wide walls: 62" screens and smaller

Thin Wall



- Monitor walls are constructed of plywood and particle board. Center of wall has a cavity to allow routing of wires.
- Unfinished on back side.
- Available in TFL or HPL with 2MM PVC edges. PVC only available with DeskMakers standard colors.
- Must be mounted on structrual wall. Must have a table unit secured to wall, can not be used as a freestanding wall.
- Wall ships in one piece.
- 2-1/2" plastic grommets for wire routing.
- Levelers.




*Height dimensions above do not include levelers. Levelers will add 3/4" in height.

TV mount is not included. Designed for use with low-profile, fixed TV wall mount brackets, non-articulating. TV mount is to be field installed. Screws for installing the monitor mount need to be longer than 1-1/4".


Recommended TV size (measured diagonally):

- 48" wide walls: 48" screens and smaller
- 54" wide walls: 56" screens and smaller
- 60" wide walls: 62" screens and smaller

Monitor Half Wall



- Monitor walls are constructed of plywood and particle board. Center of wall is hollow to allow routing of wires.
- Finished on both sides. Only available in HPL.
- Must have a table unit secured to wall, can not be used as a freestanding wall.
- Removable access panels and grommets.
- Levelers.




40-3/8" 48", 54" or 60"


Sitting Height


Standing Height

Thin Half Wall



- Monitor walls are constructed of plywood and particle board. Center of wall has a cavity to allow routing of wires.
- Unfinished on back side.
- Available in TFL or HPL with 2MM PVC edges. PVC only available with DeskMakers standard colors.
- Must have a table unit secured to wall, can not be used as a freestanding wall.
- 2-1/2" plastic grommet located 18" on center from bottom of wall.
- Levelers.





Standing Height

^{*}Height dimensions above do not include levelers. Levelers will add 3/4" in height.



Seating Capacity



Tapered Top


Table Top Width	Table Top Length	Seating Capacity
48" & 54"	60"	4-5
48" & 54"	66"	4-5
48" & 54"	72"	4-6
48" & 54"	78"	5-7
48" & 54"	84"	5-7
48" & 54"	90"	6-7
48" & 54"	96"	6-8
60"	60"	4-6
60"	66"	4-6
60"	72"	5-7
60"	78"	5-7
60"	84"	6-8
60"	90"	6-8
60"	96"	7-9



D-Shape Top

Table Top Width	Table Top Length	Seating Capacity
48" & 54"	60"	5-6
48" & 54"	66"	5-6
48" & 54"	72"	6-7
48" & 54"	78"	7-8
48" & 54"	84"	7-8
48" & 54"	90"	8-9
48" & 54"	96"	8-9
60"	60"	5-6
60"	66"	6-7
60"	72"	6-7
60"	78"	7-8
60"	84"	8-9
60"	90"	8-9
60"	96"	9-10

Grommet Location








Table Top Shapes

Narrative table tops are 1-1/8" thick with 45 pound industrial grade particle board core and are available in two shapes. Table tops are available in either TFL with 2MM PVC edge and HPL with 2MM PVC edge in the standard DeskMakers PVC colors.

Grain Direction

All table tops for Narrative run long grain, grain running the length of the top.





Table Top Mounting Bracket





- Table tops mount to monitor walls, thin walls, structrual walls and half walls with metal mounting brackets.
- Spanning rods connect the base to the wall to provide rigid structure for supporting the table top. The spanning rods also reduce the number of bases required.
- Attaching the bracket and spanning rods to the wall and base, allows the table top to be installed last, preventing the opportunity for damage.




Wall Mounted Table Tops

- Table top can be mounted to monitor walls, thin walls or structural walls.
- Spanning rods are 12" shorter than the table top length.









Half Wall Table Tops

- Table top can be mounted to monitor half walls and thin half walls. Cannot be mounted to structural walls.
- Spanning rods are 19" shorter than the table top length.









Height Adjustable Table Tops


- Table top can only be mounted to height adjustable bases.
- Does not include spanning rods, height adjustable bases include j-rail support.






Laminate Bases

Stationary Laminate Bases







Standing Height 40-3/8" high

- Constructed of 3/4" thick particle board, 5" deep x 21-1/4" wide.
- Includes wire management stretchers.
- Includes U-channels to secure spanning rods to base.
- Includes access door
- Includes installation hardware.
- Levelers will add 3/4" in height.

Height Adjustable Bases






Standing Height 41-43" high

- Constructed of 3/4" thick particle board,7-3/8" deep x 25" wide.
- Available in HPL only.
- Height adjustable range, 28" to 43".
- Mounts to the underside of the table top with J-Channels.
- Interior base shroud conceals electric lifting columns and wires.
- Includes access doors.
- Includes installation hardware.
- Levelers will add 3/4" in height.


Metal Bases

Metal Pedestal Bases



- Welded steel construction.
- Silver powdercoat finish.
- 3" diameter column.
- Wires can be routed through base, grommet hole in the foot plate.
- Grommet access hole below top plate.
- Mounts to the underside of the table top with a fixed steel plate.
- Includes installation hardware.
- Levelers will add 3/4" in height.

Metal Pedestal Standing Height Base with Foot Rail



Standing Height 40-3/8" high

- Metal pedestal standing height base is standard metal pedestal base.
- Foot rail is 1-1/2" diameter steel tubing permanently affixed to pedestal base.
- Foot rail is 6" above floor.
- Mounts to the underside of the table top with a fixed steel plate.
- Foot rail mounts to face of monitor wall.
- Includes installation hardware.
- Levelers will add 3/4" in height.
- Not available in D-shape.

Recessed Power and Data Unit with USB

AC-DPGR-72

See Electrical Pricebook for pricing and more power options



(image shown with interface plate - not included)

Specifications

- (2) power outlets
- (2) 2.1A USB charging ports
- (1) convenience outlet on bottom
- (1) cutout for interface plate (not included)
- (2) RJ-45 keystone knock outs (jacks not included)
- (2) Cord Pass Thoughs
- 144" long 15amp plug cord
- Available finishes: Black, Silver, White and Brushed Aluminum
- Hardwire version available upon request

For Use With:

- Conference Tables including Scale 1:1 Collection
- Training Tables
- Parsons Tables (36" & 42" deep only)
- TeamWorx Worksurfaces
- Hover Worksurfaces


8.98" 3.38" Cut Out Size: 4.75" x 8.38"

Also Available with 4 Outlets, No Interface Plate

- See page 28 of the Electrical Pricebook for pricing.









Recessed Power with USB and Data Unit

AC-DPGR-78

See Electrical Pricebook for pricing and more power options




(image shown with interface plates - not included)

Specifications

- (3) power outlets
- (2) 2.1A USB charging ports
- (2) 45W C USB charging ports
- (1) RJ-45 Data port
- (1) HDMI port
- (2) 72" long 15amp plug cords
- Available finishes: White, Silver

For Use With:



Tapered Table Top

For Use with Full Height Walls or Wall Mounted



Model Number Depth Length Spanning Rod Length TFL (T) HPL w/PVC (48" Deep NR-TPR1-4860-? 36-48 60 48 \$1,613 \$2,591 NR-TPR1-4866-? 36-48 66 54 \$1,709 \$2,745 NR-TPR1-4872-? 36-48 72 60 \$1,765 \$2,837 NR-TPR1-4878-? 36-48 78 66 \$1,822 \$2,927 NR-TPR1-4890-? 36-48 84 72 \$1,936 \$3,113 NR-TPR1-4890-? 36-48 90 78 \$1,994 \$3,203 NR-TPR1-4896-? 36-48 96 84 \$2,088 \$3,355 54" Deep 54" Deep 84 \$1,728 \$2,776 NR-TPR1-5460-? 42-54 60 48 \$1,728 \$2,776 NR-TPR1-5466-? 42-54 72 60 \$1,889 \$3,036 NR-TPR1-5496-? 42-54 78 66 \$1,950 \$3,135 NR-TPR1-5490-? 42-54 84						
48" Deep NR-TPR1-4860-? 36-48 60 48 \$1,613 \$2,591 NR-TPR1-4866-? 36-48 66 54 \$1,709 \$2,745 NR-TPR1-4872-? 36-48 72 60 \$1,765 \$2,837 NR-TPR1-4878-? 36-48 78 66 \$1,822 \$2,927 NR-TPR1-4884-? 36-48 84 72 \$1,936 \$3,113 NR-TPR1-4890-? 36-48 90 78 \$1,994 \$3,203 NR-TPR1-4896-? 36-48 96 84 \$2,088 \$3,355 54" Deep S4 \$2,088 \$3,355 54" Deep S4 \$1,728 \$2,776 NR-TPR1-5460-? 42-54 60 48 \$1,728 \$2,776 NR-TPR1-5460-? 42-54 66 54 \$1,889 \$3,036 NR-TPR1-5472-? 42-54 72 60 \$1,889 \$3,036 NR-TPR1-548-? 42-54 78 66 \$1,950 \$3,135 NR-TPR1-5490-? 42-54 96 84 \$2,201 \$3,5	Model Number	Depth	Length	Spanning Rod Length	TFL (T)	HPL w/PVC (H)
NR-TPR1-4866-? 36-48 66 54 \$1,709 \$2,745 NR-TPR1-4872-? 36-48 72 60 \$1,765 \$2,837 NR-TPR1-4878-? 36-48 78 66 \$1,822 \$2,927 NR-TPR1-4884-? 36-48 84 72 \$1,936 \$3,113 NR-TPR1-4890-? 36-48 90 78 \$1,994 \$3,203 NR-TPR1-4896-? 36-48 96 84 \$2,088 \$3,355 54" Deep NR-TPR1-5460-? 42-54 60 48 \$1,728 \$2,776 NR-TPR1-5466-? 42-54 72 60 \$1,889 \$3,036 NR-TPR1-5472-? 42-54 78 66 \$1,950 \$3,113 NR-TPR1-5484-? 42-54 84 72 \$2,071 \$3,327 NR-TPR1-5490-? 42-54 90 78 \$2,130 \$3,425 NR-TPR1-5496-? 42-54 96 84 \$1,842 \$2,931 NR-TPR1-5496-? 42-54 96 84 \$2,231 \$3,586 60" Deep NR-TPR1-6060-? 48-60 60 48 \$1,842 \$2,961 NR-TPR1-6060-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6072-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,270 \$3,648	48" Deep					
NR-TPR1-4872-? 36-48 72 60 \$1,765 \$2,837 NR-TPR1-4878-? 36-48 78 66 \$1,822 \$2,927 NR-TPR1-4884-? 36-48 84 72 \$1,936 \$3,113 NR-TPR1-4890-? 36-48 90 78 \$1,994 \$3,203 NR-TPR1-4896-? 36-48 96 84 \$2,088 \$3,355 54" Deep NR-TPR1-5460-? 42-54 60 48 \$1,728 \$2,776 NR-TPR1-5466-? 42-54 66 54 \$1,828 \$2,937 NR-TPR1-5472-? 42-54 72 60 \$1,889 \$3,036 NR-TPR1-5478-? 42-54 78 66 \$1,950 \$3,135 NR-TPR1-5484-? 42-54 84 72 \$2,071 \$3,327 NR-TPR1-5490-? 42-54 90 78 \$2,130 \$3,425 NR-TPR1-5490-? 42-54 96 84 \$2,231 \$3,586 60" Deep NR-TPR1-6060-? 48-60 60 48 \$1,947 \$3,129 NR-TPR1-6060-? 48-60 66 54 \$1,947 \$3,129 NR-TPR1-6060-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6072-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6078-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6084-? 48-60 84 72 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,004 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,204 \$3,541	NR-TPR1-4860-?	36-48	60	48	\$1,613	\$2,591
NR-TPR1-4878-? 36-48 78 66 \$1,822 \$2,927 NR-TPR1-4884-? 36-48 84 72 \$1,936 \$3,113 NR-TPR1-4890-? 36-48 90 78 \$1,994 \$3,203 NR-TPR1-4896-? 36-48 96 84 \$2,088 \$3,355 54" Deep NR-TPR1-5460-? 42-54 60 48 \$1,728 \$2,776 NR-TPR1-5466-? 42-54 66 54 \$1,828 \$2,937 NR-TPR1-5472-? 42-54 72 60 \$1,889 \$3,036 NR-TPR1-5478-? 42-54 78 66 \$1,950 \$3,135 NR-TPR1-5484-? 42-54 84 72 \$2,071 \$3,327 NR-TPR1-5490-? 42-54 90 78 \$2,130 \$3,425 NR-TPR1-5490-? 42-54 96 84 \$2,231 \$3,586 60" Deep NR-TPR1-6060-? 48-60 60 48 \$1,947 \$3,129 NR-TPR1-6060-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6078-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6078-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,204 \$3,541	NR-TPR1-4866-?	36-48	66	54	\$1,709	\$2,745
NR-TPR1-4884-? 36-48 84 72 \$1,936 \$3,113 NR-TPR1-4890-? 36-48 90 78 \$1,994 \$3,203 NR-TPR1-4896-? 36-48 96 84 \$2,088 \$3,355 54" Deep NR-TPR1-5460-? 42-54 60 48 \$1,728 \$2,776 NR-TPR1-5466-? 42-54 66 54 \$1,828 \$2,937 NR-TPR1-5472-? 42-54 72 60 \$1,889 \$3,036 NR-TPR1-5478-? 42-54 78 66 \$1,950 \$3,135 NR-TPR1-5484-? 42-54 84 72 \$2,071 \$3,327 NR-TPR1-5490-? 42-54 90 78 \$2,130 \$3,425 NR-TPR1-5496-? 42-54 96 84 \$2,231 \$3,586 60" Deep NR-TPR1-6060-? 48-60 60 48 \$1,842 \$2,961 NR-TPR1-6066-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6078-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,270 \$3,648	NR-TPR1-4872-?	36-48	72	60	\$1,765	\$2,837
NR-TPR1-4890-? 36-48 90 78 \$1,994 \$3,203 NR-TPR1-4896-? 36-48 96 84 \$2,088 \$3,355 \$4" Deep NR-TPR1-5460-? 42-54 60 48 \$1,728 \$2,776 NR-TPR1-5466-? 42-54 66 54 \$1,828 \$2,937 NR-TPR1-5472-? 42-54 72 60 \$1,889 \$3,036 NR-TPR1-5478-? 42-54 84 72 \$2,071 \$3,327 NR-TPR1-5484-? 42-54 84 72 \$2,071 \$3,327 NR-TPR1-5490-? 42-54 90 78 \$2,130 \$3,425 NR-TPR1-5496-? 42-54 96 84 \$2,231 \$3,586 \$6" Deep NR-TPR1-6060-? 48-60 60 48 \$1,842 \$2,961 NR-TPR1-6066-? 48-60 66 54 \$1,947 \$3,129 NR-TPR1-6072-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6078-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,270 \$3,648	NR-TPR1-4878-?	36-48	78	66	\$1,822	\$2,927
NR-TPR1-4896-? 36-48 96 84 \$2,088 \$3,355 54" Deep NR-TPR1-5460-? 42-54 60 48 \$1,728 \$2,776 NR-TPR1-5466-? 42-54 66 54 \$1,828 \$2,937 NR-TPR1-5472-? 42-54 72 60 \$1,889 \$3,036 NR-TPR1-5478-? 42-54 78 66 \$1,950 \$3,135 NR-TPR1-5484-? 42-54 84 72 \$2,071 \$3,327 NR-TPR1-5490-? 42-54 90 78 \$2,130 \$3,425 NR-TPR1-5496-? 42-54 96 84 \$2,231 \$3,586 60" Deep NR-TPR1-6060-? 48-60 60 48 \$1,842 \$2,961 NR-TPR1-6060-? 48-60 66 54 \$1,947 \$3,129 NR-TPR1-6072-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6078-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 <	NR-TPR1-4884-?	36-48	84	72	\$1,936	\$3,113
54" Deep NR-TPR1-5460-? 42-54 60 48 \$1,728 \$2,776 NR-TPR1-5466-? 42-54 66 54 \$1,828 \$2,937 NR-TPR1-5472-? 42-54 72 60 \$1,889 \$3,036 NR-TPR1-5478-? 42-54 78 66 \$1,950 \$3,135 NR-TPR1-5484-? 42-54 84 72 \$2,071 \$3,327 NR-TPR1-5490-? 42-54 90 78 \$2,130 \$3,425 NR-TPR1-5496-? 42-54 96 84 \$2,231 \$3,586 60" Deep NR-TPR1-6060-? 48-60 60 48 \$1,842 \$2,961 NR-TPR1-6060-? 48-60 66 54 \$1,947 \$3,129 NR-TPR1-6060-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6072-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,270 \$3,648 </td <td>NR-TPR1-4890-?</td> <td>36-48</td> <td>90</td> <td>78</td> <td>\$1,994</td> <td>\$3,203</td>	NR-TPR1-4890-?	36-48	90	78	\$1,994	\$3,203
NR-TPR1-5460-? 42-54 60 48 \$1,728 \$2,776 NR-TPR1-5466-? 42-54 66 54 \$1,828 \$2,937 NR-TPR1-5472-? 42-54 72 60 \$1,889 \$3,036 NR-TPR1-5478-? 42-54 78 66 \$1,950 \$3,135 NR-TPR1-5484-? 42-54 84 72 \$2,071 \$3,327 NR-TPR1-5490-? 42-54 90 78 \$2,130 \$3,425 NR-TPR1-5496-? 42-54 96 84 \$2,231 \$3,586 60" Deep NR-TPR1-6060-? 48-60 60 48 \$1,842 \$2,961 NR-TPR1-6066-? 48-60 66 54 \$1,947 \$3,129 NR-TPR1-6072-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6078-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,270 \$3,648	NR-TPR1-4896-?	36-48	96	84	\$2,088	\$3,355
NR-TPR1-5460-? 42-54 60 48 \$1,728 \$2,776 NR-TPR1-5466-? 42-54 66 54 \$1,828 \$2,937 NR-TPR1-5472-? 42-54 72 60 \$1,889 \$3,036 NR-TPR1-5478-? 42-54 78 66 \$1,950 \$3,135 NR-TPR1-5484-? 42-54 84 72 \$2,071 \$3,327 NR-TPR1-5490-? 42-54 90 78 \$2,130 \$3,425 NR-TPR1-5496-? 42-54 96 84 \$2,231 \$3,586 60" Deep NR-TPR1-6060-? 48-60 60 48 \$1,842 \$2,961 NR-TPR1-6066-? 48-60 66 54 \$1,947 \$3,129 NR-TPR1-6072-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6078-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,270 \$3,648	E/I" Doon					
NR-TPR1-5466-?		42-54	60	48	\$1 728	\$2 776
NR-TPR1-5472-? 42-54 72 60 \$1,889 \$3,036 NR-TPR1-5478-? 42-54 78 66 \$1,950 \$3,135 NR-TPR1-5484-? 42-54 84 72 \$2,071 \$3,327 NR-TPR1-5490-? 42-54 90 78 \$2,130 \$3,425 NR-TPR1-5496-? 42-54 96 84 \$2,231 \$3,586 60" Deep NR-TPR1-6060-? 48-60 60 48 \$1,947 \$3,129 NR-TPR1-6066-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6072-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6078-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6084-? 48-60 90 78 \$2,270 \$3,648						·
NR-TPR1-5478-? 42-54 78 66 \$1,950 \$3,135 NR-TPR1-5484-? 42-54 84 72 \$2,071 \$3,327 NR-TPR1-5490-? 42-54 90 78 \$2,130 \$3,425 NR-TPR1-5496-? 42-54 96 84 \$2,231 \$3,586 60" Deep NR-TPR1-6060-? 48-60 60 48 \$1,842 \$2,961 NR-TPR1-6066-? 48-60 66 54 \$1,947 \$3,129 NR-TPR1-6072-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6078-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,270 \$3,648	NR-TPR1-5472-?					i i
NR-TPR1-5484-? 42-54 84 72 \$2,071 \$3,327 NR-TPR1-5490-? 42-54 90 78 \$2,130 \$3,425 NR-TPR1-5496-? 42-54 96 84 \$2,231 \$3,586 60" Deep NR-TPR1-6060-? 48-60 60 48 \$1,842 \$2,961 NR-TPR1-6066-? 48-60 66 54 \$1,947 \$3,129 NR-TPR1-6072-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6078-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,270 \$3,648	NR-TPR1-5478-?	42-54	78	66		·
NR-TPR1-5496-? 42-54 96 84 \$2,231 \$3,586 60" Deep NR-TPR1-6060-? 48-60 60 48 \$1,842 \$2,961 NR-TPR1-6066-? 48-60 66 54 \$1,947 \$3,129 NR-TPR1-6072-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6078-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,270 \$3,648	NR-TPR1-5484-?	42-54	84	72	\$2,071	
60" Deep NR-TPR1-6060-? 48-60 60 48 \$1,842 \$2,961 NR-TPR1-6066-? 48-60 66 54 \$1,947 \$3,129 NR-TPR1-6072-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6078-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,270 \$3,648	NR-TPR1-5490-?	42-54	90	78	\$2,130	\$3,425
NR-TPR1-6060-? 48-60 60 48 \$1,842 \$2,961 NR-TPR1-6066-? 48-60 66 54 \$1,947 \$3,129 NR-TPR1-6072-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6078-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,270 \$3,648	NR-TPR1-5496-?	42-54	96	84	\$2,231	\$3,586
NR-TPR1-6060-? 48-60 60 48 \$1,842 \$2,961 NR-TPR1-6066-? 48-60 66 54 \$1,947 \$3,129 NR-TPR1-6072-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6078-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,270 \$3,648						
NR-TPR1-6066-? 48-60 66 54 \$1,947 \$3,129 NR-TPR1-6072-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6078-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,270 \$3,648	· · · · · · · · · · · · · · · · · · ·					
NR-TPR1-6072-? 48-60 72 60 \$2,013 \$3,236 NR-TPR1-6078-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,270 \$3,648	NR-TPR1-6060-?	48-60	60	48	\$1,842	\$2,961
NR-TPR1-6078-? 48-60 78 66 \$2,079 \$3,342 NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,270 \$3,648	NR-TPR1-6066-?	48-60	66	54	\$1,947	\$3,129
NR-TPR1-6084-? 48-60 84 72 \$2,204 \$3,541 NR-TPR1-6090-? 48-60 90 78 \$2,270 \$3,648	NR-TPR1-6072-?	48-60	72	60	\$2,013	\$3,236
NR-TPR1-6090-? 48-60 90 78 \$2,270 \$3,648	NR-TPR1-6078-?	48-60	78	66	\$2,079	\$3,342
	NR-TPR1-6084-?	48-60	84	72	\$2,204	\$3,541
NR-TPR1-6096-? 48-60 96 84 \$2,375 \$3,816	NR-TPR1-6090-?	48-60	90	78	\$2,270	\$3,648
	NR-TPR1-6096-?	48-60	96	84	\$2,375	\$3,816

⁻ TFL tops are only available with DeskMakers standard 2MM PVC edgebanding.

⁻ HPL tops with PVC are only available with DeskMakers standard 2MM PVC edgebanding.

D-Shape Table Top

For Use with Full Height Walls or Wall Mounted



Model Number	Depth	Length	Spanning Rod Length	TFL (T)	HPL w/PVC (H)
48" Deep					
NR-DTP1-4860-?	48	60	48	\$1,343	\$2,160
NR-DTP1-4866-?	48	66	54	\$1,424	\$2,289
NR-DTP1-4872-?	48	72	60	\$1,471	\$2,365
NR-DTP1-4878-?	48	78	66	\$1,518	\$2,441
NR-DTP1-4884-?	48	84	72	\$1,613	\$2,594
NR-DTP1-4890-?	48	90	78	\$1,660	\$2,668
NR-DTP1-4896-?	48	96	84	\$1,742	\$2,797
54" Deep					
NR-DTP1-5460-?	54	60	48	\$1,440	\$2,314
NR-DTP1-5466-?	54	66	54	\$1,522	\$2,448
NR-DTP1-5472-?	54	72	60	\$1,575	\$2,531
NR-DTP1-5478-?	54	78	66	\$1,624	\$2,612
NR-DTP1-5484-?	54	84	72	\$1,725	\$2,772
NR-DTP1-5490-?	54	90	78	\$1,777	\$2,854
NR-DTP1-5496-?	54	96	84	\$1,860	\$2,989
60" Deep					
NR-DTP1-6060-?	60	60	48	\$1,536	\$2,467
NR-DTP1-6066-?	60	66	54	\$1,623	\$2,609
NR-DTP1-6072-?	60	72	60	\$1,678	\$2,696
NR-DTP1-6078-?	60	78	66	\$1,732	\$2,783
NR-DTP1-6084-?	60	84	72	\$1,837	\$2,952
NR-DTP1-6090-?	60	90	78	\$1,892	\$3,039
NR-DTP1-6096-?	60	96	84	\$1,979	\$3,181

⁻ TFL tops are only available with DeskMakers standard 2MM PVC edgebanding.

⁻ HPL tops with PVC are only available with DeskMakers standard 2MM PVC edgebanding.

Tapered Table Top

For Use with Half Height Walls



Model Number	Depth	Length	Spanning Rod Length	TFL (T)	HPL w/PVC (H)
48" Deep			Ŭ.		
NR-TPR2-4860-?	36-48	60	48	\$1,554	\$2,498
NR-TPR2-4866-?	36-48	66	54	\$1,670	\$2,683
NR-TPR2-4872-?	36-48	72	60	\$1,726	\$2,773
NR-TPR2-4878-?	36-48	78	66	\$1,783	\$2,865
NR-TPR2-4884-?	36-48	84	72	\$1,878	\$3,018
NR-TPR2-4890-?	36-48	90	78	\$1,935	\$3,109
NR-TPR2-4896-?	36-48	96	84	\$2,049	\$3,295
54" Deep					
NR-TPR2-5460-?	42-54	60	48	\$1,670	\$2,683
NR-TPR2-5466-?	42-54	66	54	\$1,790	\$2,875
NR-TPR2-5472-?	42-54	72	60	\$1,851	\$2,973
NR-TPR2-5478-?	42-54	78	66	\$1,911	\$3,072
NR-TPR2-5484-?	42-54	84	72	\$2,012	\$3,233
NR-TPR2-5490-?	42-54	90	78	\$2,073	\$3,332
NR-TPR2-5496-?	42-54	96	84	\$2,193	\$3,524
60" Deep					
NR-TPR2-6060-?	48-60	60	48	\$1,784	\$2,868
NR-TPR2-6066-?	48-60	66	54	\$1,908	\$3,067
NR-TPR2-6072-?	48-60	72	60	\$1,975	\$3,174
NR-TPR2-6078-?	48-60	78	66	\$2,041	\$3,278
NR-TPR2-6084-?	48-60	84	72	\$2,146	\$3,448
NR-TPR2-6090-?	48-60	90	78	\$2,212	\$3,555
NR-TPR2-6096-?	48-60	96	84	\$2,336	\$3,754

⁻ TFL tops are only available with DeskMakers standard 2MM PVC edgebanding.

⁻ HPL tops with PVC are only available with DeskMakers standard 2MM PVC edgebanding.



D-Shape Table Top

For Use with Half Height Walls




Model Number	Depth	Length	Spanning Rod Length	TFL (T)	HPL w/PVC (H)
48" Deep			Ŭ		
NR-DTP2-4860-?	48	60	48	\$1,295	\$2,082
NR-DTP2-4866-?	48	66	54	\$1,391	\$2,235
NR-DTP2-4872-?	48	72	60	\$1,438	\$2,312
NR-DTP2-4878-?	48	78	66	\$1,485	\$2,388
NR-DTP2-4884-?	48	84	72	\$1,565	\$2,515
NR-DTP2-4890-?	48	90	78	\$1,612	\$2,590
NR-DTP2-4896-?	48	96	84	\$1,709	\$2,744
54" Deep					
NR-DTP2-5460-?	54	60	48	\$1,391	\$2,235
NR-DTP2-5466-?	54	66	54	\$1,492	\$2,395
NR-DTP2-5472-?	54	72	60	\$1,542	\$2,479
NR-DTP2-5478-?	54	78	66	\$1,593	\$2,560
NR-DTP2-5484-?	54	84	72	\$1,677	\$2,693
NR-DTP2-5490-?	54	90	78	\$1,726	\$2,776
NR-DTP2-5496-?	54	96	84	\$1,827	\$2,936
60" Deep					
NR-DTP2-6060-?	60	60	48	\$1,487	\$2,389
NR-DTP2-6066-?	60	66	54	\$1,590	\$2,557
NR-DTP2-6072-?	60	72	60	\$1,645	\$2,645
NR-DTP2-6078-?	60	78	66	\$1,700	\$2,732
NR-DTP2-6084-?	60	84	72	\$1,788	\$2,874
NR-DTP2-6090-?	60	90	78	\$1,842	\$2,961
NR-DTP2-6096-?	60	96	84	\$1,946	\$3,128

⁻ TFL tops are only available with DeskMakers standard 2MM PVC edgebanding.

⁻ HPL tops with PVC are only available with DeskMakers standard 2MM PVC edgebanding.

Tapered Table Top

For Use with Height Adjustable Bases



Model Number	Depth	Length	TFL (T)	HPL w/PVC (H)
48" Deep				
NR-TPR3-4860-?	36-48	60	\$1,164	\$1,872
NR-TPR3-4866-?	36-48	66	\$1,220	\$1,962
NR-TPR3-4872-?	36-48	72	\$1,278	\$2,052
NR-TPR3-4878-?	36-48	78	\$1,333	\$2,144
NR-TPR3-4884-?	36-48	84	\$1,390	\$2,234
NR-TPR3-4890-?	36-48	90	\$1,447	\$2,325
NR-TPR3-4896-?	36-48	96	\$1,503	\$2,416
54" Deep				
NR-TPR3-5460-?	42-54	60	\$1,230	\$1,977
NR-TPR3-5466-?	42-54	66	\$1,292	\$2,076
NR-TPR3-5472-?	42-54	72	\$1,353	\$2,175
NR-TPR3-5478-?	42-54	78	\$1,413	\$2,272
NR-TPR3-5484-?	42-54	84	\$1,475	\$2,371
NR-TPR3-5490-?	42-54	90	\$1,536	\$2,469
NR-TPR3-5496-?	42-54	96	\$1,598	\$2,568
60" Deep				
NR-TPR3-6060-?	48-60	60	\$1,296	\$2,083
NR-TPR3-6066-?	48-60	66	\$1,362	\$2,190
NR-TPR3-6072-?	48-60	72	\$1,429	\$2,296
NR-TPR3-6078-?	48-60	78	\$1,495	\$2,402
NR-TPR3-6084-?	48-60	84	\$1,561	\$2,506
NR-TPR3-6090-?	48-60	90	\$1,626	\$2,612
NR-TPR3-6096-?	48-60	96	\$1,692	\$2,718

⁻ TFL tops are only available with DeskMakers standard 2MM PVC edgebanding.

⁻ HPL tops with PVC are only available with DeskMakers standard 2MM PVC edgebanding.

D-Shape Table Top

For Use with Height Adjustable Bases



Model Number	Depth	Length	TFL (T)	HPL w/PVC (H)
48" Deep				
NR-DTP3-4860-?	48	60	\$971	\$1,560
NR-DTP3-4866-?	48	66	\$1,016	\$1,636
NR-DTP3-4872-?	48	72	\$1,065	\$1,711
NR-DTP3-4878-?	48	78	\$1,111	\$1,788
NR-DTP3-4884-?	48	84	\$1,158	\$1,862
NR-DTP3-4890-?	48	90	\$1,207	\$1,937
NR-DTP3-4896-?	48	96	\$1,252	\$2,012
FAll Door				
54" Deep			Å4.00C	44.647
NR-DTP3-5460-?	54	60	\$1,026	\$1,647
NR-DTP3-5466-?	54	66	\$1,076	\$1,730
NR-DTP3-5472-?	54	72	\$1,127	\$1,811
NR-DTP3-5478-?	54	78	\$1,179	\$1,893
NR-DTP3-5484-?	54	84	\$1,229	\$1,975
NR-DTP3-5490-?	54	90	\$1,281	\$2,058
NR-DTP3-5496-?	54	96	\$1,331	\$2,139
60" Deep				
NR-DTP3-6060-?	60	60	\$1,080	\$1,736
NR-DTP3-6066-?	60	66	\$1,135	\$1,823
NR-DTP3-6072-?	60	72	\$1,190	\$1,913
NR-DTP3-6078-?	60	78	\$1,245	\$2,000
NR-DTP3-6084-?	60	84	\$1,299	\$2,089
NR-DTP3-6090-?	60	90	\$1,356	\$2,178
NR-DTP3-6096-?	60	96	\$1,409	\$2,265

⁻ TFL tops are only available with DeskMakers standard 2MM PVC edgebanding.

⁻ HPL tops with PVC are only available with DeskMakers standard 2MM PVC edgebanding.

Metal Pedestal Base






Model Number	Base Height	Price
Sitting Height		
NR-SDSK-01-SLV	28-3/8	\$1,693
Standing Height		
NR-SDSK-05-SLV	40-3/8	\$2,034

- May only be used on table tops with spanning rods. Cannot be used with height adjustable table tops.
- Welded steel with silver powdercoat finish.
- Base has grommet access hole at top of coulmn to route wires through base.
- Includes levelers. Levelers will add 3/4" in height.

Metal Pedestal Base with Foot Rail






Model Number	Table Top Depth	Table Top Length	Base Height	Price
48" and 54" Deep Tapered Table Tops				
NR-RPSR-4860	48/54	60	40-3/8	\$4,744
NR-RPSR-4866	48/54	66	40-3/8	\$4,913
NR-RPSR-4872	48/54	72	40-3/8	\$5,083
NR-RPSR-4878	48/54	78	40-3/8	\$5,251
NR-RPSR-4884	48/54	84	40-3/8	\$5,421
NR-RPSR-4890	48/54	90	40-3/8	\$5,592
NR-RPSR-4896	48/54	96	40-3/8	\$5,760
60" Deep Tapered Table Tops				
NR-RPSR-6060	60	60	40-3/8	\$5,929
NR-RPSR-6066	60	66	40-3/8	\$6,099
NR-RPSR-6072	60	72	40-3/8	\$6,269
NR-RPSR-6078	60	78	40-3/8	\$6,438
NR-RPSR-6084	60	84	40-3/8	\$6,607
NR-RPSR-6090	60	90	40-3/8	\$6,776
NR-RPSR-6096	60	96	40-3/8	\$6,947

- May only be used on table tops with spanning rods. Cannot be used with height adjustable table tops.
- Welded steel with silver powdercoat finish.
- Base has grommet access hole at top of coulmn to route wires through base.
- Includes levelers. Levelers will add 3/4" in height.

Laminate Height Adjustable Base



Model Number	Table Top Length	Base Width	Base Depth	HPL
NR-HAPN-60-H	60	25	7 3/8	\$7,198
NR-HAPN-66-H	66	25	7 3/8	\$7,235
NR-HAPN-72-H	72	25	7 3/8	\$7,272
NR-HAPN-78-H	78	25	7 3/8	\$7,309
NR-HAPN-84-H	84	25	7 3/8	\$7,346
NR-HAPN-90-H	90	25	7 3/8	\$7,383
NR-HAPN-96-H	96	25	7 3/8	\$7,420

- $\hbox{-} \ \mbox{May only be used on table tops without spanning rods and wall attachement hardware NR-TPR3 or NR-DTP3.}$
- Base has interior channel to route wires through base.
- Includes access doors.
- Bases ship unassembled.
- Includes leveling glides.

Laminate Base with Stetcher Trough

Sitting Height



Model Number	Base Width	Base Depth	Base Height	Stretcher Length	TFL (T)	HPL (H)
Sitting Height			_			
NR-BPNL-2860-?	21-1/4	5	28-3/8	37	\$823	\$1,779
NR-BPNL-2866-?	21-1/4	5	28-3/8	43	\$840	\$1,798
NR-BPNL-2872-?	21-1/4	5	28-3/8	49	\$851	\$1,808
NR-BPNL-2878-?	21-1/4	5	28-3/8	55	\$867	\$1,828
NR-BPNL-2884-?	21-1/4	5	28-3/8	61	\$881	\$1,841
NR-BPNL-2890-?	21-1/4	5	28-3/8	67	\$899	\$1,860
NR-BPNL-2896-?	21-1/4	5	28-3/8	73	\$910	\$1,873

⁻ May only be used on table tops with spanning rods. Cannot be used with height adjustable table tops.

⁻ Base has interior channel to route wires through base.

⁻ Includes access door.

⁻ Includes leveling glides.

Laminate Base with Stetcher Trough

Standing Height




Model Number	Base Width	Base Depth	Base Height	Stretcher Length	TFL (T)	HPL (H)
Standing Height				-		_
NR-BPNL-4160-?	21-1/4	5	40-3/8	37	\$934	\$2,077
NR-BPNL-4166-?	21-1/4	5	40-3/8	43	\$951	\$2,096
NR-BPNL-4172-?	21-1/4	5	40-3/8	49	\$961	\$2,107
NR-BPNL-4178-?	21-1/4	5	40-3/8	55	\$978	\$2,125
NR-BPNL-4184-?	21-1/4	5	40-3/8	61	\$991	\$2,139
NR-BPNL-4190-?	21-1/4	5	40-3/8	67	\$1,009	\$2,159
NR-BPNL-4196-?	21-1/4	5	40-3/8	73	\$1,020	\$2,172

- May only be used on table tops with spanning rods. Cannot be used with height adjustable table tops.
- Base has interior channel to route wires through base.
- Includes access door.
- Includes leveling glides.

Monitor Wall

Sitting Height




Model Number	Wall Width	Wall Depth	Wall Height	HPL
NR-MWFH-4872-H	48	6 7/8	72	\$7,991
NR-MWFH-5472-H	54	6 7/8	72	\$8,513
NR-MWFH-6072-H	60	6 7/8	72	\$9,033

- Constructed of plywood and particle board. Center of wall is hollow to allow routing of wires.
- Finished on both sides. Only available in HPL.
- Must have a table unit secured to wall, can not be used as a freestanding wall.
- Monitors can be mounted on both sides of wall. A whiteboard can be mounted to back side.
- Wall ships in two pieces.
- Removable access panels and grommets.
- Levelers.




Monitor Wall



Model Number	Wall Width	Wall Depth	Wall Height	HPL
NR-MWFH-4884-H	48	6 7/8	84	\$8,114
NR-MWFH-5484-H	54	6 7/8	84	\$8,649
NR-MWFH-6084-H	60	6 7/8	84	\$9,184

- Constructed of plywood and particle board. Center of wall is hollow to allow routing of wires.
- Finished on both sides. Only available in HPL.
- Must have a table unit secured to wall, can not be used as a freestanding wall.
- Monitors can be mounted on both sides of wall. A whiteboard can be mounted to back side.
- Wall ships in two pieces.
- Removable access panels and grommets.
- Levelers.
- Slide-out whiteboards are 24" wide x 36" high on all monitor walls.

Monitor Wall with Slide-Out Whiteboards




Model Number	Wall Width	Wall Depth	Wall Height	HPL
NR-MWWB-4872-H	48	6 7/8	72	\$10,943
NR-MWWB-5472-H	54	6 7/8	72	\$11,465
NR-MWWB-6072-H	60	6 7/8	72	\$11,986

- Constructed of plywood and particle board. Center of wall is hollow to allow routing of wires.
- Finished on both sides. Only available in HPL.
- Must have a table unit secured to wall, can not be used as a freestanding wall.
- Monitors can be mounted on both sides of wall. A whiteboard can be mounted to back side.
- Wall ships in two pieces.
- Removable access panels and grommets.
- Levelers.



Monitor Wall with Slide-Out Whiteboards



Model Number	Wall Width	Wall Depth	Wall Height	HPL
NR-MWWB-4884-H	48	6 7/8	84	\$11,066
NR-MWWB-5484-H	54	6 7/8	84	\$11,601
NR-MWWB-6084-H	60	6 7/8	84	\$12,136

- Constructed of plywood and particle board. Center of wall is hollow to allow routing of wires.
- Finished on both sides. Only available in HPL.
- Must have a table unit secured to wall, can not be used as a freestanding wall.
- Monitors can be mounted on both sides of wall. A whiteboard can be mounted to back side.
- Wall ships in two pieces.
- Removable access panels and grommets.
- Levelers.
- Slide-out whiteboards are 24" wide x 36" high on all monitor walls.

Monitor Wall - Half Height

Sitting Height



Model Number	Wall Width	Wall Depth	Wall Height	HPL
NR-MWHH-4828-H	48	6 7/8	28-3/8	\$4,243
NR-MWHH-5428-H	54	6 7/8	28-3/8	\$4,307
NR-MWHH-6028-H	60	6 7/8	28-3/8	\$4,354

- Constructed of plywood and particle board. Center of wall is hollow to allow routing of wires.
- Finished on both sides. Only available in HPL.
- Must have a table unit secured to wall, can not be used as a freestanding wall.
- Removable access panels and grommets.
- Levelers.

Monitor Wall- Half Height

Standing Height



Model Number	Wall Width	Wall Depth	Wall Height	HPL
NR-MWHH-4841-H	48	6 7/8	40-3/8	\$4,367
NR-MWHH-5441-H	54	6 7/8	40-3/8	\$4,961
NR-MWHH-6041-H	60	6 7/8	40-3/8	\$5,354

- Constructed of plywood and particle board. Center of wall is hollow to allow routing of wires.
- Finished on both sides. Only available in HPL.
- Must have a table unit secured to wall, can not be used as a freestanding wall.
- Removable access panels and grommets.
- Levelers.




Thin Wall



Model Number	Wall Width	Wall Depth	Wall Height	TFL	HPL
NR-TWFH-4872-?	48	1 7/8	72	\$1,864	\$2,996
NR-TWFH-5472-?	54	1 7/8	72	\$1,906	\$3,064
NR-TWFH-6072-?	60	1 7/8	72	\$1,948	\$3,132

- Monitor walls are constructed of plywood and particle board. Center of wall has a cavity to allow routing of wires.
- Unfinished on back side.
- Available in TFL or HPL with 2MM PVC edges. PVC only available with DeskMakers standard colors.
- Must be mounted on structrual wall. Must have a table unit secured to wall, can not be used as a freestanding wall.
- Wall ships in one piece.
- 2-1/2" plastic grommets for wire routing.
- Levelers.

Thin Wall



Model Number	Wall Width	Wall Depth	Wall Height	TFL	HPL
NR-TWFH-4884-?	48	1 7/8	84	\$1,922	\$3,088
NR-TWFH-5484-?	54	1 7/8	84	\$1,971	\$3,166
NR-TWFH-6084-?	60	1 7/8	84	\$2,019	\$3,243

- Monitor walls are constructed of plywood and particle board. Center of wall has a cavity to allow routing of wires.
- Unfinished on back side.
- Available in TFL or HPL with 2MM PVC edges. PVC only available with DeskMakers standard colors.
- Must be mounted on structrual wall. Must have a table unit secured to wall, can not be used as a freestanding wall.
- Wall ships in one piece.
- 2-1/2" plastic grommets for wire routing.
- Levelers.

Thin Wall - Half Height

Sitting Height



Model Number	Wall Width	Wall Depth	Wall Height	TFL	HPL
NR-TWHH-4828-?	48	1 7/8	28-3/8	\$1,118	\$1,798
NR-TWHH-5428-?	54	1 7/8	28-3/8	\$1,145	\$1,838
NR-TWHH-6028-?	60	1 7/8	28-3/8	\$1,169	\$1,879

- Monitor walls are constructed of plywood and particle board. Center of wall has a cavity to allow routing of wires.
- Unfinished on back side.
- Available in TFL or HPL with 2MM PVC edges. PVC only available with DeskMakers standard colors.
- Must be mounted on structrual wall. Must have a table unit secured to wall, can not be used as a freestanding wall.
- Wall ships in one piece.
- 2-1/2" plastic grommets for wire routing.
- Levelers.

Thin Wall - Half Height

Standing Height



Model Number	Wall Width	Wall Depth	Wall Height	TFL	HPL
NR-TWHH-4841-?	48	1 7/8	40-3/8	\$1,153	\$1,853
NR-TWHH-5441-?	54	1 7/8	40-3/8	\$1,182	\$1,900
NR-TWHH-6041-?	60	1 7/8	40-3/8	\$1,212	\$1,947

- Monitor walls are constructed of plywood and particle board. Center of wall has a cavity to allow routing of wires.
- Unfinished on back side.
- Available in TFL or HPL with 2MM PVC edges. PVC only available with DeskMakers standard colors.
- Must be mounted on structrual wall. Must have a table unit secured to wall, can not be used as a freestanding wall.
- Wall ships in one piece.
- 2-1/2" plastic grommets for wire routing.
- Levelers.



Wall Mounted Whiteboard



Model Number	Width	Depth	Height	Non-Magnetic Whiteboard (H)
NR-WTBD-4642-?	46	3/4	42	\$1,145
NR-WTBD-5242-?	52	3/4	42	\$1,285
NR-WTBD-5842-?	58	3/4	42	\$1,423

- Wall mounted whiteboards are 3/4" thick with white 2MM PVC edges.
- Whiteboards are cut exact to size.
- Mounts to walls using metal Z-clips.



Please see website for current Terms and Conditions: www.deskmakers.com



Limited Lifetime Warranty

(Effective for Furniture Sold as of January 1, 2015)

DeskMakers, Inc. furniture is warranted against defects in material and workmanship given normal usage and care for as long the original purchaser owns it.

DeskMakers will repair or replace at its option, and at its own cost, any product that develops a defect during the warranty period. In some cases, DeskMakers may elect to refund the customer's original purchase price (less reasonable depreciation) in lieu of repair or replacement. Repair, replacement, or refund is the purchaser's sole remedy, the choice of which rests solely with DeskMakers. DeskMakers shall not be liable for any incidental or consequential damages including lost profits and loss of use of product.

Limitations:

- The warranty for wood guest chair frames shall be limited to 10 years.
- The warranty for PVC edges, wood veneer edges, HPL edges, mechanical parts such as ball bearing slides, door hinges, floor glides, fabric (except for COM fabrics), seating foam, and wood veneer surfaces shall be limited to five (5) years.
- The warranty for training tables shall be limited to three (3) years.
- The warranty for engineered-to-order "custom" products shall be limited to three (3) years.
- The warranty for height adjustable bases shall be limited to two (2) years on electrical components, five (5) years on mechanical components and ten (10) years on structural components.
- This warranty does not cover:
 - 0 Normal wear and tear.
 - The color fastness of any laminate, wood, or fabric, as such colors can fade or darken with normal 0 use and as a result of exposure to light.
 - 0 Customer's Own Materials (COM).
 - Damage caused by placing anything other than hanging files in file drawers. O
 - 0 Rental furniture.
 - Labor and service. O

Normal Usage:

This warranty does not apply to damages or failures resulting from misuse, abuse, negligence, or improper care. For casegoods, tables, and desking, normal usage is limited to 40 hours per week. For seating, normal usage is limited to 40 hours per week by individuals of 250 lbs. or less.

Showroom Locations

Los Angeles Deskmakers Headquarters 6525 Flotilla Street Commerce, CA 90040

Chicago The Merchandise Mart Suite 10-154 Chicago, IL 60654

