



# reception

PRICE & SPECIFICATION GUIDE

overture      height adjustable overture

Version: 01.15.24  
*prices effective April 1, 2024*

Desk**Makers**

revisions


10/24/19	Updated layout and finishes
01/01/21	Updated pricing and finishes
02/01/21	Corrected pricing on storage pedestals
09/01/21	Updated finishes
12/20/21	Updated pricing and finishes
03/31/22	Updated select pricing and skus
08/18/22	Added surcharge note
12/01/22	Updated pricing, discontinued 1 7/8" 29"H Overture, Convergence and Milano reception desks
04/01/23	Updated product information
10/18/23	Updated finishes
01/15/2024	Added height adjustable Overture reception desks
03/15/24	Updated pricing

table of contents

Laminates	4-6
Pulls	7
Overture Product Details	8-17
Overture Reception Desks	18-39
Storage	40-41
Risers	42-43
Height Adjustable Overture	
Product Details	44-49
Pricing	50-63
Height Adjustable Bases	64-74
Terms and Conditions	75
Warranty	76


laminate finishes

standard thermofuse laminate (TFL)



Matching 2MM PVC edgebanding is available for all Standard TFL finishes shown here.  
For HPL match information please visit [deskmakers.com/resources/materials](https://deskmakers.com/resources/materials)

premium thermofuse laminate (TFL)



Premium TFLs require a 10% upcharge. Add item code OP-TTFL-1.  
Matching 2MM PVC edgebanding is available for all Premium TFL finishes shown here.  
For HPL match information please visit [deskmakers.com/resources/materials](https://deskmakers.com/resources/materials)

# laminates finishes

## high pressure laminate (HPL)

- Pricing shown in this price list applies only to non-premium HPLs as follows:
- Wilsonart: Solids, Woodgrains, and Abstracts in Matte (-60) finish,
  - Formica: Color Portfolio, Woodgrains, and Patterns in Matte (-58) finish
  - Pionite: Solids, Woodgrains, and Abstracts in Suede (N) finish
  - Arborite: Solids, Woodgrains, Textures and Abstracts in Matte (CA) finish
  - Nevamar: Solids, Woodgrains, Stones and Abstracts in ARP (-T) finish

A minimum charge of \$520 net per HPL color will be applied to each order.

Call customer service for pricing for all other HPLs.

Additional lead times required for HPL orders depending on material availability and order complexity.

## high pressure laminate (HPL) pricing chart

Most DeskMakers product is made of Thermofuse laminate (TFL). As such, there is an upcharge for ordering product in high pressure laminate (HPL). This upcharge varies based on the product and the size of the HPL order.

Please note that only the portion of the order in HPL will be calculated to determine the level of HPL upcharges.

HPL is always available with DeskMakers standard 2MM edgebanding. Special order matching PVC 2MM edgebanding may be available for orders \$25,000 List or larger, call customer service for pricing.

Product Category	Option Code	HPL UPCHARGE
<b>WORKSURFACES</b> All Shapes <i>Top surface HPL</i>	OP-HPL1-25-??	60%
<b>CASEGOODS</b> Top HPL only, balance TFL	OP-HPL1-1-??	25%
<b>CASEGOODS</b> Entire Unit HPL	OP-HPL1-4-??	120%
<b>CASEGOODS</b> HPL Drawer Fronts only	OP-HPL1-2-??	20%
<b>CASEGOODS</b> Top HPL and HPL Drawer Fronts	OP-HPL1-3-??	30%

## standard pulls

Pulls are included on all drawers and cabinet doors for no upcharge.




\*The 125SN/BL pull is 7.5" long. On lateral file drawers and larger cabinet doors a longer 12.5" pull in the same style will be used. This may be identified as a "127SN/BL" pull on your acknowledgment.

Configurations


Overture is available in five footprint configurations combining multiple components to create the complete desk.

Freestanding




- Consists of:
- Desk Shell
  - Transaction Counter
  - One or Two Pedestals

L-Shape



- Consists of:
- Desk Shell
  - Transaction Counter
  - Return Shell
  - One or More Pedestals

U-Shape with Bridge and Credenza




- Consists of:
- Desk Shell
  - Transaction Counter
  - Bridge Shell
  - Credenza Shell
  - One or More Pedestals

Gallery



- Consists of:
- Desk Shell
  - Transaction Counter
  - Credenza Shell
  - One or More Pedestals

U-Shape with Left and Right Returns



- Consists of:
- Desk Shell
  - Transaction Counter
  - Two Return Shells
  - One or More Pedestals

Add on ADA Section




Left ADA Model Shown

ADA sections can be added to a desk shell.

Overture Reception Desks

Overture offers three different shell styles, a variety of transaction counter add-ons and multiple design components that can be used to create multiple shapes and styles to fit an user's welcome space.


Desk Height Shell



All 1-1/8" Thick Material


- All 1-1/8" thick material.
- TFL or HPL with 2mm PVC edges in DeskMakers standard colors.
- Full height modesty panel and end panels are flush to worksurfaces edges.

Transaction Height Shells



1-7/8" Thick Front and Side Panels, 1-1/8" Thick Worksurface

- 1-7/8" thick front panel and side panels.
- 1-1/8" thick worksurface inset between front panel and side panels.
- TFL or HPL with 2mm PVC edges in DeskMakers standard colors.




3" Thick Front and Side Panels, 1-1/8" Thick Worksurface

- 3" thick front panel and side panels.
- 1-1/8" thick worksurface inset between front panel and side panels.
- Front and side panels only available in HPL
- Worksurface in TFL or HPL with 2mm PVC edges in DeskMakers standard colors.

Desk Height Shells

All 1-1/8" Material




Features

- All 1-1/8" thick material.
- TFL or HPL with 2mm PVC edges in DeskMakers standard colors.
- Full height modesty panel and end panels are flush to worksurfaces edges.
- Storage pedestals specified separately.
- Specify grommet and location.

Desk Shell


- 30" and 36" depths.
- Lengths 60" to 120" in 6" increments.
- Worksurface is 29-1/8" high. Levelers add 1/2" to the height.

Return Shell



- 19" and 24" depths.
- Lengths 36" to 72" in 6" increments.
- Right and Left hand units.
- No storage pedestals on 19" deep.

Bridge Shell



- 19" and 24" depths.
- Lengths 36" to 72" in 6" increments.
- No storage pedestals on 19" deep.

Credenza Shell




- 19" and 24" depths.
- Lengths 60" to 120" in 6" increments.
- No storage pedestals on 19" deep.

Support Details

Lengths 60" - 72"




Lengths 78" - 96"



One Support Panel

Lengths 102" - 120"




Two Support Panels  
Seam

- Desk and credenza shells 60" to 72" do not have a center support panel.
- Desk and credenza shells 78" to 96" include a 1-1/8" thick center support panel.
- Desk and credenza shells wider than 96" come in two pieces with a center seam on the worksurface and front modesty and include two 1-1/8" thick center support panels.
- Center support panels are 15" deep on 30" deep desk shells and 18" deep on 36" deep desk shells.
- Center support panels are 9" deep on 19" deep credenza shells and 12" deep on 24" deep credenza shells.


Grain Direction

- Grain Direction runs horizontal.


Desk Shell




Return Shell



Bridge Shell




Credenza Shell



reception

Transaction Height Shells

1-7/8" Thick Wall Panels, 1-1/8" Thick Worksurface



Features

- 1-7/8" thick front panel and side panels.
- 1-1/8" thick worksurface inset between front panel and side panels.
- TFL or HPL with 2mm PVC edges in DeskMakers standard colors.
- Storage pedestals specified separately.
- Specify grommet and location.

Desk Shell


- 30" and 36" depths.
- Lengths 60" to 120" in 6" increments.
- Front and side panels are 40" high. Levelers add 1/2" to the height.
- Worksurface is 29-1/8" high and attaches to wall panels with brackets.

Return Shell




- 24" depths.
- Lengths 36" to 72" in 6" increments.
- Right and Left hand units.
- Only 18" deep pedestals can be used.

Bridge Shell



- 19" and 24" depths.
- Lengths 36" to 72" in 6" increments.
- Only 18" deep pedestals can be used on 24" deep, none on 19" deep.

Credenza Shell




- 24" depths.
- Lengths 60" to 120" in 6" increments.
- Only 18" deep pedestals can be used.

Lengths 60" - 72"




Lengths 78" - 96"



One Support Panel

Lengths 102" - 120"




Two Support Panels  
Seam

- Desk and credenza shells 60" to 72" do not have a center support panel.
- Desk and credenza shells 78" to 96" include a 1-1/8" thick center support panel.
- Desk and credenza shells wider than 96" come in two pieces with a center seam on the worksurface and front modesty and include two 1-1/8" thick center support panels.
- Center support panels are 15" deep on 30" deep desk shells and 18" deep on 36" deep desk shells.
- Center support panels are 12" deep on 24" deep credenza shells.


Grain Direction

- Grain Direction runs horizontal.


Desk Shell




Return Shell



Bridge Shell




Credenza Shell





Transaction Height Shells

3" Thick Wall Panels, 1-1/8" Thick Worksurface



Features

- 3" thick front panel and side panels.
- 1-1/8" thick worksurface inset between front panel and side panels.
- Front and side panels only available in HPL
- Worksurface in TFL or HPL with 2mm PVC edges in DeskMakers standard colors.
- Storage pedestals specified separately.
- Specify grommet and location.

Desk Shell


- 30" and 36" depths.
- Lengths 60" to 120" in 6" increments.
- Front and side panels are 40" high. Levelers add 1/2" to the height.
- Worksurface is 29-1/8" high and attaches to wall panels with brackets.

Return Shell




- 24" depths.
- Lengths 36" to 72" in 6" increments.
- Right and Left hand units.
- Only 18" deep pedestals can be used.

Bridge Shell



- 19" and 24" depths.
- Lengths 36" to 72" in 6" increments.
- Only 18" deep pedestals can be used on 24" deep, none on 19" deep.

Credenza Shell



- 24" depths.
- Lengths 60" to 120" in 6" increments.
- Only 18" deep pedestals can be used.

Lengths 60" - 72"



Lengths 78" - 96"



One Support Panel

Lengths 102" - 120"




Two Support Panels  
Seam

- Desk and credenza shells 60" to 72" do not have a center support panel.
- Desk and credenza shells 78" to 96" include a 1-1/8" thick center support panel.
- Desk and credenza shells wider than 96" come in two pieces with a center seam on the worksurface and front modesty and include two 1-1/8" thick center support panels.
- Center support panels are 15" deep on 30" deep desk shells and 18" deep on 36" deep desk shells.
- Center support panels are 12" deep on 24" deep credenza shells.


Grain Direction

- Grain Direction runs horizontal.


Desk Shell




Return Shell



Bridge Shell




Credenza Shell



Shroud Transaction Counter


For use with Desk Height Shells



Features

- 1-7/8" thick top and side panels.
- 3/4" thick full height modesty panel is centered on top and side panels.
- 12" deep.
- 42" high. Levelers add 1/2" to the height.
- Width is 4" wider than desk shell width.
- TFL has 2mm PVC edges in DeskMakers standard colors. HPL has self edge.
- Can add glass transaction counter on top.
- Units wider than 94" are two pieces with a center seam on the top and front panel.

Shroud Sizing



Edge Seams

TFL with PVC Edges




HPL with HPL Edges




Grain Direction

- Grain Direction runs horizontal on top and front panel.
- Grain Direction runs vertical on side panels.
- Grain direction on two piece shroud counters will not line up.



Stack-On Transaction Counter


For use with Desk Height Shells




Features

- 12" deep, 6" overlaps worksurface.
- 30" high, 12" above worksurface.
- TFL has 2mm PVC edges in DeskMakers standard colors. HPL has self edge.
- Can add glass transaction counter on top.
- Not available with 1-7/8" thick worksurfaces or transaction height desks.
- TFL version is all 3/4" thick material, with visible seams.
- HPL version has 1-1/8" thick top and sides.


Placement



Right Placement



Center Placement



Left Placement



Grain Direction

- Grain Direction runs horizontal.
- Grain direction on two piece L-Shape counters will not line up.



Single

L-Shape

HPL




TFL




Maximum Sizes for Freestanding Desks with HPL Stack-On Counters

- One or more pedestals may be required based on the desk size.
- Single pedestal needs to be positioned directly opposite of the stack-on to act as a counter weight.
- Maximum HPL stack-on counter sizes based on weight of stack-on with a glass counter.

		Stack-On Length							
		30"	36"	42"	48"	54"	60"	66"	72"
Desk Length	60"	1 Ped	2 Peds	2 Peds	2 Peds	N/A	N/A	N/A	N/A
	66"	1 Ped	2 Peds	2 Peds	2 Peds	N/A	N/A	N/A	N/A
	72"	1 Ped	2 Peds	2 Peds	2 Peds	N/A	N/A	N/A	N/A
	78"	1 Ped	2 Peds	2 Peds	2 Peds	2 Peds	N/A	N/A	N/A
	84"	1 Ped	1 Ped	2 Peds	2 Peds	2 Peds	N/A	N/A	N/A
	90"	1 Ped	1 Ped	2 Peds	2 Peds	2 Peds	N/A	N/A	N/A
	96"	1 Ped	1 Ped	2 Peds	2 Peds	2 Peds	N/A	N/A	N/A
	102"	1 Ped	1 Ped	2 Peds	2 Peds	2 Peds	2 Peds	N/A	N/A
	108"	1 Ped	1 Ped	1 Ped	2 Peds	2 Peds	2 Peds	N/A	N/A
	114"	1 Ped	1 Ped	1 Ped	2 Peds	2 Peds	2 Peds	2 Peds	N/A
120"	1 Ped	1 Ped	1 Ped	2 Peds	2 Peds	2 Peds	2 Peds	2 Peds	




Right Placement




Left Placement



When using an L-Shape Stack-on with a straight desk, follow the same chart above to determine ped requirements according to longest side of the counter. Always select a counter size that stops 6" short of the front of the desk.



When using an L-Shape Stack-on with a multi-section desk, the front (long seamless side) of the stack-on should face the direction of approach. The stack-on counter should always stop at least 6" short of the end of the surface it sits on.




A large reception station may utilize multiple stack-on units. Please note that individual stack-ons are not designed to be connected to one another and are not guaranteed to sit flush or line-up. It is recommended when using multiple stack-ons to place them apart to create multi-level surfaces or mark individual work areas as in the examples above.



Hang-On Transaction Counter


For use with Transaction Height Shells




Features

- 1-7/8" thick top and front panel.
- 12" deep & 34" high.
- 1" gap between hang-on counter and front of desk shell panel.
- TFL has 2mm PVC edges in DeskMakers standard colors. HPL has self edge.
- Can add glass transaction counter on top.
- Not available with desk height shells.
- Entire hang-on counter must be supported by desk shell.


Placement



Right Placement




Center Placement



Left Placement

Edge Seams

TFL with PVC Edges



Seam


HPL with HPL Edges



No Seam


Grain Direction

- Grain Direction runs horizontal.



Angled Hang-On Transaction Counter


For use with Transaction Height Shells




Features

- 1-7/8" thick top and front panel.
- 12" deep & 34" high.
- 1" gap between hang-on counter and front of desk shell panel.
- Only available in HPL with self edge.
- Can add glass transaction counter on top.
- Not available with desk height shells.
- Entire hang-on counter must be supported by desk shell.

Placement



Right Placement



Left Placement

Edge Seams

HPL with HPL Edges




No Seam

Left Model


Grain Direction

- Grain Direction runs horizontal.



Desk Shell Desk Height

All 1-1/8" Thick Material




Model Number	Depth	Length	Height	TFL (T)	HPL (H)
30" Deep					
OV-DSD1-3060-?	30	60	29	\$1,652	\$2,956
OV-DSD1-3066-?	30	66	29	\$1,660	\$2,967
OV-DSD1-3072-?	30	72	29	\$1,666	\$2,981
OV-DSD1-3078-?	30	78	29	\$1,826	\$3,270
OV-DSD1-3084-?	30	84	29	\$1,833	\$3,281
OV-DSD1-3090-?	30	90	29	\$1,943	\$3,479
OV-DSD1-3096-?	30	96	29	\$1,950	\$3,489
OV-DSD1-3002-?	30	102	29	\$2,900	\$5,190
OV-DSD1-3008-?	30	108	29	\$2,909	\$5,204
OV-DSD1-3014-?	30	114	29	\$2,938	\$5,260
OV-DSD1-3020-?	30	120	29	\$2,947	\$5,273
36" Deep					
OV-DSD1-3660-?	36	60	29	\$1,899	\$3,399
OV-DSD1-3666-?	36	66	29	\$1,906	\$3,411
OV-DSD1-3672-?	36	72	29	\$1,912	\$3,425
OV-DSD1-3678-?	36	78	29	\$2,077	\$3,715
OV-DSD1-3684-?	36	84	29	\$2,083	\$3,728
OV-DSD1-3690-?	36	90	29	\$2,194	\$3,924
OV-DSD1-3696-?	36	96	29	\$2,200	\$3,938
OV-DSD1-3602-?	36	102	29	\$3,153	\$5,641
OV-DSD1-3608-?	36	108	29	\$3,160	\$5,658
OV-DSD1-3614-?	36	114	29	\$3,191	\$5,710
OV-DSD1-3620-?	36	120	29	\$3,198	\$5,724

- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Desk shells 78" and longer include a center support panel. Desk shells over 96" are 2 pieces with a center seam.

reception

Return Shell Desk Height

All 1-1/8" Thick Material




Right Model Shown

Model Number		Depth	Length	Height	TFL (T)	HPL (H)
19" Deep						
Left Model	Right Model					
OV-RSD1-1936-L-?	OV-RSD1-1936-R-?	19	36	29	\$1,146	\$2,051
OV-RSD1-1942-L-?	OV-RSD1-1942-R-?	19	42	29	\$1,152	\$2,062
OV-RSD1-1948-L-?	OV-RSD1-1948-R-?	19	48	29	\$1,160	\$2,076
OV-RSD1-1954-L-?	OV-RSD1-1954-R-?	19	54	29	\$1,236	\$2,211
OV-RSD1-1960-L-?	OV-RSD1-1960-R-?	19	60	29	\$1,242	\$2,223
OV-RSD1-1966-L-?	OV-RSD1-1966-R-?	19	66	29	\$1,543	\$2,760
OV-RSD1-1972-L-?	OV-RSD1-1972-R-?	19	72	29	\$1,550	\$2,773
24" Deep						
Left Model	Right Model					
OV-RSD1-2436-L-?	OV-RSD1-2436-R-?	24	36	29	\$1,356	\$2,426
OV-RSD1-2442-L-?	OV-RSD1-2442-R-?	24	42	29	\$1,362	\$2,437
OV-RSD1-2448-L-?	OV-RSD1-2448-R-?	24	48	29	\$1,369	\$2,449
OV-RSD1-2454-L-?	OV-RSD1-2454-R-?	24	54	29	\$1,444	\$2,584
OV-RSD1-2460-L-?	OV-RSD1-2460-R-?	24	60	29	\$1,451	\$2,597
OV-RSD1-2466-L-?	OV-RSD1-2466-R-?	24	66	29	\$1,752	\$3,135
OV-RSD1-2472-L-?	OV-RSD1-2472-R-?	24	72	29	\$1,757	\$3,147

- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk shell.
- Please note that storage pedestals will not fix under a 19" return, only the 24".

Bridge Shell Desk Height

All 1-1/8" Thick Material




Model Number	Depth	Length	Height	TFL (T)	HPL (H)
19" Deep					
OV-BRD1-1936-?	19	36	29	\$924	\$1,653
OV-BRD1-1942-?	19	42	29	\$931	\$1,666
OV-BRD1-1948-?	19	48	29	\$939	\$1,679
OV-BRD1-1954-?	19	54	29	\$1,013	\$1,812
OV-BRD1-1960-?	19	60	29	\$1,020	\$1,825
OV-BRD1-1966-?	19	66	29	\$1,321	\$2,363
OV-BRD1-1972-?	19	72	29	\$1,327	\$2,374
24" Deep					
OV-BRD1-2436-?	24	36	29	\$925	\$1,656
OV-BRD1-2442-?	24	42	29	\$934	\$1,672
OV-BRD1-2448-?	24	48	29	\$940	\$1,681
OV-BRD1-2454-?	24	54	29	\$1,016	\$1,816
OV-BRD1-2460-?	24	60	29	\$1,023	\$1,832
OV-BRD1-2466-?	24	66	29	\$1,324	\$2,368
OV-BRD1-2472-?	24	72	29	\$1,330	\$2,380

- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk and credenza shells.
- Please note that storage pedestals will not fix under a 19" bridge, only the 24".

reception

Credenza Shell Desk Height

All 1-1/8" Thick Material



Model Number	Depth	Length	Height	TFL (T)	HPL (H)
19" Deep					
OV-CSD1-1960-?	19	60	29	\$1,633	\$2,922
OV-CSD1-1966-?	19	66	29	\$1,639	\$2,933
OV-CSD1-1972-?	19	72	29	\$1,647	\$2,949
OV-CSD1-1978-?	19	78	29	\$1,806	\$3,230
OV-CSD1-1984-?	19	84	29	\$1,812	\$3,241
OV-CSD1-1990-?	19	90	29	\$1,839	\$3,291
OV-CSD1-1996-?	19	96	29	\$1,847	\$3,304
OV-CSD1-1902-?	19	102	29	\$2,874	\$5,143
OV-CSD1-1908-?	19	108	29	\$2,881	\$5,157
OV-CSD1-1914-?	19	114	29	\$2,912	\$5,210
OV-CSD1-1920-?	19	120	29	\$2,919	\$5,224
24" Deep					
OV-CSD1-2460-?	24	60	29	\$1,641	\$2,938
OV-CSD1-2466-?	24	66	29	\$1,648	\$2,950
OV-CSD1-2472-?	24	72	29	\$1,655	\$2,961
OV-CSD1-2478-?	24	78	29	\$1,814	\$3,247
OV-CSD1-2484-?	24	84	29	\$1,822	\$3,261
OV-CSD1-2490-?	24	90	29	\$1,849	\$3,310
OV-CSD1-2496-?	24	96	29	\$1,857	\$3,322
OV-CSD1-2402-?	24	102	29	\$2,886	\$5,164
OV-CSD1-2408-?	24	108	29	\$2,895	\$5,181
OV-CSD1-2414-?	24	114	29	\$2,924	\$5,232
OV-CSD1-2420-?	24	120	29	\$2,933	\$5,247

- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to bridge shell. Can be freestanding.
- Credenza shells 78" and longer include a center support panel. Credenza shells over 96" are 2 pieces with a center seam.
- Please note that storage pedestals will not fix under a 19" credenza, only the 24".

ADA Section with 10" High Modesty Panel

All 1-1/8" Thick Material




Model Number	Depth	Length	Height	TFL (T)	HPL (H)
30" Deep					
OV-ADA1-3030-?	30	30	29	\$1,188	\$2,127
OV-ADA1-3036-?	30	36	29	\$1,219	\$2,182
36" Deep					
OV-ADA1-3630-?	36	30	29	\$1,433	\$2,564
OV-ADA1-3636-?	36	36	29	\$1,464	\$2,620

- 10" high modesty panel is centered on the worksurface and end panel.
- All pieces are 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk shell.

ADA Section with Full Height Modesty Panel

All 1-1/8" Thick Material



Model Number		Depth	Length	Height	TFL (T)	HPL (H)
30" Deep						
Left Model	Right Model					
OV-ADA2-3030-L-?	OV-ADA2-3030-R-?	30	30	29	\$1,270	\$2,274
OV-ADA2-3036-L-?	OV-ADA2-3036-R-?	30	36	29	\$1,273	\$2,277
36" Deep						
Left Model	Right Model					
OV-ADA2-3630-L-?	OV-ADA2-3630-R-?	36	30	29	\$1,515	\$2,712
OV-ADA2-3636-L-?	OV-ADA2-3636-R-?	36	36	29	\$1,517	\$2,714

- Full height modesty panel is recessed 19" away from the guest side .
- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk shell.

reception

ADA Section with 10" High Modesty Panel

1-7/8" Thick Worksurface and Side Panels, 3/4" Thick Modesty Panel




Model Number	Depth	Length	Height	TFL (T)	HPL (H)
30" Deep					
OV-ADA3-3030-?	30	30	30	\$2,512	\$4,497
OV-ADA3-3036-?	30	36	30	\$2,519	\$4,510
36" Deep					
OV-ADA3-3630-?	36	30	30	\$2,973	\$5,321
OV-ADA3-3636-?	36	36	30	\$2,981	\$5,332

- 10" high modesty panel is centered on the worksurface and end panel.
- Worksurface and end panel are 1-7/8" thick material. Modesty panel is 3/4" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk shell.

ADA Section with Full Height Modesty Panel

1-7/8" Thick Worksurface and Side Panels, 3/4" Thick Modesty Panel



Model Number		Depth	Length	Height	TFL (T)	HPL (H)
30" Deep						
Left Model	Right Model					
OV-ADA4-3030-L-?	OV-ADA4-3030-R-?	30	30	30	\$2,522	\$4,514
OV-ADA4-3036-L-?	OV-ADA4-3036-R-?	30	36	30	\$2,531	\$4,528
36" Deep						
Left Model	Right Model					
OV-ADA4-3630-L-?	OV-ADA4-3630-R-?	36	30	30	\$2,985	\$5,341
OV-ADA4-3636-L-?	OV-ADA4-3636-R-?	36	36	30	\$2,991	\$5,352

- Full height modesty panel is recessed 19" away from the guest side .
- Worksurface and end panel are 1-7/8" thick material. Modesty panel is 3/4" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk shell.


Desk Shell Transaction Height  
1-7/8" Thick Wall Panels, 1-1/8" Thick Worksurface



Model Number	Depth	Length	Height	TFL (T)	HPL (H)
30" Deep					
OV-DST2-3060-?	30	60	40	\$4,703	\$8,417
OV-DST2-3066-?	30	66	40	\$4,709	\$8,426
OV-DST2-3072-?	30	72	40	\$4,716	\$8,440
OV-DST2-3078-?	30	78	40	\$4,878	\$8,728
OV-DST2-3084-?	30	84	40	\$4,886	\$8,743
OV-DST2-3090-?	30	90	40	\$5,255	\$9,404
OV-DST2-3096-?	30	96	40	\$5,262	\$9,416
OV-DST2-3002-?	30	102	40	\$6,972	\$12,474
OV-DST2-3008-?	30	108	40	\$6,979	\$12,489
OV-DST2-3014-?	30	114	40	\$7,008	\$12,540
OV-DST2-3020-?	30	120	40	\$7,015	\$12,554
36" Deep					
OV-DST2-3660-?	36	60	40	\$4,950	\$8,860
OV-DST2-3666-?	36	66	40	\$4,959	\$8,872
OV-DST2-3672-?	36	72	40	\$4,964	\$8,883
OV-DST2-3678-?	36	78	40	\$5,128	\$9,178
OV-DST2-3684-?	36	84	40	\$5,135	\$9,190
OV-DST2-3690-?	36	90	40	\$5,505	\$9,851
OV-DST2-3696-?	36	96	40	\$5,512	\$9,865
OV-DST2-3602-?	36	102	40	\$7,223	\$12,927
OV-DST2-3608-?	36	108	40	\$7,233	\$12,942
OV-DST2-3614-?	36	114	40	\$7,265	\$13,001
OV-DST2-3620-?	36	120	40	\$7,269	\$13,008

- Wall panels are 1-7/8" thick material. Worksurface is 1-1/8" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Desk shells 78" and longer include a center support panel. Desk shells over 96" are 2 pieces with a center seam.

Return Shell Transaction Height  
1-7/8" Thick Wall Panels, 1-1/8" Thick Worksurface




Right Model Shown

Model Number		Depth	Length	Height	TFL (T)	HPL (H)
24" Deep						
Left Model	Right Model					
OV-RST2-2436-L-?	OV-RST2-2436-R-?	24	36	40	\$3,505	\$6,272
OV-RST2-2442-L-?	OV-RST2-2442-R-?	24	42	40	\$3,514	\$6,286
OV-RST2-2448-L-?	OV-RST2-2448-R-?	24	48	40	\$3,519	\$6,298
OV-RST2-2454-L-?	OV-RST2-2454-R-?	24	54	40	\$3,547	\$6,349
OV-RST2-2460-L-?	OV-RST2-2460-R-?	24	60	40	\$3,619	\$6,477
OV-RST2-2466-L-?	OV-RST2-2466-R-?	24	66	40	\$3,769	\$6,745
OV-RST2-2472-L-?	OV-RST2-2472-R-?	24	72	40	\$3,778	\$6,759

- Wall panels are 1-7/8" thick material. Worksurface is 1-1/8" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk shell.
- Only 18" deep pedestals can be used.

Bridge Shell Transaction Height  
1-7/8" Thick Wall Panels, 1-1/8" Thick Worksurface




Model Number	Depth	Length	Height	TFL (T)	HPL (H)
19" Deep					
OV-BRT2-1936-?	19	36	40	\$2,392	\$4,281
OV-BRT2-1942-?	19	42	40	\$2,398	\$4,292
OV-BRT2-1948-?	19	48	40	\$2,406	\$4,307
OV-BRT2-1954-?	19	54	40	\$2,435	\$4,358
OV-BRT2-1960-?	19	60	40	\$2,506	\$4,485
OV-BRT2-1966-?	19	66	40	\$2,657	\$4,754
OV-BRT2-1972-?	19	72	40	\$2,664	\$4,768
24" Deep					
OV-BRT2-2436-?	24	36	40	\$2,395	\$4,287
OV-BRT2-2442-?	24	42	40	\$2,401	\$4,298
OV-BRT2-2448-?	24	48	40	\$2,409	\$4,312
OV-BRT2-2454-?	24	54	40	\$2,438	\$4,362
OV-BRT2-2460-?	24	60	40	\$2,508	\$4,487
OV-BRT2-2466-?	24	66	40	\$2,660	\$4,759
OV-BRT2-2472-?	24	72	40	\$2,667	\$4,772

- Wall panels are 1-7/8" thick material. Worksurface is 1-1/8" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk and credenza shells.
- Only 18" deep pedestals can be used on 24" deep, no pedestals can be used on 19" deep.

reception

Credenza Shell Transaction Height  
1-7/8" Thick Wall Panels, 1-1/8" Thick Worksurface




Model Number	Depth	Length	Height	TFL (T)	HPL (H)
24" Deep					
OV-CST2-2460-?	24	60	40	\$4,706	\$8,422
OV-CST2-2466-?	24	66	40	\$4,713	\$8,436
OV-CST2-2472-?	24	72	40	\$4,719	\$8,445
OV-CST2-2478-?	24	78	40	\$4,881	\$8,735
OV-CST2-2484-?	24	84	40	\$4,887	\$8,744
OV-CST2-2490-?	24	90	40	\$5,172	\$9,256
OV-CST2-2496-?	24	96	40	\$5,178	\$9,267
OV-CST2-2402-?	24	102	40	\$6,956	\$12,447
OV-CST2-2408-?	24	108	40	\$6,963	\$12,461
OV-CST2-2414-?	24	114	40	\$6,992	\$12,512
OV-CST2-2420-?	24	120	40	\$6,998	\$12,523

- Wall panels are 1-7/8" thick material. Worksurface is 1-1/8" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to bridge shell. Can be freestanding.
- Credenza shells 78" and longer include a center support panel. Credenza shells over 96" are 2 pieces with a center seam.
- Only 18" deep pedestals can be used.



Desk Shell Transaction Height

3" Thick Wall Panels, 1-1/8" Thick Worksurface




Model Number	Depth	Length	Height	HPL (H)
30" Deep				
OV-DST3-3060-H	30	60	40	\$13,675
OV-DST3-3066-H	30	66	40	\$13,936
OV-DST3-3072-H	30	72	40	\$14,250
OV-DST3-3078-H	30	78	40	\$14,769
OV-DST3-3084-H	30	84	40	\$15,084
OV-DST3-3090-H	30	90	40	\$15,344
OV-DST3-3096-H	30	96	40	\$15,657
OV-DST3-3002-H	30	102	40	\$19,469
OV-DST3-3008-H	30	108	40	\$19,784
OV-DST3-3014-H	30	114	40	\$20,046
OV-DST3-3020-H	30	120	40	\$20,361
36" Deep				
OV-DST3-3660-H	36	60	40	\$14,468
OV-DST3-3666-H	36	66	40	\$14,729
OV-DST3-3672-H	36	72	40	\$15,043
OV-DST3-3678-H	36	78	40	\$15,564
OV-DST3-3684-H	36	84	40	\$15,877
OV-DST3-3690-H	36	90	40	\$16,197
OV-DST3-3696-H	36	96	40	\$16,510
OV-DST3-3602-H	36	102	40	\$20,245
OV-DST3-3608-H	36	108	40	\$20,559
OV-DST3-3614-H	36	114	40	\$20,819
OV-DST3-3620-H	36	120	40	\$21,134

- Wall panels are 3" thick in HPL with self edge. Worksurface is 1-1/8" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges on worksurface are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Desk shells 78" and longer include a center support panel. Desk shells over 96" are 2 pieces with a center seam.

reception

Return Shell Transaction Height

3" Thick Wall Panels, 1-1/8" Thick Worksurface




Right Model Shown

Model Number		Depth	Length	Height	HPL (H)
24" Deep					
Left Model	Right Model				
OV-RST3-2436-L-H	OV-RST3-2436-R-H	24	36	40	\$9,643
OV-RST3-2442-L-H	OV-RST3-2442-R-H	24	42	40	\$9,903
OV-RST3-2448-L-H	OV-RST3-2448-R-H	24	48	40	\$10,218
OV-RST3-2454-L-H	OV-RST3-2454-R-H	24	54	40	\$11,673
OV-RST3-2460-L-H	OV-RST3-2460-R-H	24	60	40	\$11,988
OV-RST3-2466-L-H	OV-RST3-2466-R-H	24	66	40	\$12,569
OV-RST3-2472-L-H	OV-RST3-2472-R-H	24	72	40	\$12,881

- Wall panels are 3" thick in HPL with self edge. Worksurface is 1-1/8" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges on worksurface are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk shell.
- Only 18" deep pedestals can be used.

Bridge Shell Transaction Height

3" Thick Wall Panels, 1-1/8" Thick Worksurface




Model Number	Depth	Length	Height	HPL (H)
19" Deep				
OV-BRT3-1936-H	19	36	40	\$4,510
OV-BRT3-1942-H	19	42	40	\$4,656
OV-BRT3-1948-H	19	48	40	\$4,855
OV-BRT3-1954-H	19	54	40	\$6,198
OV-BRT3-1960-H	19	60	40	\$6,398
OV-BRT3-1966-H	19	66	40	\$6,818
OV-BRT3-1972-H	19	72	40	\$6,968
24" Deep				
OV-BRT3-2436-H	24	36	40	\$4,656
OV-BRT3-2442-H	24	42	40	\$4,802
OV-BRT3-2448-H	24	48	40	\$4,954
OV-BRT3-2454-H	24	54	40	\$6,297
OV-BRT3-2460-H	24	60	40	\$6,496
OV-BRT3-2466-H	24	66	40	\$6,916
OV-BRT3-2472-H	24	72	40	\$7,068

- Wall panel is 3" thick in HPL with self edge. Worksurface is 1-1/8" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges on worksurface are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk and credenza shells.
- Only 18" deep pedestals can be used on 24" deep, no pedestals can be used on 19" deep.

reception

Credenza Shell Transaction Height

3" Thick Wall Panels, 1-1/8" Thick Worksurface



Model Number	Depth	Length	Height	HPL (H)
24" Deep				
OV-CST3-2460-H	24	60	40	\$13,101
OV-CST3-2466-H	24	66	40	\$13,360
OV-CST3-2472-H	24	72	40	\$13,674
OV-CST3-2478-H	24	78	40	\$14,191
OV-CST3-2484-H	24	84	40	\$14,505
OV-CST3-2490-H	24	90	40	\$14,766
OV-CST3-2496-H	24	96	40	\$15,155
OV-CST3-2402-H	24	102	40	\$18,886
OV-CST3-2408-H	24	108	40	\$19,210
OV-CST3-2414-H	24	114	40	\$19,469
OV-CST3-2420-H	24	120	40	\$19,781

- Wall panels are 3" thick in HPL with self edge. Worksurface is 1-1/8" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges on worksurface are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to bridge shell. Can be freestanding.
- Credenza shells 78" and longer include a center support panel. Credenza shells over 96" are 2 pieces with a center seam.
- Only 18" deep pedestals can be used.

1-1/8" Thick Laminate Transaction Counter



Model Number	Depth	Length	TFL (T)	HPL (H)
OV-LMCT-1260-?	12	60	\$321	\$575
OV-LMCT-1266-?	12	66	\$326	\$581
OV-LMCT-1272-?	12	72	\$328	\$587
OV-LMCT-1278-?	12	78	\$331	\$592
OV-LMCT-1284-?	12	84	\$334	\$596
OV-LMCT-1290-?	12	90	\$337	\$602
OV-LMCT-1296-?	12	96	\$340	\$607
OV-LMCT-1202-?	12	102	\$620	\$1,111
OV-LMCT-1208-?	12	108	\$623	\$1,117
OV-LMCT-1214-?	12	114	\$629	\$1,123
OV-LMCT-1220-?	12	120	\$632	\$1,129

- Only available for use with transaction height desk shells.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Ships with metal brackets to be field installed.

reception


3/8" Thick Glass Transaction Counter



Model Number	Depth	Length	Stand-offs	Glass (G)
OV-GLCT-1230	12	30	4	\$1,198
OV-GLCT-1236	12	36	4	\$1,242
OV-GLCT-1239	12	39	4	\$1,261
OV-GLCT-1242	12	42	4	\$1,283
OV-GLCT-1245	12	45	4	\$1,305
OV-GLCT-1248	12	48	4	\$1,330
OV-GLCT-1251	12	51	6	\$1,520
OV-GLCT-1254	12	54	6	\$1,711
OV-GLCT-1257	12	57	6	\$1,781
OV-GLCT-1260	12	60	6	\$1,851
OV-GLCT-1266	12	66	6	\$1,890
OV-GLCT-1272	12	72	6	\$1,908

- Glass transaction counters are cut exact to size.
- Glass counters are clear tempered glass and have a slightly green tint.
- Ships with metal stand-off supports to be field installed.
- Must be installed onto another transaction counter.

Stack-On Transaction Counter




Model Number	Depth	Length	Height	TFL (T)	HPL (H)
OV-STCT-1230-?	12	30	30	\$1,367	\$2,474
OV-STCT-1236-?	12	36	30	\$1,477	\$2,811
OV-STCT-1242-?	12	42	30	\$1,585	\$3,335
OV-STCT-1248-?	12	48	30	\$1,696	\$4,026
OV-STCT-1254-?	12	54	30	\$1,817	\$4,602
OV-STCT-1260-?	12	60	30	\$1,917	\$5,383
OV-STCT-1266-?	12	66	30	\$2,044	\$5,739
OV-STCT-1272-?	12	72	30	\$2,106	\$6,095

- Only available for use with all 1-1/8" thick material desk height desk shells.
- Cannot be used on freestanding credenza shells.
- Glass transaction counters can be added to top of stack-on counters.
- Reference chart on page 12 for specification limitations. Peds are required to counter balance certain stack-on sizes.
- Stack-on should always be at least 6" shorter than the surface it sits on.

Stack-On Transaction Counter

Symmetrical L-Shape




Model Number		Front Width	Depth	Side Width	Height	TFL (T)	HPL (H)
Left Model	Right Model						
OV-STCT-3030-L-?	OV-STCT-3030-R-?	30	12	18	30	\$2,350	\$4,948
OV-STCT-3636-L-?	OV-STCT-3636-R-?	36	12	24	30	\$2,670	\$5,621
OV-STCT-4242-L-?	OV-STCT-4242-R-?	42	12	30	30	\$3,168	\$6,670
OV-STCT-4848-L-?	OV-STCT-4848-R-?	48	12	36	30	\$3,825	\$8,054
OV-STCT-5454-L-?	OV-STCT-5454-R-?	54	12	42	30	\$4,371	\$9,203
OV-STCT-6060-L-?	OV-STCT-6060-R-?	60	12	48	30	\$5,114	\$10,763
OV-STCT-6666-L-?	OV-STCT-6666-R-?	66	12	54	30	\$5,452	\$11,477
OV-STCT-7272-L-?	OV-STCT-7272-R-?	72	12	60	30	\$5,790	\$12,190

- Only available for use with all 1-1/8" thick material desk height desk shells.
- Ships in 2 pieces. Grain will not be matched at seams.
- Glass transaction counters can be added to top of stack-on counters.
- Reference chart on page 12 for specification limitations. Peds are required to counter balance certain stack-on sizes.
- Stack-on should always be at least 6" shorter than the surface it sits on.

Stack-On Transaction Counter

Non-Symmetrical L-Shape




Model Number		Front Width	Depth	Side Width	Height	TFL (T)	HPL (H)
30" Deep							
Left Model	Right Model						
OV-STCT-3036-L-?	OV-STCT-3036-R-?	36	12	18	30	\$2,844	\$5,284
OV-STCT-3042-L-?	OV-STCT-3042-R-?	42	12	18	30	\$2,953	\$5,809
OV-STCT-3048-L-?	OV-STCT-3048-R-?	48	12	18	30	\$3,063	\$6,501
OV-STCT-3054-L-?	OV-STCT-3054-R-?	54	12	18	30	\$3,185	\$7,075
OV-STCT-3060-L-?	OV-STCT-3060-R-?	60	12	18	30	\$3,284	\$7,856
OV-STCT-3066-L-?	OV-STCT-3066-R-?	66	12	18	30	\$3,411	\$8,212
OV-STCT-3072-L-?	OV-STCT-3072-R-?	72	12	18	30	\$3,474	\$8,569
36" Deep							
OV-STCT-3642-L-?	OV-STCT-3642-R-?	42	12	24	30	\$3,062	\$6,146
OV-STCT-3648-L-?	OV-STCT-3648-R-?	48	12	24	30	\$3,172	\$6,837
OV-STCT-3654-L-?	OV-STCT-3654-R-?	54	12	24	30	\$3,294	\$7,412
OV-STCT-3660-L-?	OV-STCT-3660-R-?	60	12	24	30	\$3,394	\$8,192
OV-STCT-3666-L-?	OV-STCT-3666-R-?	66	12	24	30	\$3,521	\$8,549
OV-STCT-3672-L-?	OV-STCT-3672-R-?	72	12	24	30	\$3,583	\$8,906
42" Deep							
OV-STCT-4248-L-?	OV-STCT-4248-R-?	48	12	30	30	\$3,280	\$7,362
OV-STCT-4254-L-?	OV-STCT-4254-R-?	54	12	30	30	\$3,403	\$7,937
OV-STCT-4260-L-?	OV-STCT-4260-R-?	60	12	30	30	\$3,502	\$8,717
OV-STCT-4266-L-?	OV-STCT-4266-R-?	66	12	30	30	\$3,628	\$9,074
OV-STCT-4272-L-?	OV-STCT-4272-R-?	72	12	30	30	\$3,692	\$9,430
48" Deep							
OV-STCT-4854-L-?	OV-STCT-4854-R-?	54	12	36	30	\$3,512	\$8,628
OV-STCT-4860-L-?	OV-STCT-4860-R-?	60	12	36	30	\$3,613	\$9,408
OV-STCT-4866-L-?	OV-STCT-4866-R-?	66	12	36	30	\$3,739	\$9,765
OV-STCT-4872-L-?	OV-STCT-4872-R-?	72	12	36	30	\$3,802	\$10,122
54" Deep							
OV-STCT-5460-L-?	OV-STCT-5460-R-?	60	12	42	30	\$3,734	\$9,983
OV-STCT-5466-L-?	OV-STCT-5466-R-?	66	12	42	30	\$3,861	\$10,341
OV-STCT-5472-L-?	OV-STCT-5472-R-?	72	12	42	30	\$3,924	\$10,697
60" Deep							
OV-STCT-6066-L-?	OV-STCT-6066-R-?	66	12	48	30	\$3,961	\$11,121
OV-STCT-6072-L-?	OV-STCT-6072-R-?	72	12	48	30	\$4,023	\$11,477
66" Deep							
OV-STCT-6672-L-?	OV-STCT-6672-R-?	72	12	54	30	\$4,150	\$11,834

- Only available for use with all 1-1/8" thick material desk height desk shells.
- Ships in 2 pieces. Grain will not be matched at seams. Glass transaction counters can be added to top of stack-on counters.
- Reference chart on page 12 for specification limitations. Peds are required to counter balance certain stack-on sizes.
- Stack-on should always be at least 6" shorter than the surface it sits on.


Hang-On Transaction Counter

1-7/8" Thick


1-7/8" Thick




TFL Model



HPL Model



TFL Edge Detail



HPL Edge Detail


Model Number	Depth	Length	Height	TFL (T)	HPL (H)
OV-HGCT-1230-?	12	30	34	\$1,471	\$2,866
OV-HGCT-1236-?	12	36	34	\$1,568	\$3,053
OV-HGCT-1242-?	12	42	34	\$1,679	\$3,270
OV-HGCT-1248-?	12	48	34	\$1,825	\$3,554
OV-HGCT-1254-?	12	54	34	\$2,147	\$4,181
OV-HGCT-1260-?	12	60	34	\$2,185	\$4,256
OV-HGCT-1266-?	12	66	34	\$2,225	\$4,331
OV-HGCT-1272-?	12	72	34	\$2,263	\$4,405

- Hang-on counters are 1-7/8" thick material.
- Only available for use with transaction height desk shells.
- Edges on TFL counter are DeskMakers standard 2MM PVC edgebanding and self edge on HPL counters.

Angled Hang-On Transaction Counter

1-7/8" Thick

1-7/8" Thick







Left Model Shown

Model Number		Depth	Length	Height	TFL (T)	HPL (H)
Left Model	Right Model					
OV-AHCT-1230-L-H	OV-AHCT-1230-R-H	12	30	34	N/A	\$3,068
OV-AHCT-1236-L-H	OV-AHCT-1236-R-H	12	36	34	N/A	\$3,428
OV-AHCT-1242-L-H	OV-AHCT-1242-R-H	12	42	34	N/A	\$3,886
OV-AHCT-1248-L-H	OV-AHCT-1248-R-H	12	48	34	N/A	\$4,242
OV-AHCT-1254-L-H	OV-AHCT-1254-R-H	12	54	34	N/A	\$4,743
OV-AHCT-1260-L-H	OV-AHCT-1260-R-H	12	60	34	N/A	\$5,080
OV-AHCT-1266-L-H	OV-AHCT-1266-R-H	12	66	34	N/A	\$5,326
OV-AHCT-1272-L-H	OV-AHCT-1272-R-H	12	72	34	N/A	\$5,667

- Hang-on counters are 1-7/8" thick material.
- Only available for use with transaction height desk shells.
- Edges are self edge on HPL counters.

reception


Shroud Transaction Counter

					
TFL Model	HPL Model	TFL Edge Detail	HPL Edge Detail		
Model Number	Depth	Length	Height	TFL (T)	HPL (H)
OV-SHCT-1264-?	12	64	42	\$4,645	\$8,557
OV-SHCT-1270-?	12	70	42	\$4,700	\$8,658
OV-SHCT-1276-?	12	76	42	\$4,754	\$8,758
OV-SHCT-1282-?	12	82	42	\$4,810	\$8,860
OV-SHCT-1288-?	12	88	42	\$4,864	\$8,960
OV-SHCT-1294-?	12	94	42	\$5,059	\$9,321
OV-SHCT-1200-?	12	100	42	\$5,804	\$10,693
OV-SHCT-1206-?	12	106	42	\$6,485	\$11,947
OV-SHCT-1212-?	12	112	42	\$6,541	\$12,050
OV-SHCT-1218-?	12	118	42	\$6,596	\$12,151
OV-SHCT-1224-?	12	124	42	\$6,652	\$12,254

- Only available for use with all 1-1/8" thick material desk height desk shells.
- Shroud counters are 1-7/8" thick material on the top and sides. Full modesty is 3/4" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges on TFL counter are DeskMakers standard 2MM PVC edgebanding and self edge on HPL counters.
- Full height front panel is inset 6".
- Shrouds over 96" are 2 pieces with a center seam. Grain will not line up.

Accent Panels

The Overture Collection features several accent panel types that can be applied to the desk shells to create stylish and unique solutions in a few easy steps. These panels can also be paired with the Height Adjustable Shells (pages 50 &56).



Applied Laminate Accent Panels

Right Model Shown

Model Number		Depth	Length	TFL (T)	HPL (H)
30" Deep					
Left Model	Right Model				
OV-APPL-2136-L-?	OV-APPL-2136-R-?	21	36	\$1,085	\$1,941
OV-APPL-2142-L-?	OV-APPL-2142-R-?	21	42	\$1,105	\$1,976
OV-APPL-2148-L-?	OV-APPL-2148-R-?	21	48	\$1,127	\$2,014
OV-APPL-2154-L-?	OV-APPL-2154-R-?	21	54	\$1,147	\$2,053
OV-APPL-2160-L-?	OV-APPL-2160-R-?	21	60	\$1,169	\$2,091
OV-APPL-2166-L-?	OV-APPL-2166-R-?	21	66	\$1,190	\$2,130
OV-APPL-2172-L-?	OV-APPL-2172-R-?	21	72	\$1,212	\$2,168
OV-APPL-2178-L-?	OV-APPL-2178-R-?	21	78	\$1,252	\$2,240
OV-APPL-2184-L-?	OV-APPL-2184-R-?	21	84	\$1,274	\$2,280
OV-APPL-2190-L-?	OV-APPL-2190-R-?	21	90	\$1,296	\$2,320
OV-APPL-2196-L-?	OV-APPL-2196-R-?	21	96	\$1,320	\$2,360
36" Deep					
Left Model	Right Model				
OV-APPL-2736-L-?	OV-APPL-2736-R-?	27	36	\$1,105	\$1,976
OV-APPL-2742-L-?	OV-APPL-2742-R-?	27	42	\$1,127	\$2,014
OV-APPL-2748-L-?	OV-APPL-2748-R-?	27	48	\$1,147	\$2,053
OV-APPL-2754-L-?	OV-APPL-2754-R-?	27	54	\$1,169	\$2,091
OV-APPL-2760-L-?	OV-APPL-2760-R-?	27	60	\$1,190	\$2,130
OV-APPL-2766-L-?	OV-APPL-2766-R-?	27	66	\$1,212	\$2,168
OV-APPL-2772-L-?	OV-APPL-2772-R-?	27	72	\$1,232	\$2,205
OV-APPL-2778-L-?	OV-APPL-2778-R-?	27	78	\$1,274	\$2,279
OV-APPL-2784-L-?	OV-APPL-2784-R-?	27	84	\$1,295	\$2,319
OV-APPL-2790-L-?	OV-APPL-2790-R-?	27	90	\$1,318	\$2,359
OV-APPL-2796-L-?	OV-APPL-2796-R-?	27	96	\$1,340	\$2,399
- TFL and HPL accent panels are 3/4" thick material. Grain runs horizontal. Top panel is 9" , lower panel is 12" tall.					
- Ships installed.					
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.					

reception

Accent Panels on Stand-Offs

Model Number	Length	Height	TFL (T)	HPL (H)	Acrylic (A)
OV-ACPL-2812-?	12	28	\$1,063	\$1,789	\$2,157
OV-ACPL-2818-?	18	28	\$1,069	\$1,801	\$2,211
OV-ACPL-2824-?	24	28	\$1,076	\$1,812	\$2,267
OV-ACPL-2830-?	30	28	\$1,083	\$1,824	\$2,322
OV-ACPL-2836-?	36	28	\$1,090	\$1,835	\$2,378
OV-ACPL-2842-?	42	28	\$1,096	\$1,845	\$2,432
OV-ACPL-2848-?	48	28	\$1,169	\$1,968	\$2,487
OV-ACPL-2854-?	54	28	\$1,495	\$2,517	\$2,835
OV-ACPL-2860-?	60	28	\$1,502	\$2,529	\$2,889
OV-ACPL-2866-?	66	28	\$1,509	\$2,543	\$2,949
OV-ACPL-2872-?	72	28	\$1,517	\$2,555	\$3,003
OV-ACPL-2878-?	78	28	\$1,524	\$2,568	\$3,058
OV-ACPL-2884-?	84	28	\$1,531	\$2,581	\$3,114
OV-ACPL-2890-?	90	28	\$1,830	\$3,084	\$3,460
OV-ACPL-2896-?	96	28	\$1,838	\$3,098	\$3,515
- Acrylic is 3/16" thick frosted acrylic material.					
- Ships with metal stand-off supports to be field installed.					
- TFL and HPL accent panels are 3/4" thick material. Grain runs horizontal.					
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.					

Angled Laminate Accent Panels

Model Number	Length	Height	TFL (T)	HPL (H)
Desk Height				
OV-APFH-2936-?	36-18	29	\$361	\$610
OV-APFH-2942-?	42-24	29	\$427	\$735
OV-APFH-2948-?	48-30	29	\$493	\$860
OV-APFH-2954-?	54-36	29	\$495	\$862
OV-APFH-2960-?	60-42	29	\$497	\$864
OV-APFH-2966-?	66-48	29	\$499	\$867
OV-APFH-2972-?	72-54	29	\$500	\$869
Transaction Height				
OV-APFH-4036-?	36-18	40	\$450	\$711
OV-APFH-4042-?	42-24	40	\$473	\$787
OV-APFH-4048-?	48-30	40	\$495	\$862
OV-APFH-4054-?	54-36	40	\$498	\$866
OV-APFH-4060-?	60-42	40	\$500	\$869
OV-APFH-4066-?	66-48	40	\$502	\$872
OV-APFH-4072-?	72-54	40	\$503	\$873
- TFL and HPL accent panels are 1 1/8" thick material. Grain runs horizontal.				
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.				



Box/Box/File Surface Supporting Pedestal



Model Number	Width	Depth	Height	Price
SS-PDBF-1816	16	18	28	\$1,070
SS-PDBF-2216	16	22	28	\$1,108

- Pedestal is finished on all sides and can easily be moved in the field.
- Lock included.

File/File Surface Supporting Pedestal



Model Number	Width	Depth	Height	Price
SS-PDFF-1816	16	18	28	\$1,070
SS-PDFF-2216	16	22	28	\$1,108

- Pedestal is finished on all sides and can easily be moved in the field.
- Lock included.

Box/Box/Box/Box Surface Supporting Pedestal



Model Number	Width	Depth	Height	Price
SS-PD4B-1816	16	18	28	\$1,268
SS-PD4B-2216	16	22	28	\$1,307

- Pedestal is finished on all sides and can easily be moved in the field.
- Lock included.

Shelf/Box/File Surface Supporting Pedestal



Model Number	Width	Depth	Height	Price
SS-PDSF-1816	16	18	28	\$1,128
SS-PDSF-2216	16	22	28	\$1,167

- Pedestal is finished on all sides and can easily be moved in the field.
- Lock included.

Bookshelf Pedestal



Model Number	Width	Depth	Height	Price
SS-PDBS-1536	36	15	28	\$727

- Pedestal is finished on all sides and can easily be moved in the field.


Lateral File Surface Supporting Pedestal



Model Number	Width	Depth	Height	Price
SS-PDLF-1832	32	18	28	\$1,354
SS-PDLF-1836	36	18	28	\$1,368
SS-PDLF-2232	32	22	28	\$1,407
SS-PDLF-2236	36	22	28	\$1,417

- Pedestal is finished on all sides and can easily be moved in the field.
- Lock included.

File Center Surface Supporting Pedestal



Model Number	Width	Depth	Height	Price
SS-PDFC-1832	32	18	28	\$1,556
SS-PDFC-2232	32	22	28	\$1,566

- Pedestal is finished on all sides and can easily be moved in the field.
- Box drawers do not lock. Box drawers are always placed on the left of pedestal. File drawers lock.

Storage Cabinet Surface Supporting Pedestal



Model Number	Width	Depth	Height	Price
SS-PDSC-1832	32	18	28	\$1,209
SS-PDSC-1836	36	18	28	\$1,221
SS-PDSC-2232	32	22	28	\$1,259
SS-PDSC-2236	36	22	28	\$1,269

- Pedestal is finished on all sides and can easily be moved in the field.
- Single shelf included. For extra shelf -- use OP-SHLF-2 for \$185.
- Hinges open to 90 degrees only. Lock optional.
- For lock, add OP-LOCK-ADD for \$127.


Straight Riser for Desk



Model Number	Depth	Width	Height	
SS-RISR-1248-??	12	48	14	\$528
SS-RISR-1260-??	12	60	14	\$686
SS-RISR-1266-??	12	66	14	\$832
SS-RISR-1272-??	12	72	14	\$882
SS-RISR-1278-??	12	78	14	\$1,036

- NOTE: Actual width varies by series to allow for wood moldings on desk or credenza.
- You must order riser in same series as desk, credenza or return on which it will be sitting.
- Riser should be at least 6" shorter than the surface it sits on.

Return Riser




Right Model Shown

Model Number		Depth	Width	Height	
Left Model	Right Model				
SS-RRSR-1236-L-??	SS-RRSR-1236-R-??	12	36	14	\$461
SS-RRSR-1242-L-??	SS-RRSR-1242-R-??	12	42	14	\$471
SS-RRSR-1248-L-??	SS-RRSR-1248-R-??	12	48	14	\$490
SS-RRSR-1260-L-??	SS-RRSR-1260-R-??	12	60	14	\$667
SS-RRSR-1272-L-??	SS-RRSR-1272-R-??	12	72	14	\$864
SS-RRSR-1278-L-??	SS-RRSR-1278-R-??	12	78	14	\$1,019

- NOTE: Actual width varies by series to allow for wood moldings on desk or credenza.
- You must order riser in same series as desk, credenza or return on which it will be sitting.
- Riser should be at least 6" shorter than the surface it sits on.

One-Piece Top Corner Riser



Left Model Shown


Model Number		Depth	Width	Height	
Left Model	Right Model				
SS-RSRC-7230-L-??	SS-RSRC-7230-R-??	12-30	72	14	\$1,175
SS-RSRC-7236-L-??	SS-RSRC-7236-R-??	12-36	72	14	\$1,252

- Surface depth is 12" with no overhang on approach side.
- NOTE: Actual width varies by series to allow for wood moldings on desk or credenza.
- You must order riser in same series as desk, credenza or return on which it will be sitting.
- Riser should be at least 6" shorter than the surface it sits on




**Configurations**  
Height adjustability can be incorporated into an Overture Reception Desk in multiple ways. Below are some examples.


Desk Height Height Adjustable Shell




Transaction Height Height Adjustable Shell




3- Leg Height Adjustable Desk




Height Adjustable Bridge



Height Adjustable Desk w/ Fixed Bridge




Height Adjustable Desk with Shroud



# Height Adjustable Overture

Height Adjustable Overture Desk Height Series


All 1-1/8" Material



- Features**
- All 1-1/8" thick material.
  - TFL or HPL with 2mm PVC edges in DeskMakers standard colors.
  - Free-standing desk shell unit, work surface to be specified separately. See Pg. 61.
  - Can be used with any DeskMakers Height Adjustable Base. See Pg 62-72.
  - Grommets or small electrical units can be installed on front shelf portion or main worksurface. See electrical pricer for details.

- Desk Shell**
- 30" and 36" depths.
  - Lengths 60" to 84" in 6" increments.
  - Front shelf surface is 29-1/8" high. Levelers add 1/2" to the height.

Return Shell



- 24" deep.
- Lengths 37" - 85" in 6" increments.
- Top to be specified separately.

Bridge



- 24" or 30" deep.
- Lengths 38" - 86" in 6" increments.
- Top to be specified separately.

Fixed Return Shell




- 19" and 24" depths.
- Lengths 36" - 72" in 6" increments.
- No storage pedestals on 19" deep.

Fixed Bridge




- 19" and 24" depths.
- Lengths 36" to 72" - 6" increments.
- No storage pedestals on 19" deep.




- Grain Direction**
- Grain Direction runs horizontal.


Desk Shell



Return




Bridge



reception

Height Adjustable Overture Transaction Height Series


1-7/8" Thick Wall Panels, 1-1/8" Thick Worksurface



- Features**
- 1-7/8" thick front panel and side panels.
  - TFL or HPL with 2mm PVC edges in DeskMakers standard colors.
  - Free-standing desk shell unit, work surface to be specified separately. See Pg. 61.
  - Can be used with any DeskMakers Height Adjustable Base. See Pg 62-72.
  - Grommets or small electrical units can be installed on ledge portion or main worksurface. See electrical pricer for details.


- Desk Shell**
- 32" and 38" depths.
  - Lengths 60" to 90" in 6" increments.
  - Front and side panels are 40" high. Levelers add 1/2" to the height.

Return Shell



- 24" deep.
- Lengths 39" - 87" in 6" increments.
- Top to be specified separately.

Bridge Shell



- 24" or 30" deep.
- Lengths 38" - 86" in 6" increments.
- Top to be specified separately.

Fixed Return




- 19" and 24" depths.
- Lengths 39" - 75" in 6" increments.
- No storage pedestals on 19" deep.

Fixed Bridge




- 19" and 24" depths.
- Lengths 37" to 73" - 6" increments.
- No storage pedestals on 19" deep.




- Grain Direction**
- Grain Direction runs horizontal.


Desk Shell



Return




Bridge



Full Height Transaction Counter


For use with Desk Height Height Adjustable Desk Shells




Features

- 12" deep, 6" overlaps worksurface.
- 41" high, 12" above worksurface.
- TFL has 2mm PVC edges in DeskMakers standard colors. HPL has self edge.
- Can add glass transaction counter on top.
- Not available with 1-7/8" thick worksurfaces or transaction height desks.
- TFL version is all 3/4" thick material, with visible seams.
- HPL version has 1-1/8" thick top and sides.
- Unit has adjustable glides for leveling where it rests on the floor. It is not self-supporting, cannot be used as freestanding furniture.


Placement



Right Placement



Center Placement





Left Placement



Grain Direction

- Grain Direction runs horizontal.
- Grain direction on two piece L-Shape counters will not line up.


HPL



TFL




Other Counters & Accessories




Shroud Transaction Counter

- The Overture Shroud Transaction Counter can also be paired with the Height Adjustable Desk Height Desk Shell.
- See Page 13 for Product Details and Page 37 for Pricing.



Laminate Transaction Counter

- The Overture Laminate Transaction Counter can also be paired with the Height Adjustable Transaction Height Desk Shell.
- When installed on center, counter will not conflict with raised worksurface.
- See Page 32 for Pricing.



Decorative Accent Panels

- Decorative Accent Panels can also be applied to the Height Adjustable Transaction Height Desk Shells
- See Page 38-39 for Pricing.

Desk Shell Desk Height

All 1-1/8" Thick Material




Model Number	Depth	Length	Height	Top	TFL (T)	HPL (H)
30" Deep (specified separately)						
OV-ASD1-3060-?	30	60	29	23x60	\$951	\$2,181
OV-ASD1-3066-?	30	66	29	23x66	\$957	\$2,187
OV-ASD1-3072-?	30	72	29	23x72	\$962	\$2,193
OV-ASD1-3078-?	30	78	29	23x78	\$972	\$2,204
OV-ASD1-3084-?	30	84	29	23x84	\$979	\$2,210
36" Deep						
OV-ASD1-3660-?	36	60	29	29x60	\$955	\$2,185
OV-ASD1-3666-?	36	66	29	29x66	\$961	\$2,191
OV-ASD1-3672-?	36	72	29	29x72	\$966	\$2,198
OV-ASD1-3678-?	36	78	29	29x78	\$977	\$2,208
OV-ASD1-3684-?	36	84	29	29x84	\$983	\$2,214

- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- To be completed with a worktop and height adjustable base. See page 61 for worktops, and pages 68-72 for base options.
- Can be paired with Overture Full Height Stack-On (Pg 55) or Shroud Transaction Counter (Pg 37).

reception

Return Shell Desk Height

All 1-1/8" Thick Material



Left Model Shown

Model Number		Depth	Length	Height	Top	TFL (T)	HPL (H)
24" Deep						(specified separately)	
Left Model		Right Model					
OV-ARD1-2436-L-?	OV-ARD1-2436-R-?	24	37	28	24x36	\$526	\$1,142
OV-ARD1-2442-L-?	OV-ARD1-2442-R-?	24	43	28	24x42	\$530	\$1,146
OV-ARD1-2448-L-?	OV-ARD1-2448-R-?	24	49	28	24x48	\$536	\$1,151
OV-ARD1-2454-L-?	OV-ARD1-2454-R-?	24	55	28	24x54	\$540	\$1,155
OV-ARD1-2460-L-?	OV-ARD1-2460-R-?	24	61	28	24x60	\$544	\$1,160
OV-ARD1-2466-L-?	OV-ARD1-2466-R-?	24	67	28	24x66	\$549	\$1,165
OV-ARD1-2472-L-?	OV-ARD1-2472-R-?	24	73	28	24x72	\$839	\$2,071
OV-ARD1-2478-L-?	OV-ARD1-2478-R-?	24	79	28	24x78	\$843	\$2,075
OV-ARD1-2484-L-?	OV-ARD1-2484-R-?	24	85	28	24x84	\$848	\$2,079
30" Deep							
Left Model		Right Model					
OV-ARD1-3036-L-?	OV-ARD1-3036-R-?	30	37	28	30x36	\$528	\$1,144
OV-ARD1-3042-L-?	OV-ARD1-3042-R-?	30	43	28	30x42	\$532	\$1,148
OV-ARD1-3048-L-?	OV-ARD1-3048-R-?	30	49	28	30x48	\$538	\$1,153
OV-ARD1-3054-L-?	OV-ARD1-3054-R-?	30	55	28	30x54	\$542	\$1,158
OV-ARD1-3060-L-?	OV-ARD1-3060-R-?	30	61	28	30x60	\$546	\$1,162
OV-ARD1-3066-L-?	OV-ARD1-3066-R-?	30	67	28	30x66	\$837	\$2,069
OV-ARD1-3072-L-?	OV-ARD1-3072-R-?	30	73	28	30x72	\$841	\$2,073
OV-ARD1-3078-L-?	OV-ARD1-3078-R-?	30	79	28	30x78	\$846	\$2,077
OV-ARD1-3084-L-?	OV-ARD1-3084-R-?	30	85	28	30x84	\$850	\$2,081

- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk shell. Cannot be used independently.
- To be completed with a worktop and height adjustable base. See page 61 for worktops, and pages 68-72 for base options.
- 36" Return for use with 3-Leg base only. Returns over 60" to be used as independent height adjustable worksurfaces only.



Fixed Return Desk Height

All 1-1/8" Thick Material




Model Number		Depth	Length	Height	Top	TFL (T)	HPL (H)
19" Deep							
Left Model	Right Model						
OV-FRD1-1936-L-?	OV-FRD1-1936-R-?	19	37	29	19x36	\$558	\$1,174
OV-FRD1-1942-L-?	OV-FRD1-1942-R-?	19	43	29	19x42	\$563	\$1,178
OV-FRD1-1948-L-?	OV-FRD1-1948-R-?	19	49	29	19x48	\$853	\$2,084
OV-FRD1-1954-L-?	OV-FRD1-1954-R-?	19	55	29	19x54	\$859	\$2,090
OV-FRD1-1960-L-?	OV-FRD1-1960-R-?	19	61	29	19x60	\$863	\$2,095
OV-FRD1-1966-L-?	OV-FRD1-1966-R-?	19	67	29	19x66	\$867	\$2,099
OV-FRD1-1972-L-?	OV-FRD1-1972-R-?	19	73	29	19x72	\$875	\$2,105
24" Deep							
Left Model	Right Model						
OV-FRD1-2436-L-?	OV-FRD1-2436-R-?	24	37	29	24x36	\$563	\$1,177
OV-FRD1-2442-L-?	OV-FRD1-2442-R-?	24	43	29	24x42	\$852	\$2,083
OV-FRD1-2448-L-?	OV-FRD1-2448-R-?	24	49	29	24x48	\$856	\$2,087
OV-FRD1-2454-L-?	OV-FRD1-2454-R-?	24	55	29	24x54	\$863	\$2,094
OV-FRD1-2460-L-?	OV-FRD1-2460-R-?	24	61	29	24x60	\$867	\$2,098
OV-FRD1-2466-L-?	OV-FRD1-2466-R-?	24	67	29	24x66	\$872	\$2,103
OV-FRD1-2472-L-?	OV-FRD1-2472-R-?	24	73	29	24x72	\$878	\$2,109

- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Modesty extends 1" past worktop to allow return to connect to height adjustable shell and maintain gap for moving worksurface.
- Half leg support on side abutting height adjustable desk.
- Storage peds cannot be used under 19" deep returns.

reception

Bridge Shell Desk Height

All 1-1/8" Thick Material



Model Number		Depth	Length	Height	Top	TFL (T)	HPL (H)
(specified separately)							
OV-ABD1-0638-?		6	38	28	24x36	\$508	\$1,122
OV-ABD1-0644-?		6	44	28	24x42 or 30x42	\$511	\$1,126
OV-ABD1-0650-?		6	50	28	24x48 or 30x48	\$515	\$1,130
OV-ABD1-0656-?		6	56	28	24x54 or 30x54	\$519	\$1,135
OV-ABD1-0662-?		6	62	28	24x60 or 30x60	\$523	\$1,139
OV-ABD1-0668-?		6	68	28	24x66 or 30x66	\$527	\$1,143
OV-ABD1-0674-?		6	74	28	24x72 or 30x72	\$534	\$1,149
OV-ABD1-0680-?		6	80	28	24x78 or 30x78	\$538	\$1,153
OV-ABD1-0686-?		6	86	28	24x84 or 30x84	\$827	\$2,058

- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk/credenza shells. Cannot be used independently.
- To be completed with a worktop and height adjustable base. See page 61 for worktops, and pages 68-72 for base options.
- Bridges are sized 2" larger than the worktop to be used to allow for 1" clearance on either side of the moving top.
- 36" Bridge for use with 3-Leg base only. Bridges over 60" to be used as independent height adjustable worksurfaces only.

Fixed Bridge Desk Height

All 1-1/8" Thick Material



Left Model Shown

Model Number		Depth	Length	Height	Top	TFL (T)	HPL (H)
19" Deep							
Left Model	Right Model						
OV-FBD1-1936-L-?	OV-FBD1-1936-R-?	19	37	29	19x36	\$541	\$1,156
OV-FBD1-1942-L-?	OV-FBD1-1942-R-?	19	43	29	19x42	\$545	\$1,161
OV-FBD1-1948-L-?	OV-FBD1-1948-R-?	19	49	29	19x48	\$551	\$1,167
OV-FBD1-1954-L-?	OV-FBD1-1954-R-?	19	55	29	19x54	\$555	\$1,171
OV-FBD1-1960-L-?	OV-FBD1-1960-R-?	19	61	29	19x60	\$846	\$2,077
OV-FBD1-1966-L-?	OV-FBD1-1966-R-?	19	67	29	19x66	\$850	\$2,081
OV-FBD1-1972-L-?	OV-FBD1-1972-R-?	19	73	29	19x72	\$856	\$2,087
24" Deep							
OV-FRD1-2436-L-?	OV-FRD1-2436-R-?	24	37	29	24x36	\$563	\$1,177
OV-FRD1-2442-L-?	OV-FRD1-2442-R-?	24	43	29	24x42	\$852	\$2,083
OV-FRD1-2448-L-?	OV-FRD1-2448-R-?	24	49	29	24x48	\$856	\$2,087
OV-FRD1-2454-L-?	OV-FRD1-2454-R-?	24	55	29	24x54	\$863	\$2,094
OV-FRD1-2460-L-?	OV-FRD1-2460-R-?	24	61	29	24x60	\$867	\$2,098
OV-FRD1-2466-L-?	OV-FRD1-2466-R-?	24	67	29	24x66	\$872	\$2,103
OV-FRD1-2472-L-?	OV-FRD1-2472-R-?	24	73	29	24x72	\$878	\$2,109

- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk/credenza shell.
- Modesty extends 1" past worktop to allow bridge to connect to height adjustable shell and maintain gap for moving workspace.
- Half leg support on side abutting height adjustable desk.
- Storage peds cannot be used under 19" deep bridges.

reception

Full Height Stack-on Counter



Model Number	Depth	Length	Height	TFL (T)	HPL (H)
OV-STFH-1230?	12	30	41	\$1,367	\$2,474
OV-STFH-1236?	12	36	41	\$1,477	\$2,810
OV-STFH-1242?	12	42	41	\$1,585	\$3,335
OV-STFH-1248?	12	48	41	\$1,696	\$4,026
OV-STFH-1254?	12	54	41	\$1,817	\$4,601
OV-STFH-1260?	12	60	41	\$1,917	\$5,383
OV-STFH-1266?	12	66	41	\$2,044	\$5,739
OV-STFH-1272?	12	72	41	\$2,106	\$6,095

- All 3/4" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for TFL and self-edge for HPL.
- Installs on desk height shell in field. Can add glass topper on page 33.

Desk Shell Transaction Height

1-7/8" Thick Shell




Model Number	Depth	Length	Height	Top	TFL (T)	HPL (H)
30" Deep (specified separately)						
OV-AST2-3260-?	32	60	40	23x54	\$1,936	\$4,146
OV-AST2-3266-?	32	66	40	23x60	\$1,944	\$4,154
OV-AST2-3272-?	32	72	40	23x66	\$1,951	\$4,161
OV-AST2-3278-?	32	78	40	23x72	\$2,546	\$5,554
OV-AST2-3284-?	32	84	40	23x78	\$2,553	\$5,561
OV-AST2-3290-?	32	90	40	23x84	\$2,560	\$5,568
36" Deep						
OV-AST2-3860-?	38	60	40	29x54	\$1,943	\$4,090
OV-AST2-3866-?	38	66	40	29x60	\$1,950	\$4,160
OV-AST2-3872-?	38	72	40	29x66	\$1,957	\$4,167
OV-AST2-3878-?	38	78	40	29x72	\$2,553	\$5,560
OV-AST2-3884-?	38	84	40	29x78	\$2,560	\$5,567
OV-AST2-3890-?	38	90	40	29x84	\$2,568	\$5,574

- 1-7/8" thick outer shell with horizontal grain. Internal stretchers are 1 1/8" thick.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- To be completed with a worktop and height adjustable base. See page 61 for worktops, and pages 68-72 for base options.
- Can be paired with the Laminate Transaction Counter (Pg 32) and/or Accent Panels (Pg 38-39).

reception

Return Shell Transaction Height

1-7/8" Thick Shell



Model Number		Depth	Length	Height	Top	TFL (T)	HPL (H)
24" Deep (specified separately)							
Left Model	Right Model						
OV-ART2-2639-L-?	OV-ART2-2639-R-?	26	39	40	24x36	\$1,149	\$2,562
OV-ART2-2645-L-?	OV-ART2-2645-R-?	26	45	40	24x42	\$1,154	\$2,567
OV-ART2-2651-L-?	OV-ART2-2651-R-?	26	51	40	24x48	\$1,745	\$3,955
OV-ART2-2657-L-?	OV-ART2-2657-R-?	26	57	40	24x54	\$1,751	\$3,961
OV-ART2-2663-L-?	OV-ART2-2663-R-?	26	63	40	24x60	\$1,757	\$3,967
OV-ART2-2669-L-?	OV-ART2-2669-R-?	26	69	40	24x66	\$1,762	\$3,972
OV-ART2-2675-L-?	OV-ART2-2675-R-?	26	75	40	24x72	\$1,815	\$4,025
OV-ART2-2681-L-?	OV-ART2-2681-R-?	26	81	40	24x78	\$1,820	\$4,030
OV-ART2-2687-L-?	OV-ART2-2687-R-?	26	87	40	24x84	\$1,825	\$4,035
30" Deep							
Left Model	Right Model						
OV-ART2-3239-L-?	OV-ART2-3239-R-?	32	39	40	30x36	\$1,152	\$2,565
OV-ART2-3245-L-?	OV-ART2-3245-R-?	32	45	40	30x42	\$1,743	\$3,953
OV-ART2-3251-L-?	OV-ART2-3251-R-?	32	51	40	30x48	\$1,748	\$3,958
OV-ART2-3257-L-?	OV-ART2-3257-R-?	32	57	40	30x54	\$1,754	\$3,964
OV-ART2-3263-L-?	OV-ART2-3263-R-?	32	63	40	30x60	\$1,760	\$3,970
OV-ART2-3269-L-?	OV-ART2-3269-R-?	32	69	40	30x66	\$1,765	\$3,975
OV-ART2-3275-L-?	OV-ART2-3275-R-?	32	75	40	30x72	\$1,818	\$4,028
OV-ART2-3281-L-?	OV-ART2-3281-R-?	32	81	40	30x78	\$1,823	\$4,033
OV-ART2-3287-L-?	OV-ART2-3287-R-?	32	87	40	30x84	\$1,828	\$4,038

- 1-7/8" thick material with horizontal grain. Stretcher Bar is 1 1/8" thick.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk shell. Cannot be used independently.
- To be completed with a worktop and height adjustable base. See page 61 for worktops, and pages 68-72 for base options.
- 36" Return for use with 3-Leg base only. Returns over 60" to be used as independent height adjustable worksurfaces only.

Fixed Return Transaction Height

1-7/8" Thick Shell




Model Number		Depth	Length	Height	Top	TFL (T)	HPL (H)
19" Deep							
Left Model	Right Model						
OV-FRT2-1939-L-?	OV-FRT2-1939-R-?	19	39	40	17x36	\$1,176	\$2,590
OV-FRT2-1945-L-?	OV-FRT2-1945-R-?	19	45	40	17x42	\$1,181	\$2,595
OV-FRT2-1951-L-?	OV-FRT2-1951-R-?	19	51	40	17x48	\$1,187	\$2,600
OV-FRT2-1957-L-?	OV-FRT2-1957-R-?	19	57	40	17x54	\$1,777	\$3,987
OV-FRT2-1963-L-?	OV-FRT2-1963-R-?	19	63	40	17x60	\$1,785	\$3,995
OV-FRT2-1969-L-?	OV-FRT2-1969-R-?	19	69	40	17x66	\$1,790	\$4,000
OV-FRT2-1975-L-?	OV-FRT2-1975-R-?	19	75	40	17x72	\$1,842	\$4,052
24" Deep							
Left Model	Right Model						
OV-FRT2-2439-L-?	OV-FRT2-2439-R-?	24	39	40	22x36	\$1,180	\$2,594
OV-FRT2-2445-L-?	OV-FRT2-2445-R-?	24	45	40	22x42	\$1,186	\$2,599
OV-FRT2-2451-L-?	OV-FRT2-2451-R-?	24	51	40	22x48	\$1,191	\$2,604
OV-FRT2-2457-L-?	OV-FRT2-2457-R-?	24	57	40	22x54	\$1,828	\$4,038
OV-FRT2-2463-L-?	OV-FRT2-2463-R-?	24	63	40	22x60	\$1,836	\$4,046
OV-FRT2-2469-L-?	OV-FRT2-2469-R-?	24	69	40	22x66	\$1,841	\$4,051
OV-FRT2-2475-L-?	OV-FRT2-2475-R-?	24	75	40	22x72	\$1,846	\$4,056

- 1-7/8" outer shell with 1 1/8" worktop and half leg. Horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Modesty extends 1" past worktop to allow return to connect to height adjustable shell and maintain gap for moving worksurface.
- Half leg support on side abutting height adjustable desk.
- Storage peds cannot be used under 19" deep returns.

reception

Bridge Shell Transaction Height

1-7/8" Thick Shell



Model Number		Depth	Length	Height	Top	TFL (T)	HPL (H)
(specified separately)							
OV-ABT2-0638-?		6	38	40	24x36	\$1,109	\$2,522
OV-ABT2-0644-?		6	44	40	24x42 or 30x42	\$1,116	\$2,528
OV-ABT2-0650-?		6	50	40	24x48 or 30x48	\$1,121	\$2,533
OV-ABT2-0656-?		6	56	40	24x54 or 30x54	\$1,126	\$2,539
OV-ABT2-0662-?		6	62	40	24x60 or 30x60	\$1,132	\$2,544
OV-ABT2-0668-?		6	68	40	24x66 or 30x66	\$1,137	\$2,549
OV-ABT2-0674-?		6	74	40	24x72 or 30x72	\$1,728	\$3,938
OV-ABT2-0680-?		6	80	40	24x78 or 30x78	\$1,734	\$3,944
OV-ABT2-0686-?		6	86	40	24x84 or 30x84	\$1,738	\$3,948

- 1-7/8" thick modesty with 1 1/8" stretcher bar. Horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk/credenza shells. Cannot be used independently.
- To be completed with a worktop and height adjustable base. See page 61 for worktops, and pages 68-72 for base options.
- Bridges are sized 2" larger than the worktop to be used to allow for 1" clearance on either side of the moving top.
- 36" Bridge for use with 3-Leg base only. Bridges over 60" to be used as independent height adjustable worksurfaces only.

Fixed Bridge Transaction Height

1-7/8" Thick Shell



Left Model Shown


Model Number		Depth	Length	Height	Top	TFL (T)	HPL (H)
19" Deep							
Left Model	Right Model						
OV-FBT2-1937-L-?	OV-FBT2-1937-R-?	19	37	40	17x36	\$1,143	\$2,556
OV-FBT2-1943-L-?	OV-FBT2-1943-R-?	19	43	40	17x42	\$1,151	\$2,564
OV-FBT2-1949-L-?	OV-FBT2-1949-R-?	19	49	40	17x48	\$1,156	\$2,569
OV-FBT2-1955-L-?	OV-FBT2-1955-R-?	19	55	40	17x54	\$1,162	\$2,574
OV-FBT2-1961-L-?	OV-FBT2-1961-R-?	19	61	40	17x60	\$1,167	\$2,579
OV-FBT2-1967-L-?	OV-FBT2-1967-R-?	19	67	40	17x66	\$1,174	\$2,588
OV-FBT2-1973-L-?	OV-FBT2-1973-R-?	19	73	40	17x72	\$1,179	\$2,593
24" Deep							
Left Model	Right Model						
OV-FBT2-2437-L-?	OV-FBT2-2437-R-?	24	37	40	22x36	\$1,145	\$2,558
OV-FBT2-2443-L-?	OV-FBT2-2443-R-?	24	43	40	22x42	\$1,152	\$2,566
OV-FBT2-2449-L-?	OV-FBT2-2449-R-?	24	49	40	22x48	\$1,158	\$2,571
OV-FBT2-2455-L-?	OV-FBT2-2455-R-?	24	55	40	22x54	\$1,163	\$2,576
OV-FBT2-2461-L-?	OV-FBT2-2461-R-?	24	61	40	22x60	\$1,168	\$2,581
OV-FBT2-2467-L-?	OV-FBT2-2467-R-?	24	67	40	22x66	\$1,176	\$2,589
OV-FBT2-2473-L-?	OV-FBT2-2473-R-?	24	73	40	22x72	\$1,181	\$2,594

- 1-7/8" modesty panel with 1 1/8" worktop and half leg. Horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk/credenza shell.
- Modesty extends 1" past worktop to allow bridge to connect to height adjustable shell and maintain gap for moving worksurface.
- Half leg support on side abutting height adjustable desk.
- Storage peds cannot be used under 19" deep bridges.

reception

Tops - Required for all "Shell" Units

1-1/8" Thick



Model Number	Depth	Length	T1	T2	H1
Overture Desk Shell Exclusive Sizes					
23" Deep for 30" Desks					
OV-WS01-2354-??-??	23	54	\$365	\$402	\$617
OV-WS01-2360-??-??	23	60	\$368	\$405	\$619
OV-WS01-2366-??-??	23	66	\$370	\$407	\$622
OV-WS01-2372-??-??	23	72	\$373	\$411	\$623
OV-WS01-2378-??-??	23	78	\$458	\$503	\$788
OV-WS01-2384-??-??	23	84	\$461	\$507	\$791
29" Deep for 36" Desks					
OV-WS01-2954-??-??	29	54	\$495	\$545	\$861
OV-WS01-2960-??-??	29	60	\$497	\$547	\$864
OV-WS01-2966-??-??	29	66	\$498	\$548	\$866
OV-WS01-2972-??-??	29	72	\$500	\$550	\$869
OV-WS01-2978-??-??	29	78	\$630	\$693	\$1,116
OV-WS01-2984-??-??	29	84	\$632	\$696	\$1,118
Tops for Returns and Bridges					
24" Deep					
TP-RECT-2436-??-??	24	36	\$274	\$301	\$446
TP-RECT-2442-??-??	24	42	\$276	\$304	\$449
TP-RECT-2448-??-??	24	48	\$364	\$400	\$614
TP-RECT-2454-??-??	24	54	\$365	\$402	\$616
TP-RECT-2460-??-??	24	60	\$368	\$405	\$619
TP-RECT-2466-??-??	24	66	\$370	\$408	\$622
TP-RECT-2472-??-??	24	72	\$373	\$410	\$623
TP-RECT-2478-??-??	24	78	\$458	\$504	\$788
TP-RECT-2484-??-??	24	84	\$461	\$507	\$791
30" Deep					
TP-RECT-3036-??-??	30	36	\$361	\$397	\$611
TP-RECT-3042-??-??	30	42	\$364	\$400	\$614
TP-RECT-3048-??-??	30	48	\$493	\$542	\$860
TP-RECT-3054-??-??	30	54	\$495	\$545	\$861
TP-RECT-3060-??-??	30	60	\$497	\$546	\$864
TP-RECT-3066-??-??	30	66	\$498	\$548	\$867
TP-RECT-3072-??-??	30	72	\$501	\$551	\$869
TP-RECT-3078-??-??	30	78	\$631	\$694	\$1,115
TP-RECT-3084-??-??	30	84	\$632	\$695	\$1,118

- All 1-1/8" thick material with horizontal grain.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

Hanging Modesty Panels



Model Number	Length	Height	TFL (T)	HPL (H)
TX-LMOD-1830-?	30	18	\$251	\$423
TX-LMOD-1832-?	32	18	\$258	\$435
TX-LMOD-1834-?	34	18	\$261	\$441
TX-LMOD-1836-?	36	18	\$268	\$451
TX-LMOD-1838-?	38	18	\$274	\$461
TX-LMOD-1840-?	40	18	\$276	\$466
TX-LMOD-1842-?	42	18	\$282	\$475
TX-LMOD-1844-?	44	18	\$286	\$480
TX-LMOD-1846-?	46	18	\$292	\$491
TX-LMOD-1848-?	48	18	\$297	\$501
TX-LMOD-1850-?	50	18	\$300	\$505
TX-LMOD-1852-?	52	18	\$311	\$524
TX-LMOD-1854-?	54	18	\$317	\$533
TX-LMOD-1856-?	56	18	\$324	\$544
TX-LMOD-1858-?	58	18	\$331	\$557
TX-LMOD-1860-?	60	18	\$339	\$571
TX-LMOD-1862-?	62	18	\$348	\$585
TX-LMOD-1864-?	64	18	\$360	\$605
TX-LMOD-1866-?	66	18	\$367	\$619
TX-LMOD-1868-?	68	18	\$371	\$626
TX-LMOD-1870-?	70	18	\$388	\$652
TX-LMOD-1872-?	72	18	\$395	\$666
TX-LMOD-1874-?	74	18	\$405	\$682
TX-LMOD-1876-?	76	18	\$420	\$708
TX-LMOD-1878-?	78	18	\$438	\$738
TX-LMOD-1880-?	80	18	\$470	\$790
TX-LMOD-1882-?	82	18	\$486	\$817
TX-LMOD-1884-?	84	18	\$501	\$843

- 3/4" thick material. Horizontal grain with DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes L- brackets to attach to worksurface, 2-4 depending on length
- A modesty that is at least 2" shorter that the worksurface is recommended to avoid conflict as the desk moves.
- Modesty should be inset at least 1" from front of worksurface. Install after worksurface is attached to height adjustable base for best results.




height adjustable base finishes

Hover Lift Bases

standard




premium - 10% upcharge (OP-COLOR)





Hover Reach Bases

standard




premium - 10% upcharge (OP-COLOR)





Hover Boost Bases

standard



premium - 10% upcharge (OP-COLOR)




Hover Lift Height Adjustable Bases



Features


Number of Legs	2 or 3
Height Range w/ Worksurface	27" - 46"
Number of Stages	2
Worksurface Lengths	48" - 84" in 6" increments
Worksurface Depths	24", 30" & 36"
Lifting Capacity	250 lbs (includes worksurface)
Adjustment Speed	1.5"/second
Cord Length	118" long
Finishes	4 standard, 8 at upcharge
Frame	Size Specific
Column Shape	Square
Safety	Anti-Collision Option




Foot Length

A 60" long worksurface is shown in examples below. The base will 9" shorter that the top, with a 4 1/2" inset on each side when centered.


24" Deep Worksurface



30" Deep Worksurface



36" Deep Worksurface



\* 29" foot may also be specified for 30" worksurfaces.

Standard Up/Down Control



- Standard on Hover Lift bases
- Simple Up/Down function
- After 2 minutes defaults control box to standby mode

Programmable Digital Control



- Add-on option for Hover Lift bases : AC-CNTL-DIGI for \$249
- Save 4 different positions
- LCD display
- Set in centimeters or inches
- After 2 minutes defaults control box to standby mode


Locking Casters

The Hover Lift height adjustable bases are available with optional locking casters. Casters increase the overall table height by 2".



External Safety Sensor

An External Safety Sensor is able to detect even the smallest deformation. When a collision or restriction of movement is detected, the External Safety Sensor triggers the motors to move in the opposite direction to release the pinched obstacle. The External Safety Sensor can be added to the Hover Lift bases after installation. AC-DRBK-OMT for \$332.



All Hover electric height adjustable bases are equipped with Intelligent System Protection (ISP). ISP is used to protect base motors, control boxes and internal components from damage resulting from collision or restriction of movement. The ISP is not intended for protection of the end user, and is less sensitive than the External Safety Sensor.



Hover Reach Height Adjustable Bases



Features

Number of Legs	2 or 3
Height Range w/ Worksurface	22.75" - 49"
Number of Stages	3
Worksurface Lengths	42" - 72" (Up to 84" w/ ext. kit)
Worksurface Depths	24", 30" & 36"
Lifting Capacity	220 lbs (includes worksurface)
Adjustment Speed	1.4"/second
Cord Length	72" long
Finishes	Silver
Frame	Adjustable
Column Shape	Square
Safety	Anti-Collision Built-in

Foot Length



Quick Install Legs

- Ships in 1 box
- No tools required for assembly.



Programmable Digital Control



- Save 3 different positions
- LCD display
- Set in centimeters or inches
- Power standby mode
- Standard with Hover Reach

reception



Hover Boost Height Adjustable Bases



Features

Number of Legs	2
Height Range w/ Worksurface	27.75" - 47.4"
Number of Stages	2
Worksurface Lengths	42" - 72" (Up to 84" w/ ext. kit)
Worksurface Depths	24", 30" & 36"
Lifting Capacity	200 lbs (includes worksurface)
Adjustment Speed	1.42"/second
Cord Length	72" long
Finishes	Black, White, Silver
Frame	Adjustable
Column Shape	Square
Safety	Anti-Collision Built-in

Foot Length



Quick Install Legs

- Ships in 1 box
- No tools required for assembly.




Programmable Digital Control



- Save 3 different positions
- LCD display
- Set in centimeters or inches
- Power standby mode
- Standard with Hover Boost

Hover Lift Height Adjustable Bases

Electric - 2 Leg



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
For 24" and 30" Deep Worksurfaces				
HV-AE23-2448-??	23	24/30	48	\$2,654
HV-AE23-2454-??	23	24/30	54	\$2,670
HV-AE23-2460-??	23	24/30	60	\$2,674
HV-AE23-2466-??	23	24/30	66	\$2,692
HV-AE23-2472-??	23	24/30	72	\$2,703
HV-AE23-2478-??	23	24/30	78	\$2,718
HV-AE23-2484-??	23	24/30	84	\$2,807
For 30" and 36" Deep Worksurfaces				
HV-AE29-3648-??	29	30/36	48	\$2,695
HV-AE29-3654-??	29	30/36	54	\$2,710
HV-AE29-3660-??	29	30/36	60	\$2,714
HV-AE29-3666-??	29	30/36	66	\$2,732
HV-AE29-3672-??	29	30/36	72	\$2,744
HV-AE29-3678-??	29	30/36	78	\$2,758
HV-AE29-3684-??	29	30/36	84	\$2,848

- Please specify base finish when ordering. Premium colors available with 10% increase, OP-COLOR. See page 6 for finish options.
- Tops specified separately.
- Bases ship unassembled.
- Includes adjustable glides. 2" high Casters available, add OP-CAST-OMT-A for \$141 (set of 4).
- Programmable digital control available, add AC-CNTL-DIGI for \$249.
- External safety sensor available, add AC-DRBK-OMT for \$332.

Hover Lift Height Adjustable Bases

Electric - 3 Leg - 120 Degree



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
For 24" Deep Worksurfaces				
HV-AE12-4242-23-??	23	42	42	\$3,762
HV-AE12-4848-23-??	23	48	48	\$3,822
HV-AE12-5454-23-??	23	54	54	\$3,955
For 30" Deep Worksurfaces				
HV-AE12-4242-29-??	29	42	42	\$3,802
HV-AE12-4848-29-??	29	48	48	\$3,863
HV-AE12-5454-29-??	29	54	54	\$3,996

- Please specify base finish when ordering. Premium colors available with 10% increase, OP-COLOR. See page 6 for finish options.
- Tops specified separately.
- Bases ship unassembled.
- Programmable digital control available, add AC-CNTL-DIGI for \$249.
- External safety sensor available, add AC-DRBK-OMT for \$332.

Hover Lift Height Adjustable Bases

Electric - 3 Leg - 90 Degree Symmetrical




Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
For 24" Deep Worksurfaces				
HV-AE90-4848-23-??	23	48	48	\$3,952
HV-AE90-5454-23-??	23	54	54	\$4,012
HV-AE90-6060-23-??	23	60	60	\$4,145
For 30" Deep Worksurfaces				
HV-AE90-4848-29-??	29	48	48	\$3,949
HV-AE90-5454-29-??	29	54	54	\$3,993
HV-AE90-6060-29-??	29	60	60	\$4,053

- Please specify base finish when ordering. Premium colors available with 10% increase, OP-COLOR. See page 6 for finish options.
- Tops specified separately.
- Bases ship unassembled.
- Programmable digital control available, add AC-CNTL-DIGI for \$249.
- External safety sensor available, add AC-DRBK-OMT for \$332.

Hover Lift Height Adjustable Bases

Electric - 3 Leg - 90 Degree




Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
For 24" Deep Return Connection and 24" Deep Workspace				
HV-AE90-4266-23-??	23	42	66	\$3,994
HV-AE90-4272-23-??	23	42	72	\$3,998
HV-AE90-4278-23-??	23	42	78	\$4,015
HV-AE90-4866-23-??	23	48	66	\$4,015
HV-AE90-4872-23-??	23	48	72	\$4,020
HV-AE90-4878-23-??	23	48	78	\$4,037
HV-AE90-5466-23-??	23	54	66	\$4,046
HV-AE90-5472-23-??	23	54	72	\$4,050
HV-AE90-5478-23-??	23	54	78	\$4,067
HV-AE90-6066-23-??	23	60	66	\$4,112
HV-AE90-6072-23-??	23	60	72	\$4,116
HV-AE90-6078-23-??	23	60	78	\$4,134
For 24" Deep Return Connection and 30" Deep Workspace				
HV-AE90-4266-29-??	23/29	42	66	\$4,019
HV-AE90-4272-29-??	23/29	42	72	\$4,034
HV-AE90-4278-29-??	23/29	42	78	\$4,038
HV-AE90-4866-29-??	23/29	48	66	\$4,019
HV-AE90-4872-29-??	23/29	48	72	\$4,034
HV-AE90-4878-29-??	23/29	48	78	\$4,038
HV-AE90-5466-29-??	23/29	54	66	\$4,040
HV-AE90-5472-29-??	23/29	54	72	\$4,056
HV-AE90-5478-29-??	23/29	54	78	\$4,060
HV-AE90-6066-29-??	23/29	60	66	\$4,071
HV-AE90-6072-29-??	23/29	60	72	\$4,086
HV-AE90-6078-29-??	23/29	60	78	\$4,090

- Please specify base finish when ordering. Premium colors available with 10% increase, OP-COLOR. See page 6 for finish options.
- Tops specified separately.
- Bases ship unassembled.
- Programmable digital control available, add AC-CNTL-DIGI for \$249.
- External safety sensor available, add AC-DRBK-OMT for \$332.

reception

Hover Reach Height Adjustable Bases - 2 Leg for Rectangular Worksurfaces

Electric - 3 Stage




Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
For 24" and 30" Deep Worksurfaces				
ML-3STG-2472-SV	23	24/30	48/72	\$1,106
For 30" and 36" Deep Worksurfaces				
ML-3STG-3072-SV	29	30/36	48/72	\$1,140

- Silver finish standard.
- Tops specified separately. Bases ship unassembled with tool-free quick-install components.
- Includes adjustable steel frame, adjustable glides and programmable digital control.
- Base can accommodate tops up to 84" with the addition of ML-2LEG-EXKT for \$348

Hover Reach Height Adjustable Bases - 3 Leg for 120 or 90 Degree Worksurfaces

Electric - 3 Stage



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
For 24" and 30" Deep Worksurfaces				
ML-3LEG-24-Q-SV	23	24/30	84x84	\$1,938
For 30" and 36" Deep Worksurfaces				
ML-3LEG-30-Q-SV	29	30/36	84x84	\$1,970

- Silver finish standard.
- Tops specified separately. Bases ship unassembled with tool-free quick-install components.
- Includes adjustable steel frame, adjustable glides and programmable digital control.
- Universal bracket for both 120 degree and 90 degree applications.
- NOTE: The Reach 3-Leg has a C-Style foot - the leg column is 2" off-center, farther from the user side. It will not conflict with any Overture furniture

Hover Boost Height Adjustable Bases - 2 Leg for Rectangular Worksurfaces

Electric - 2 Stage



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
For 24" and 30" Deep Worksurfaces				
ML-2STG-2472-??	23	24/30	42/72	\$950
For 30" and 36" Deep Worksurfaces				
ML-2STG-3072-??	29	30/36	42/72	\$980

- Silver finish standard. Black and White may require additional lead time.
- Tops specified separately. Bases ship unassembled with tool-free quick-install components.
- Includes adjustable steel frame, adjustable glides and programmable digital control.
- Base can accommodate tops up to 84" with the addition of ML-2LEG-EXKT for \$348

Please visit [Deskmakers.com](https://deskmakers.com) to view our current **Terms and Conditions**.



Please visit [Deskmakers.com](https://deskmakers.com) to view our current **Warranty**.

## Locations

### Los Angeles

Deskmakers Headquarters  
6525 Flotilla Street  
Commerce, CA 90040

### Dallas

Dallas Factory  
1110 Inwood Road Suite 101  
Dallas, TX 75247

---

# DeskMakers

Phone: 323.264.2260 | Fax: 323.725.6960  
[www.deskmakers.com](http://www.deskmakers.com)