



hover lite

PRICE & SPECIFICATION GUIDE

Version: 01.01.21

DeskMakers

revisions


01/01/21 Updated pricing and finishes.

table of contents

Laminates	4-6
Pulls	7
Edges	8
Height Adjustable Base Finishes	9
Height Adjustable Base Information	10-13
Product Details	14-25
Worksurfaces	26
Height Adjustable Bases	27
External Wire Managers	28
Beams	29-37
Internal Wire Managers	38-39
Storage	40-41
Terms and conditions	42
Warranty	43

laminates finishes

standard thermofuse laminate (TFL)


 Black	 Dove Grey	 Slate Grey	 Glacier White	 Black Forest Walnut
HPL Match: Arborite Black AAS405CAP	HPL Match: Wilsonart Dove Grey D92-60	HPL Match: Formica Storm 912-58	HPL Match: Wilsonart Designer White D354-60	HPL Match: Pionite Witchcraft WX421 <i>*Not an exact match</i>
 Cafe Latte*	 California Walnut*	 Cognac	 Driftwood*	 Fawn Cypress
HPL Match: Arborite Autumn Cherry Modern W466-BV <i>*Not an exact match</i>	HPL Match: Coming Soon	HPL Match: Pionite Sunset HP336N	HPL Match: Coming Soon	HPL Match: Wilsonart Fawn Cypress 8208-60
 Hardrock Maple	 Iconic Maple	 Mahogany	 Tenino Grey	 Tuscan Walnut
HPL Match: Formica Hardrock Maple 86992-58	HPL Match: Nevamar Iconic Maple WM0047-T <i>*Not an exact match</i>	HPL Match: Wilsonart Empire Mahogany 7122T-60	HPL Match: Limited Availability	HPL Match: Arborite Chocolate Pear Tree AAW-444-FPP

Matching 2MM PVC edgebanding is available for all Standard TFL finishes shown here.


For HPL matches with limited availability, please call customer service.

*Not available in one piece tops over 96" long.

premium textured thermofuse laminate (TFL)



HPL Match:
Pionite Looks Likatre
W163-OZ



HPL Match:
Limited Availability



HPL Match:
Formica Natural Ash
8843-WR



HPL Match:
Not Available



HPL Match:
Limited Availability



HPL Match:
Not Available

Premium textured TFLs require a 10% upcharge. Add item code OP-TTFL-1.

Matching 2MM PVC edgebanding is available for all Premium TFL finishes shown here.

For HPL matches with limited availability, please call customer service.

*Not available in one piece tops over 96" long.

laminates finishes

high pressure laminate (HPL)

Pricing shown in this price list applies only to non-premium HPLs as follows:

- Wilsonart: Solids, Woodgrains, and Abstracts in Matte (-60) finish,
- Formica: Color Portfolio, Woodgrains, and Patterns in Matte (-58) finish
- Pionite: Solids, Woodgrains, and Abstracts in Suede (N) finish

A minimum charge of \$150 net per HPL color will be applied to each order.

Call customer service for pricing for all other HPLs from the above companies, or for pricing for HPL from Arborite and Nevamar.

Additional lead times required for HPL orders depending on material availability and order complexity.

high pressure laminate (HPL) pricing chart

Most DeskMakers product is made of Thermofuse laminate (TFL). As such, there is an upcharge for ordering product in high pressure laminate (HPL). This upcharge varies based on the product and the size of the HPL order.

Please note that only the portion of the order in HPL will be calculated to determine the level of HPL upcharges.

HPL is only available with DeskMakers standard 2MM edgebanding.

Product Category	Option Code	UP TO \$10,000 LIST	\$10,001 TO \$50,000 LIST	OVER \$50,000 LIST
		Before HPL upcharges (1A)	Before HPL upcharges (2A)	Before HPL upcharges (3A)
WORKSURFACES All Shapes Top surface HPL	OP-HPL1-25-??	50%	40%	30%
CASEGOODS Top HPL only, balance TFL	OP-HPL1-1-??	15%	10%	10%
CASEGOODS Entire Unit HPL	OP-HPL1-4-??	75%	60%	40%
CASEGOODS HPL Drawer Fronts only	OP-HPL1-2-??	10%	5%	5%
CASEGOODS Top HPL and HPL Drawer Fronts	OP-HPL1-3-??	25%	20%	15%

hover lite pulls

standard pulls

Pulls are included on all drawers and cabinet doors at no upcharge.



101BL



101SN



105SN



108SN



115SN



115BL



125SN



125BL



201SN



201BL

premium pulls

Premium pulls are available for an upcharge of \$26 per pull.



152SN



154SN



158SN




302SN




304SN


edges

**group a**


1-1/8" thick top
2mm PVC edge

**group j**

1-1/8" thick top
3DL ergo edge

**group b**


1-1/8" thick top
3/8" solid wood edge

**group k**

1-1/8" thick MDF top
2mm PVC Knife edge



B2

**group l**


1-1/8" & 1-1/2" thick solid wood top
solid wood square edge




B3

**group m**


1-1/8" thick top
2mm wood edge




C1

**group p**

1" thick top
exposed plywood edge



C2




C4

group c


1-1/8" thick top
1-1/8" solid wood edge

type a base finishes

standard



premium - 10% upcharge (OP-COLOR)



type g base finishes

standard



Type A height adjustable bases



details

- Number of Legs: 2 or 3
- Height Range w/ Worksurface: 27" to 46"
- Number of Stages: 2
- Worksurface Lengths: 48" up to 84"
- Worksurface Depths: 24", 30" & 36"
- Lifting Capacity: 250 pounds
- Adjustment Speed: 1.5"/second
- Cord Length: 118" long
- Finishes: 4 standard and 8 premium

standard up/down control



Simple Up/Down function
After 2 minutes defaults control box to standby mode


optional programmable digital control




Add OP-CNTL-DIGI for \$187
Save 4 different positions, Set in centimeters or inches
LCD display
After 2 minutes defaults control box to standby mode

t-foot sizes

24" & 30" Deep Worksurface




30" & 36" Deep Worksurface




recommended maximum overhang

Recommended maximum overhang is 3-5" on each end, however, Type A bases are able to support a up to a maximum overhang of 16". Placing heavy objects on the overhang is not recommended. Any weight placed on the worksurface should be centered over the base for even weight distribution.



height ranges



Type G height adjustable bases



details

- Number of Legs: 2 or 3
- Height Range w/ Worksurface: 25.5" to 50"
- Number of Stages: 3
- Worksurface Lengths: 48" up to 84"
- Worksurface Depths: 24", 30" & 36"
- Lifting Capacity: 220 pounds
- Adjustment Speed: 1.4"/second
- Cord Length: 72" long
- Finishes: Silver


standard programmable digital control




- Save 3 different positions, Set in centimeters or inches
- LCD display
- After 2 minutes defaults control box to standby mode

t-foot sizes

24" & 30" Deep Worksurface




30" & 36" Deep Worksurface




recommended maximum overhang

Recommended maximum overhang is 2" on each end, however, a larger overhang is possible. Placing heavy objects on the overhang is not recommended. Any weight placed on the worksurface should be centered over the base for even weight distribution.



height ranges




worksurfaces

finishes

- 1-1/8" thick thermally fused laminate (TFL) with multiple edge options
- 1-1/8" thick high pressure laminate (HPL) with multiple edge options
- 1-1/8" thick plain sawn veneer, quarter sawn and planked random match veneer with multiple edge options
- 1" thick HPL with exposed plywood core
- 1-1/8" thick HPL with MDF core and PVC knife edge
- 1-1/8" thick thermofoil three dimensional laminate (3DL) (select sizes)
- 1-1/2" thick butcher block (select sizes and shapes)
- 1-1/8" thick planked wood (select sizes and shapes)


grain direction

rectangular



- Depths include 24", 30" and 36".
- Lengths include 48" to 84" in 6" increments.
- All dimensions are actual.


90 degree



- Depths include 24"/24" and 30"/24".
- Lengths include 66", 72" and 78".
- Widths include 42", 48", 54" and 60".
- All dimensions are actual.

grommet locations

Three grommet locations are available on Ascend worksurfaces. Grommets are placed 4" on center from the edge opposite the user edge. "CC" is centered on the length of the work surface. "ML" and "MR" (middle left and middle right) are evenly spaced in fourths of the work surface length.



external wire managers


round wire manager

The round wire manager is 3 feet long, with removable links. Includes two screw mount brackets. Available black. Links are slightly less than 2" in diameter.



slim wire manager

The slim wire manager is 3 feet long, with removable links. Includes a desk mount bracket and two magnet sections for maximum flexibility. Available in three colors, black, white and silver. Links are 1" deep by 2-1/4" wide.



fabric wire manager

The fabric wire manager is made of black fabric with velcro closure, neatly wrapping wires tightly. Includes adhesive velcro strips for mounting. Available in two widths, 4-3/4" and 6", and ten foot long roll that can be cut into multiple pieces.



Hover Lite offers three different beams with a variety of electrical options, from simple and concealed to robust and easily accessed.

grommet beam



The grommet beam includes access grommets on the top allowing the electrical to be completely concealed. All electrical is specified separately to give several options.

V2 beam



The V2 beam includes hardwire Cove units mounted on the side panels allowing easy access to the electrical and data. Each Cove unit includes four simplex outlets, two charging USB ports and a knock out for a telecom plate. All cables will be specified separately.

S1 beam




The S1 beam includes hardwire S1 units mounted on the side panels allowing easy access to the electrical and data. Each S1 unit includes four simplex outlets and a knock out for a telecom plate. S1 beams are available in four circuit, single circuit and ASHRAE 90.1/ Title 24 four circuit units. All cables will be specified separately.

beam construction

Hover Lite beams provide structure to route and conceal power, data and voice from floor core or wall locations to multiple workstations. Hover Lite beams allow privacy panels to be mounted directly to beam tops or worksurfaces.

General Specifications:

- Beam Width: 12".
- Beam Height: 23", plus levelers.
- Available in lengths 50"-86" in 6" increments.




grommet beam





double sided grommet beam

Both sides of the double sided grommet beam are identical.



single sided grommet beam


One side of the single sided grommet beam has a grommet on the top while the opposite side is blank. There are not left or right units because both end panels have a grommet.




electrical options for grommet beam

single sided power blocks

Grommet beams do not contain any electrical components allowing a variety of power options from minimal to robust. Single sided power blocks can be mounted on both the underside of the top and on the side panels.




S1 System Single Sided
Power Block - 4 Circuits




V2 System Undermount
Power Block - 2 Circuits

mounting to side panels




mounting to underside of top




double sided power blocks

The S1 system double sided power block can be mounted anywhere on the underside of the top.



S1 System Double Sided
Power Block - 4 Circuits

mounting to underside of top




V2 beam





double sided V2 beam

Both sides of the double sided V2 beam are identical.



single sided V2 beam

One side of the single sided V2 beam has a cove power unit on the side panel while the opposite side is blank. There are not left or right units because both end panels have a grommet.



electrical for V2 beam

cove power units

V2 beams include Cove hardwire units. The double sided beam has two units and the single sided beam has one unit. Interlinking cables, starter cable and data units should be specified separately.



specifications

- (4) Power outlets
- (2) 2.1A USB charging ports
- (1) cutout for interface plate (not included)
- Clamp mount
- Available finishes: Black, Silver and White

V2 cables

Cove hardwire units are two circuit units. The maximum number of Cove units that can be linked together is eight.



V2 Hardwire Starter Cable




V2 Hardwire Interconnecting Cable



V2 T-Junction Connector

wire diagram




S1 beam





double sided S1 beam

Both sides of the double sided S1 beam are identical.



single sided S1 beam

One side of the single sided S1 beam has a cove power unit on the side panel while the opposite side is blank. There are not left or right units because both end panels have a grommet.



electrical for S1 beam

S1 power units

S1 beams include S1 hardwire or coded units. The double sided beam has two units and the single sided beam has one unit. Interlinking cables, starter cable and data units should be specified separately.



specifications

- (4) Power outlets
- (1) cutout for interface plate (not included)
- Concealed screw mount
- Available finishes: Black, Silver and White
- Silver and white units have grey outlets and black units have black outlets

S1 cables

S1 hardwire units are available in four circuit, single circuit and ASHRAE 90.1/Title 24 four circuit units. The maximum number of four circuit S1 units that can be linked together is sixteen. The maximum number of single circuit S1 units that can be linked together is eight.



S1 Coded Starter Cable




S1 Hardwire Interconnecting Cable



S1 3-Way Flex Connector




S1 Hardwire Starter Cable



S1 3-Way Rigid Connector

wire diagram



wire management inside beams

cable channel

Cable Canal Wire Manager is 2" wide by 2" high and has 2 channels to separate electrical from data. Mounts to the underside of the Hover Lite beams. Available in lengths 18" to 42" in 6" increments. Made of black powdercoat steel.




cable trough

Cable Trough Wire Manager consists of five 8" long sections. Each section is 5-5/8" wide by 3-3/4" high. Sections snap together to create a maximum length 40", but multiple cable troughs can be combined to create longer lengths. Includes mounting brackets with dual-hinges for access on both sides. Made of grey or black plastic.



wire basket

Wire basket wire manager is made of metal and has integrated brackets for quick installation. The basket is 8" wide and 2" high, with an overall height of 5". Available in lengths 36" to 72" in 6" increments.




g-channel

G-Channel Wire Manager is 1-1/2" wide by 1-1/2" high and has a flexible corner opening to easily insert wires. Mounts to the panel of the Hover Lite beam with screws, staples or double-sided tape. Available in eight foot lengths and can easily be cut into smaller sections.



hover u-shaped wire channel

Hover U-Shaped Wire Channel is used to conceal power and data cables routing from infeed locations into beam. Attaches to end panel with magnetic catches. U-Shaped Wire Management Channel is 7" w x 5" d x 18" h.



flex wire manager

Flex wire manager is 5-3/8" long by 1-1/2" wide and can be attached to panels with screws. Made of grey plastic.




velcro wire manager

Velcro wire manager is 3-1/2" long by 1-3/4" wide and can be attached to panels with double-sided tape. Made of black plastic with black velcro.



rectangular worksurface

TFL and HPL




Model Number	Depth	Length	TFL		HPL		
			T1-A1	T2-A1	H1-A1	H1-K1	H1-P1
24" Deep							
HV-WS01-2448-??-??	24	48	\$226	\$248	\$338	\$481	\$604
HV-WS01-2454-??-??	24	54	\$243	\$267	\$364	\$746	\$921
HV-WS01-2460-??-??	24	60	\$251	\$277	\$377	\$755	\$938
HV-WS01-2466-??-??	24	66	\$279	\$306	\$419	\$763	\$954
HV-WS01-2472-??-??	24	72	\$298	\$328	\$446	\$772	\$969
HV-WS01-2478-??-??	24	78	\$363	\$399	\$545	\$780	\$986
HV-WS01-2484-??-??	24	84	\$382	\$420	\$572	\$790	\$1,001
30" Deep							
HV-WS01-3048-??-??	30	48	\$261	\$286	\$391	\$491	\$790
HV-WS01-3054-??-??	30	54	\$282	\$311	\$424	\$755	\$806
HV-WS01-3060-??-??	30	60	\$293	\$322	\$439	\$763	\$822
HV-WS01-3066-??-??	30	66	\$328	\$360	\$492	\$772	\$1,310
HV-WS01-3072-??-??	30	72	\$342	\$377	\$515	\$780	\$1,325
HV-WS01-3078-??-??	30	78	\$446	\$492	\$670	\$790	\$1,341
HV-WS01-3084-??-??	30	84	\$474	\$522	\$711	\$798	\$1,357
36" Deep							
HV-WS01-3648-??-??	36	48	\$311	\$341	\$466	\$755	\$938
HV-WS01-3654-??-??	36	54	\$350	\$385	\$525	\$1,273	\$1,558
HV-WS01-3660-??-??	36	60	\$388	\$426	\$582	\$1,283	\$1,573
HV-WS01-3666-??-??	36	66	\$413	\$454	\$619	\$1,291	\$1,590
HV-WS01-3672-??-??	36	72	\$443	\$488	\$665	\$1,300	\$1,605
HV-WS01-3678-??-??	36	78	\$516	\$568	\$774	\$1,308	\$1,621
HV-WS01-3684-??-??	36	84	\$546	\$601	\$819	\$1,317	\$1,637

- TFL worksurfaces are only available with DeskMakers standard 2MM PVC edgbanding.
- HPL worksurfaces with 2mm PVC edges are only available with DeskMakers standard 2MM PVC edgbanding.
- Grain runs the length on all worksurfaces.
- Please see the Cleaning and Care Guide for maintenance information.

type A height adjustable bases

Electric - 2 Leg - 2 Stage



Model Number	T-Foot Length	Worksurface Depth	Worksurface Length	Price
For 24" and 30" deep worksurfaces				
HV-TYPA-23	23	24/30	48-72	\$1,404
HV-AE23-2478	23	24/30	78	\$1,404
HV-TYPA-2484	23	24/30	84	\$1,404
For 30" and 36" deep worksurfaces				
HV-TYPA-29	29	30/36	48-72	\$1,512
HV-AE29-3678	29	30/36	78	\$1,512
HV-TYPA-3684	29	30/36	84	\$1,512

- HV-TYPA-23 and HV-TYPA-29 models have adjustable J-rails.
 - Please specify base finish when ordering. Premium colors available with 10% increase, HV-OPTN-PCLR. See page 9 for finish options.
 - Tops specified separately.
 - Bases ship unassembled.
 - Includes adjustable glides. 2" high Casters available, add OP-CAST-OMT-A for \$106 (set of 4).
 - Programmable digital control available, add OP-CNTL-DIGI for \$187.
 - External safety sensor available, add OP-DRBK-OMT for \$178.
- NOTE: Height adjustable bases have special discounting, please contact your local representative.

type G height adjustable bases

Electric - 2 Leg - 3 Stage



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
For 24" and 30" deep worksurfaces				
ML-3STG-2478-SLV	23	24/30	48/78	\$950
For 30" and 36" deep worksurfaces				
ML-3STG-3078-SLV	29	30/36	48/78	\$975

- Tops specified separately. Bases ship unassembled.
 - Includes adjustable steel frame, adjustable glides and programmable digital control.
- NOTE: Height adjustable bases have special discounting, please contact your local representative.

round wire manager



Model Number	Color	Length	Price
AC-CBLC-RND	Black	36	\$182

- Plastic material. Includes mounting bracket, two screw mount brackets.
- Links are 2" in diameter.
- Ships in multiple sections to be assembled in the field.

slim wire manager



Model Number	Color	Length	Price
AC-CBLC-SLIM-BK	Black	36	\$135
AC-CBLC-SLIM-WT	White	36	\$135
AC-CBLC-SLIM-SV	Silver	36	\$135

- Plastic material. Includes mounting bracket, two magnet sections and 41 links.
- Links are 1" x 2-1/4".
- Ships in multiple sections to be assembled in the field.

fabric wire manager



Model Number	Color	Width	Length	Price
AC-CBLC-FABR-4	Black	4 3/4	120	\$169
AC-CBLC-FABR-6	Black	6	120	\$172

- The fabric wire manager is made of black fabric with velcro closure, neatly wrapping wires tightly.
- Includes adhesive velcro strips for mounting.
- Ten foot long roll that can be cut into multiple pieces.

Vertebra Wire Manager

For Concealing Starter Cable




Model Number	Color	Price
AC-MGMT-02-SV	Metallic Silver	\$150
AC-MGMT-02-BL	Black	\$150

- Plastic material.
- Includes weighted base, edge clip, and installation screws.

grommet beam

double sided




Electrical Both Sides

Model Number	Depth	Width	Height	T1	T2
HL-TGRD-2344-??	12	44	23	\$628	\$691
HL-TGRD-2350-??	12	50	23	\$641	\$705
HL-TGRD-2356-??	12	56	23	\$696	\$766
HL-TGRD-2362-??	12	62	23	\$709	\$780
HL-TGRD-2368-??	12	68	23	\$721	\$793
HL-TGRD-2374-??	12	74	23	\$777	\$855
HL-TGRD-2380-??	12	80	23	\$789	\$868
HL-TGRD-2386-??	12	86	23	\$802	\$882


- Beam is constructed of all 3/4" thick material.
- All electrical specified separately.
- Includes one 2-1/2" grommet on each end panel and two 2-1/2" grommets on top.
- Includes leveling glides.

grommet beam

single sided



Electrical Side



Non-Electrical Side

Model Number	Depth	Width	Height	T1	T2
HL-TGRS-2344-??	12	44	23	\$626	\$688
HL-TGRS-2350-??	12	50	23	\$639	\$702
HL-TGRS-2356-??	12	56	23	\$694	\$763
HL-TGRS-2362-??	12	62	23	\$707	\$777
HL-TGRS-2368-??	12	68	23	\$719	\$790
HL-TGRS-2374-??	12	74	23	\$775	\$852
HL-TGRS-2380-??	12	80	23	\$787	\$865
HL-TGRS-2386-??	12	86	23	\$800	\$879

- Beam is constructed of all 3/4" thick material.
- All electrical specified separately.
- Includes one 2-1/2" grommet on each end panel and two 2-1/2" grommets on top.
- Includes leveling glides.

S1 system single sided power block



Model Number		Price
AC-ELS1-04	Circuits 1,2,3 & 4 outlets	\$149
AC-ELS1-04-1CE	All Circuit 1 outlets	\$144
AC-ELS1-04-T24C	Title 24: Circuits 2 & 4 Controlled	\$167

- 8-wire 4-circuit system. Max 4 connection boxes per circuit, with a total of 16 connection boxes on one hardwire starter when all 4 circuits are used.
- Includes S1 Power Connection Box.

S1 system single sided power block



Model Number		Price
AC-ELS1-08	Circuits 1,2,3 & 4 outlets	\$212
AC-ELS1-08-1CE	All Circuit 1 outlets	\$205
AC-ELS1-08-T24C	Title 24: Circuits 2 & 4 Controlled	\$235

- 8-wire 4-circuit system. Max 2 connection boxes per circuit, with a total of 8 connection boxes on one hardwire starter when all 4 circuits are used.
- Includes S1 Power Connection Box and mounting bracket.

S1 system data + power pak



Model Number		Price
AC-ELS1-05	Circuits 1,2,3 & 4 outlets	\$351
AC-ELS1-05-1CE	All Circuit 1 outlets	\$351
AC-ELS1-05-T24C	Title 24: Circuits 2 & 4 Controlled	\$385

- 8-wire 4-circuit system. Max 4 connection boxes per circuit, with a total of 16 connection boxes on one hardwire starter when all 4 circuits are used.
- Includes S1 Power Connection Box and chassis with two decora size cut-outs for interface plates.
- Includes 2 interface plates with data jack knockouts.

V2 system single sided power block



Model Number		Price
AC-ELV2-04-1CE	Circuit 1	\$319
AC-ELV2-04-2CE	Circuit 2	\$319

- Includes four power outlets.
- Includes two cut-outs for RJ45 CAT6 data keystone jacks. Keystone jacks not included.
- Black finish only.

S1 system interconnecting cable



Model Number	Length	Price
AC-ELS1-02-12	12" length	\$123
AC-ELS1-02-18	18" length	\$134
AC-ELS1-02-24	24" length	\$164
AC-ELS1-02-36	36" length	\$172
AC-ELS1-02-42	42" length	\$175
AC-ELS1-02-48	48" length	\$190
AC-ELS1-02-54	54" length	\$196
AC-ELS1-02-60	60" length	\$202
AC-ELS1-02-66	66" length	\$207
AC-ELS1-02-72	72" length	\$221
AC-ELS1-02-78	78" length	\$224
AC-ELS1-02-84	84" length	\$235
AC-ELS1-02-90	90" length	\$247
AC-ELS1-02-96	96" length	\$254

- Interconnect cables continue the power supply between multiple power blocks.
- Includes two female ends.

S1 system hardwire starter cable



Model Number	Length	Price
AC-ELS1-11-72	72" length	\$202
AC-ELS1-11-108	108" length	\$253
AC-ELS1-11-144	144" length	\$303


S1 system 20amp plug starter cable



Model Number	Length	Price
AC-ELS1-10-72	72" length	\$314

- Can only be used with S1 System power blocks with all circuit 1 outlets.
- Includes 15amp converter.

S1 system 3-way connectors




Model Number	Type	Length	Price
AC-ELS1-13-4	Rigid	4" length	\$122
AC-ELS1-12-12	Flex Cable	12" length	\$150

- Includes two male and one female ends.

V2 beam

double sided




Electrical Both Sides

Model Number	Depth	Width	Height	T1	T2
HL-T2CD-2344-??	12	44	23	\$2,033	\$2,236
HL-T2CD-2350-??	12	50	23	\$2,046	\$2,251
HL-T2CD-2356-??	12	56	23	\$2,101	\$2,311
HL-T2CD-2362-??	12	62	23	\$2,114	\$2,325
HL-T2CD-2368-??	12	68	23	\$2,126	\$2,339
HL-T2CD-2374-??	12	74	23	\$2,182	\$2,400
HL-T2CD-2380-??	12	80	23	\$2,194	\$2,413
HL-T2CD-2386-??	12	86	23	\$2,207	\$2,428


- Beam is constructed of all 3/4" thick material.
- Includes two power units. Starter cable and interconnecting cables specified separately.
- Includes one 2-1/2" grommet on each end panel and two 2-1/2" grommets on top.
- Includes leveling glides.

V2 beam

single sided



Electrical Side



Non-Electrical Side

Model Number	Depth	Width	Height	T1	T2
HL-T2CS-2344-??	12	44	23	\$1,328	\$1,461
HL-T2CS-2350-??	12	50	23	\$1,341	\$1,475
HL-T2CS-2356-??	12	56	23	\$1,396	\$1,536
HL-T2CS-2362-??	12	62	23	\$1,409	\$1,550
HL-T2CS-2368-??	12	68	23	\$1,421	\$1,563
HL-T2CS-2374-??	12	74	23	\$1,477	\$1,625
HL-T2CS-2380-??	12	80	23	\$1,489	\$1,638
HL-T2CS-2386-??	12	86	23	\$1,502	\$1,652

- Beam is constructed of all 3/4" thick material.
- Includes one power unit. Starter cable and interconnecting cables specified separately.
- Includes one 2-1/2" grommet on each end panel and two 2-1/2" grommets on top.
- Includes leveling glides.

V2 system interconnecting cable



Model Number	Length	Price
AC-ELV2-02-12	12" length	\$88
AC-ELV2-02-18	18" length	\$94
AC-ELV2-02-24	24" length	\$116
AC-ELV2-02-36	36" length	\$148
AC-ELV2-02-48	48" length	\$166
AC-ELV2-02-60	60" length	\$180
AC-ELV2-02-72	72" length	\$196
AC-ELV2-02-84	84" length	\$208
AC-ELV2-02-96	96" length	\$225

- Interconnect cables continue the power supply between multiple power blocks.
- Includes two female ends.

V2 system hardwire starter cable



Model Number	Length	Price
AC-ELV2-11-72	72" length	\$183
AC-ELV2-11-96	96" length	\$208
AC-ELV2-11-108	108" length	\$227
AC-ELV2-11-144	144" length	\$271


V2 system 20amp plug starter cable



Model Number	Length	Price
AC-ELV2-01-20A	72" length	\$310

- Can only be used with circuit 1 connection box.

V2 system t-junction




Model Number	Price
AC-ELV2-05-DT	\$166

- Includes one female and two male ends.

S1 beam

double sided





Model Number	Depth	Width	Height	T1	T2
HL-T4CD-2344-4CE-??	12	44	23	\$1,214	\$1,415
HL-T4CD-2350-4CE-??	12	50	23	\$1,227	\$1,431
HL-T4CD-2356-4CE-??	12	56	23	\$1,286	\$1,499
HL-T4CD-2362-4CE-??	12	62	23	\$1,300	\$1,515
HL-T4CD-2368-4CE-??	12	68	23	\$1,312	\$1,530
HL-T4CD-2374-4CE-??	12	74	23	\$1,372	\$1,599
HL-T4CD-2380-4CE-??	12	80	23	\$1,384	\$1,614
HL-T4CD-2386-4CE-??	12	86	23	\$1,398	\$1,630

- Beam is constructed of all 3/4" thick material.
- Includes two power units. Starter cable and interconnecting cables specified separately.
- Includes one 2-1/2" grommet on each end panel and two 2-1/2" grommets on top.
- Includes leveling glides.

S1 beam

single sided




Model Number	Depth	Width	Height	T1	T2
HL-T4CS-2344-4CE-??	12	44	23	\$884	\$1,051
HL-T4CS-2350-4CE-??	12	50	23	\$897	\$1,065
HL-T4CS-2356-4CE-??	12	56	23	\$952	\$1,125
HL-T4CS-2362-4CE-??	12	62	23	\$1,023	\$1,208
HL-T4CS-2368-4CE-??	12	68	23	\$1,036	\$1,222
HL-T4CS-2374-4CE-??	12	74	23	\$1,095	\$1,287
HL-T4CS-2380-4CE-??	12	80	23	\$1,108	\$1,301
HL-T4CS-2386-4CE-??	12	86	23	\$1,121	\$1,316

- Beam is constructed of all 3/4" thick material.
- Includes one power unit. Starter cable and interconnecting cables specified separately.
- Includes one 2-1/2" grommet on each end panel and two 2-1/2" grommets on top.
- Includes leveling glides.

S1 beam

double sided





Model Number	Depth	Width	Height	T1	T2
HL-T4CD-2344-1CE-??	12	44	23	\$1,214	\$1,564
HL-T4CD-2350-1CE-??	12	50	23	\$1,227	\$1,579
HL-T4CD-2356-1CE-??	12	56	23	\$1,286	\$1,643
HL-T4CD-2362-1CE-??	12	62	23	\$1,300	\$1,658
HL-T4CD-2368-1CE-??	12	68	23	\$1,312	\$1,672
HL-T4CD-2374-1CE-??	12	74	23	\$1,372	\$1,737
HL-T4CD-2380-1CE-??	12	80	23	\$1,384	\$1,751
HL-T4CD-2386-1CE-??	12	86	23	\$1,398	\$1,766

- Beam is constructed of all 3/4" thick material.
- Includes two power units. Starter cable and interconnecting cables specified separately.
- Includes one 2-1/2" grommet on each end panel and two 2-1/2" grommets on top.
- Includes leveling glides.

S1 beam


single sided



Model Number	Depth	Width	Height	T1	T2
HL-T4CS-2344-1CE-??	12	44	23	\$937	\$1,093
HL-T4CS-2350-1CE-??	12	50	23	\$951	\$1,109
HL-T4CS-2356-1CE-??	12	56	23	\$1,009	\$1,177
HL-T4CS-2362-1CE-??	12	62	23	\$1,023	\$1,193
HL-T4CS-2368-1CE-??	12	68	23	\$1,036	\$1,208
HL-T4CS-2374-1CE-??	12	74	23	\$1,095	\$1,277
HL-T4CS-2380-1CE-??	12	80	23	\$1,108	\$1,292
HL-T4CS-2386-1CE-??	12	86	23	\$1,121	\$1,308

- Beam is constructed of all 3/4" thick material.
- Includes one power unit. Starter cable and interconnecting cables specified separately.
- Includes one 2-1/2" grommet on each end panel and two 2-1/2" grommets on top.
- Includes leveling glides.



S1 beam
double sided



Model Number	Depth	Width	Height	T1	T2
HL-T4CD-2344-T24-??	12	44	23	\$1,224	\$1,428
HL-T4CD-2350-T24-??	12	50	23	\$1,238	\$1,444
HL-T4CD-2356-T24-??	12	56	23	\$1,296	\$1,512
HL-T4CD-2362-T24-??	12	62	23	\$1,310	\$1,528
HL-T4CD-2368-T24-??	12	68	23	\$1,323	\$1,542
HL-T4CD-2374-T24-??	12	74	23	\$1,382	\$1,612
HL-T4CD-2380-T24-??	12	80	23	\$1,395	\$1,627
HL-T4CD-2386-T24-??	12	86	23	\$1,409	\$1,643

- Beam is constructed of all 3/4" thick material.
- Includes two power units. Starter cable and interconnecting cables specified separately.
- Includes one 2-1/2" grommet on each end panel and two 2-1/2" grommets on top.
- Includes leveling glides.

S1 beam
single sided



Model Number	Depth	Width	Height	T1	T2
HL-T4CS-2344-T24-??	12	44	23	\$942	\$1,119
HL-T4CS-2350-T24-??	12	50	23	\$956	\$1,135
HL-T4CS-2356-T24-??	12	56	23	\$1,014	\$1,199
HL-T4CS-2362-T24-??	12	62	23	\$1,028	\$1,214
HL-T4CS-2368-T24-??	12	68	23	\$1,041	\$1,228
HL-T4CS-2374-T24-??	12	74	23	\$1,100	\$1,293
HL-T4CS-2380-T24-??	12	80	23	\$1,113	\$1,307
HL-T4CS-2386-T24-??	12	86	23	\$1,127	\$1,322

- Beam is constructed of all 3/4" thick material.
- Includes one power unit. Starter cable and interconnecting cables specified separately.
- Includes one 2-1/2" grommet on each end panel and two 2-1/2" grommets on top.
- Includes leveling glides.

S1 system interconnecting cable



Model Number	Length	Price
AC-ELS1-02-12	12" length	\$123
AC-ELS1-02-18	18" length	\$134
AC-ELS1-02-24	24" length	\$164
AC-ELS1-02-36	36" length	\$172
AC-ELS1-02-42	42" length	\$175
AC-ELS1-02-48	48" length	\$190
AC-ELS1-02-54	54" length	\$196
AC-ELS1-02-60	60" length	\$202
AC-ELS1-02-66	66" length	\$207
AC-ELS1-02-72	72" length	\$221
AC-ELS1-02-78	78" length	\$224
AC-ELS1-02-84	84" length	\$235
AC-ELS1-02-90	90" length	\$247
AC-ELS1-02-96	96" length	\$254

- Interconnect cables continue the power supply between multiple power blocks.
- Includes two female ends.

S1 system hardwire starter cable



Model Number	Length	Price
AC-ELS1-11-72	72" length	\$202
AC-ELS1-11-108	108" length	\$253
AC-ELS1-11-144	144" length	\$303


S1 system 20amp plug starter cable



Model Number	Length	Price
AC-ELS1-10-72	72" length	\$314

- Can only be used with S1 System power blocks with all circuit 1 outlets.
- Includes 15amp converter.

S1 system 3-way connectors



Model Number	Type	Length	Price
AC-ELS1-13-4	Rigid	4" length	\$122
AC-ELS1-12-12	Flex Cable	12" length	\$150

- Includes two male and one female ends.

g-shaped wire management channel



Model Number	Length	Price
AC-MGMT-GCHN	Per 8 Linear Feet	\$66

- Channel size is 1-1/2" x 1-1/2".
- Secures with screws, staples or double-sided tape.
- Flexible corner opening for easy insertion of wires.
- Supplied in 8-foot increments only. Must be field installed.

cable channel



Model Number	Width	Length	Height	Price
AC-MGMT-CC18	2	18	2	\$135
AC-MGMT-CC24	2	24	2	\$151
AC-MGMT-CC30	2	30	2	\$182
AC-MGMT-CC36	2	36	2	\$198
AC-MGMT-CC42	2	42	2	\$260

- Cable channel has two channels to separate power and data.
- Secures with screws.
- Black powdercoated steel.


cable trough



Model Number	Width	Length	Height	Price
AC-MGMT-TRGH-BK	5 5/8	40	3 3/4	\$182
AC-MGMT-TRGH-GR	5 5/8	40	3 3/4	\$182

- Cable trough includes five 8" sections and two mounting brackets with dual-hinges.
- Secures with screws.
- Black or grey plastic.


u-shaped wire management channel



Model Number	Width	Depth	Height	Price
HV-UCHN-18	5	7	18	\$163

- 3/4" thermofuse laminate material only.
- Ships with mounting hardware for securing to table base.
- Cannot be used to support beams.

wire management baskets



Model Number	Width	Length	Height	Price
SY-WMBT-0836	8	36	2	\$110
SY-WMBT-0842	8	42	2	\$116
SY-WMBT-0848	8	48	2	\$146
SY-WMBT-0860	8	60	2	\$162
SY-WMBT-0872	8	72	2	\$170

- Mounting brackets are integrated into basket for ease of installation.
- Silver finish.
- Overall height with mounting brackets is 5".

flex wire manager



Model Number	Width	Length	Price
AC-MGMT-FLEX	1 1/2	5 3/8	\$13

- Price is for one unit.
- Secures with single screw.
- Grey plastic.


velcro wire manager



Model Number	Width	Length	Price
AC-MGMT-VELCRO	1 3/4	3 1/2	\$17

- Price is for one unit.
- Secures with double-sided tape.
- Black plastic and black velcro.


telecom plate brackets



Model Number	Description	Price
AC-ELBR-DAT1	5.5" x 2" Bracket for 1 plate	\$1
AC-ELBR-DAT2	10.75" x 2" Bracket for 2 plates	\$1

- Metal material, black finish.
- Brackets are 2.4" high.
- Includes interface plates each with two keystone jack cut-outs. Jacks not included.
- Can be mounted inside Hover Lite beam.

skinny mobile box/file pedestal



Model Number	Depth	Width	Height	T1	T2
HL-SMBF-1812-??	17-3/4	12	22	\$699	\$814
HL-SMBF-2212-??	21-3/4	12	22	\$732	\$854

- Pedestal is finished on all sides.
- Includes five locking casters for stability.
- Lock standard.


skinny mobile cubby/file pedestal



Model Number	Depth	Width	Height	T1	T2
HL-SMCF-1812-??	17-3/4	12	22	\$699	\$814
HL-SMCF-2212-??	21-3/4	12	22	\$732	\$854

- Pedestal is finished on all sides.
- Includes five locking casters for stability.
- Lock on file drawer.

skinny mobile cubby/door pedestal



Model Number	Depth	Width	Height	T1	T2
HL-SMCD-1812-??	17-3/4	12	22	\$679	\$792
HL-SMCD-2212-??	21-3/4	12	22	\$700	\$816

- Pedestal is finished on all sides.
- Includes five locking casters for stability.
- For lock on door, add OP-LOCK-ADD for \$95.

skinny mobile open storage pedestal



Model Number	Depth	Width	Height	T1	T2
HL-SMBF-1812-??	17-3/4	12	22	\$699	\$814
HL-SMBF-2212-??	21-3/4	12	22	\$732	\$854

- Pedestal is finished on all sides.
- Includes five locking casters for stability.


skinny mobile box/open storage pedestal



Model Number	Depth	Width	Height	T1	T2
HL-SMCF-1812-??	17-3/4	12	22	\$699	\$814
HL-SMCF-2212-??	21-3/4	12	22	\$732	\$854

- Pedestal is finished on all sides.
- Includes five locking casters for stability.
- Lock on box drawer.

skinny mobile box/door pedestal



Model Number	Depth	Width	Height	T1	T2
HL-SMCD-1812-??	17-3/4	12	22	\$679	\$792
HL-SMCD-2212-??	21-3/4	12	22	\$700	\$816

- Pedestal is finished on all sides.
- Includes five locking casters for stability.
- Lock on box drawer. For lock on door, add OP-LOCK-ADD for \$95.

**Please see website for current Terms and Conditions:
www.deskmakers.com**

Limited Lifetime Warranty

(Effective for Furniture Sold as of January 1, 2015)

DeskMakers, Inc. furniture is warranted against defects in material and workmanship given normal usage and care for as long the original purchaser owns it.

DeskMakers will repair or replace at its option, and at its own cost, any product that develops a defect during the warranty period. In some cases, DeskMakers may elect to refund the customer's original purchase price (less reasonable depreciation) in lieu of repair or replacement. Repair, replacement, or refund is the purchaser's sole remedy, the choice of which rests solely with DeskMakers. DeskMakers shall not be liable for any incidental or consequential damages including lost profits and loss of use of product.

Limitations:

- The warranty for wood guest chair frames shall be limited to 10 years.
- The warranty for PVC edges, wood veneer edges, HPL edges, mechanical parts such as ball bearing slides, door hinges, floor glides, fabric (except for COM fabrics), seating foam, and wood veneer surfaces shall be limited to five (5) years.
- The warranty for training tables shall be limited to three (3) years.
- The warranty for engineered-to-order "custom" products shall be limited to three (3) years.
- The warranty for height adjustable bases shall be limited to two (2) years on electrical components, five (5) years on mechanical components and ten (10) years on structural components.
- This warranty does not cover:
 - o Normal wear and tear.
 - o The color fastness of any laminate, wood, or fabric, as such colors can fade or darken with normal use and as a result of exposure to light.
 - o Customer's Own Materials (COM).
 - o Damage caused by placing anything other than hanging files in file drawers.
 - o Rental furniture.
 - o Labor and service.

Normal Usage:

This warranty does not apply to damages or failures resulting from misuse, abuse, negligence, or improper care. For casegoods, tables, and desking, normal usage is limited to 40 hours per week. For seating, normal usage is limited to 40 hours per week by individuals of 250 lbs. or less.

Showroom Locations

Los Angeles

DeskMakers Headquarters
6525 Flotilla Street
Commerce, CA 90040

DeskMakers

Phone: 323.264.2260 | Fax: 323.725.6960
www.deskmakers.com